

# CPU Benchmarks

Over 1,000,000 CPUs Benchmarked

## CPU Mega List

Below is a list of all single socket CPU types that appear in the charts. By clicking the column headings you can sort the CPUs, you can also filter your search by selecting one of the drop down categories or by using the range sliders. Clicking on a specific processor name will take you to the chart it appears in and will highlight it for you.

### POMÓŻ MI

Nadzieja zawsze umiera ostatnia. Proszę  
skreślaj mniej, choć walczyć o swoje zdanie  
Czaspomagac.pl

### Single CPU Systems *Last Updated: 19th of April 2021*

Columns

Show  entries

CPU Name	CPU Mark	Thread Mark	TDP (W)
	Min... - Max...	Min... - Max...	Min... - Max...
<a href="#">AMD EPYC 7763</a>	87,686	2,639	280
<a href="#">AMD EPYC 7713</a>	86,512	2,752	225
<a href="#">AMD Ryzen Threadripper PRO 3995WX</a>	85,934	2,657	280
<a href="#">AMD Ryzen Threadripper 3990X</a>	80,690	2,558	280
<a href="#">AMD EPYC 7643</a>	77,101	2,713	225
<a href="#">AMD EPYC 7702</a>	71,929	2,099	200
<a href="#">AMD EPYC 7702P</a>	68,213	2,210	200
<a href="#">AMD EPYC 7742</a>	67,185	2,376	225
<a href="#">AMD Ryzen Threadripper 3970X</a>	64,226	2,712	280
<a href="#">AMD Ryzen Threadripper PRO 3975WX</a>	63,767	2,667	280
<a href="#">AMD EPYC 7R32</a>	58,556	1,737	NA
<a href="#">AMD EPYC 7542</a>	56,310	2,216	225
<a href="#">AMD Ryzen Threadripper 3960X</a>	54,881	2,682	280
<a href="#">AMD EPYC 7502</a>	53,591	2,116	180
<a href="#">AMD EPYC 7502P</a>	46,180	1,777	180
<a href="#">AMD Ryzen 9 5950X</a>	46,113	3,495	105
<a href="#">AMD EPYC 7402</a>	45,684	2,090	180
<a href="#">AMD EPYC 7452</a>	45,056	2,177	155
<a href="#">AMD Ryzen Threadripper PRO 3955WX</a>	40,804	2,733	280

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Ryzen 9 5900X</a>	39,400	3,493	105
<a href="#">AMD Ryzen 9 3950X</a>	39,252	2,746	105
<a href="#">AMD EPYC 7402P</a>	39,118	1,742	180
<a href="#">AMD Ryzen 9 5900</a>	38,761	3,527	65
<a href="#">Intel Xeon Gold 6248R @ 3.00GHz</a>	38,521	2,270	205
<a href="#">Intel Xeon Platinum 8280 @ 2.70GHz</a>	37,575	2,011	205
<a href="#">Intel Xeon Gold 6242R @ 3.10GHz</a>	34,987	2,444	205
<a href="#">AMD EPYC 7302</a>	34,259	2,080	155
<a href="#">Intel Core i9-10980XE @ 3.00GHz</a>	34,015	2,664	165
<a href="#">Intel Xeon Platinum 8260M @ 2.30GHz</a>	33,970	2,315	165
<a href="#">AMD Ryzen Threadripper PRO 3945WX</a>	33,846	2,714	280
<a href="#">Intel Xeon Platinum 8168 @ 2.70GHz</a>	33,503	2,157	205
<a href="#">AMD EPYC 7302P</a>	33,210	1,894	155
<a href="#">AMD Ryzen 9 3900XT</a>	33,004	2,801	105
<a href="#">AMD Ryzen 9 3900X</a>	32,905	2,733	105
<a href="#">AMD Ryzen Threadripper 2990WX</a>	32,497	2,331	250
<a href="#">Intel Core i9-9980XE @ 3.00GHz</a>	32,402	2,588	165
<a href="#">Intel Core i9-9990XE @ 4.00GHz</a>	31,941	3,104	255
<a href="#">Intel Xeon W-2295 @ 3.00GHz</a>	31,881	2,756	165
<a href="#">Intel Xeon W-3175X @ 3.10GHz</a>	31,814	2,126	255
<a href="#">AMD Ryzen 9 PRO 3900</a>	31,800	2,637	65
<a href="#">AMD EPYC 7282</a>	31,510	2,006	120
<a href="#">Intel Xeon Platinum 8259CL @ 2.50GHz</a>	31,500	1,863	210
<a href="#">Intel Xeon Gold 6248 @ 2.50GHz</a>	31,285	2,326	150
<a href="#">Intel Core i9-9960X @ 3.10GHz</a>	30,973	2,644	165
<a href="#">AMD Ryzen 9 3900</a>	30,926	2,653	65
<a href="#">AMD Ryzen Threadripper 2950X</a>	30,725	2,455	180
<a href="#">Intel Xeon Gold 6246R @ 3.40GHz</a>	30,485	2,389	205
<a href="#">Intel Xeon W-3245 @ 3.20GHz</a>	30,473	2,564	205
<a href="#">Intel Xeon W-3265 @ 2.70GHz</a>	30,105	2,572	205
<a href="#">Intel Xeon Platinum 8268 @ 2.90GHz</a>	30,103	2,167	205
<a href="#">Intel Core i9-7980XE @ 2.60GHz</a>	29,464	2,469	165
<a href="#">Intel Xeon Gold 6254 @ 3.10GHz</a>	29,356	2,381	200
<a href="#">AMD Ryzen Threadripper 2970WX</a>	29,165	2,324	250
<a href="#">Intel Core i9-10940X @ 3.30GHz</a>	29,142	2,733	165
<a href="#">AMD Ryzen 7 5800X</a>	28,641	3,505	105
<a href="#">AMD EPYC 7371</a>	28,356	2,419	NA
<a href="#">Intel Core i9-9940X @ 3.30GHz</a>	28,288	2,607	165
<a href="#">Intel Xeon W-2275 @ 3.30GHz</a>	27,745	2,859	165
<a href="#">Intel Xeon Gold 6238 @ 2.10GHz</a>	27,617	1,691	140
<a href="#">Intel Xeon Gold 6212U @ 2.40GHz</a>	27,470	2,013	165
<a href="#">AMD EPYC 7571</a>	27,445	1,934	120
<a href="#">Intel Xeon Platinum 8173M @ 2.00GHz</a>	27,377	2,123	165

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i9-7960X @ 2.80GHz</a>	27,305	2,556	165
<a href="#">Intel Xeon Gold 6210U @ 2.50GHz</a>	27,131	2,295	150
<a href="#">AMD Ryzen Threadripper 1950X</a>	26,998	2,279	180
<a href="#">Intel Core i9-7940X @ 3.10GHz</a>	26,953	2,509	165
<a href="#">Intel Xeon Gold 6208U @ 2.90GHz</a>	26,677	2,325	150
<a href="#">Intel Xeon Platinum 8175M @ 2.50GHz</a>	26,659	1,903	NA
<a href="#">Intel Xeon Platinum 8160 @ 2.10GHz</a>	26,485	1,984	150
<a href="#">Intel Core i9-10920X @ 3.50GHz</a>	26,480	2,754	165
<a href="#">AMD Ryzen Threadripper 2990X</a>	26,469	2,285	250
<a href="#">AMD EPYC 7272</a>	26,454	2,019	120
<a href="#">AMD EPYC 7401P</a>	26,392	1,795	155
<a href="#">Intel Xeon Gold 6154 @ 3.00GHz</a>	26,298	2,249	200
<a href="#">Intel Xeon Gold 6242 @ 2.80GHz</a>	26,288	2,196	150
<a href="#">Intel Core i9-11900K @ 3.50GHz</a>	26,170	3,584	125
<a href="#">Intel Xeon W-2265 @ 3.50GHz</a>	26,039	2,872	165
<a href="#">AMD EPYC 7551P</a>	25,933	1,611	180
<a href="#">Intel Xeon Gold 5220 @ 2.20GHz</a>	25,740	2,396	125
<a href="#">AMD Ryzen Threadripper 2920X</a>	25,607	2,509	180
<a href="#">Intel Core i9-11900KF @ 3.50GHz</a>	25,604	3,504	125
<a href="#">Intel Xeon Gold 6226R @ 2.90GHz</a>	25,570	2,217	150
<a href="#">Intel Xeon Platinum 8124M @ 3.00GHz</a>	25,456	2,084	NA
<a href="#">Intel Xeon Platinum 8167M @ 2.00GHz</a>	25,396	1,455	NA
<a href="#">Intel Xeon W-3235 @ 3.30GHz</a>	25,371	2,571	180
<a href="#">Intel Xeon Gold 6230 @ 2.10GHz</a>	25,326	2,250	125
<a href="#">Intel Core i7-11700K @ 3.60GHz</a>	25,208	3,474	125
<a href="#">Intel Core i9-9920X @ 3.50GHz</a>	25,197	2,624	165
<a href="#">AMD EPYC 7501</a>	24,925	1,925	155
<a href="#">Intel Core i9-11900F @ 2.50GHz</a>	24,835	3,561	65
<a href="#">Intel Xeon Gold 6138T @ 2.00GHz</a>	24,800	2,050	125
<a href="#">Intel Xeon Gold 6143 @ 2.80GHz</a>	24,786	2,248	205
<a href="#">Intel Core i7-11700KF @ 3.60GHz</a>	24,459	3,376	125
<a href="#">Intel Xeon Gold 6246 @ 3.30GHz</a>	24,446	2,450	165
<a href="#">Intel Xeon E5-2699 v4 @ 2.20GHz</a>	24,272	1,903	145
<a href="#">Intel Xeon Gold 6148 @ 2.40GHz</a>	24,133	2,056	150
<a href="#">Intel Xeon Gold 6138 @ 2.00GHz</a>	24,115	2,224	125
<a href="#">Intel Core i9-10900K @ 3.70GHz</a>	24,012	3,168	125
<a href="#">AMD Ryzen 7 3800XT</a>	23,951	2,859	105
<a href="#">AMD Ryzen 9 5900HX</a>	23,939	3,277	45
<a href="#">Intel Core i9-10900KF @ 3.70GHz</a>	23,785	3,131	125
<a href="#">Intel Xeon E5-2679 v4 @ 2.50GHz</a>	23,639	1,928	200
<a href="#">AMD EPYC 7351</a>	23,566	1,821	155
<a href="#">Intel Xeon W-1290P @ 3.70GHz</a>	23,538	3,243	125
<a href="#">Intel Core i9-7920X @ 2.90GHz</a>	23,395	2,477	140

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon W-2170B @ 2.50GHz</a>	23,300	2,559	NA
<a href="#">Intel Xeon Gold 6146 @ 3.20GHz</a>	23,280	2,477	165
<a href="#">Intel Xeon W-2175 @ 2.50GHz</a>	23,207	2,446	140
<a href="#">Intel Xeon Platinum 8176 @ 2.10GHz</a>	23,179	2,048	165
<a href="#">AMD Ryzen 9 5900HS</a>	23,097	3,276	35
<a href="#">AMD Ryzen 9 5980HS</a>	23,078	3,365	35
<a href="#">AMD Ryzen Threadripper 1920X</a>	23,033	2,292	180
<a href="#">Intel Core i9-10900X @ 3.70GHz</a>	22,861	2,723	165
<a href="#">Intel Xeon Gold 5218R @ 2.10GHz</a>	22,849	2,261	125
<a href="#">AMD Ryzen 7 3700X</a>	22,807	2,689	65
<a href="#">Intel Xeon Gold 6140 @ 2.30GHz</a>	22,733	1,840	140
<a href="#">Intel Xeon W-2255 @ 3.70GHz</a>	22,680	2,763	165
<a href="#">AMD EPYC 7F32</a>	22,303	2,447	180
<a href="#">Intel Xeon Gold 6152 @ 2.10GHz</a>	22,291	2,155	140
<a href="#">AMD Ryzen 7 PRO 3700</a>	22,211	2,662	65
<a href="#">AMD Ryzen 5 5600X</a>	22,194	3,381	65
<a href="#">Intel Xeon W-1290E @ 3.50GHz</a>	22,138	2,923	95
<a href="#">Intel Core i9-10910 @ 3.60GHz</a>	22,117	3,144	125
<a href="#">Intel Xeon Gold 5218 @ 2.30GHz</a>	22,117	2,245	125
<a href="#">Intel Xeon E5-2698 v4 @ 2.20GHz</a>	22,091	2,066	135
<a href="#">AMD Ryzen 7 5800HS</a>	22,040	3,145	35
<a href="#">AMD Ryzen 7 5800H</a>	22,003	3,123	45
<a href="#">Intel Xeon W-1290 @ 3.20GHz</a>	21,859	3,094	80
<a href="#">Intel Xeon Gold 6136 @ 3.00GHz</a>	21,835	2,191	150
<a href="#">AMD EPYC 7551</a>	21,806	1,813	180
<a href="#">Intel Xeon Gold 6130T @ 2.10GHz</a>	21,803	1,698	125
<a href="#">Intel Core i9-9900X @ 3.50GHz</a>	21,666	2,596	165
<a href="#">Intel Core i9-7900X @ 3.30GHz</a>	21,444	2,606	140
<a href="#">AMD EPYC 7281</a>	21,230	1,613	155
<a href="#">Intel Core i9-10900 @ 2.80GHz</a>	21,045	3,077	65
<a href="#">Intel Xeon E5-2696 v4 @ 2.20GHz</a>	21,031	1,787	145
<a href="#">Intel Core i7-11700F @ 2.50GHz</a>	20,984	3,418	65
<a href="#">Intel Core i9-10900F @ 2.80GHz</a>	20,960	3,073	65
<a href="#">AMD EPYC 7262</a>	20,952	1,935	155
<a href="#">Intel Xeon W-2155 @ 3.30GHz</a>	20,949	2,638	140
<a href="#">AMD Ryzen 7 PRO 4700G</a>	20,848	2,700	65
<a href="#">AMD EPYC 7451</a>	20,738	2,078	180
<a href="#">AMD Ryzen 7 PRO 4750G</a>	20,727	2,694	65
<a href="#">AMD Ryzen 7 4700GE</a>	20,671	2,737	35
<a href="#">AMD Ryzen 7 PRO 5850U</a>	20,659	3,237	15
<a href="#">Intel Xeon E5-2697 v4 @ 2.30GHz</a>	20,556	1,849	145
<a href="#">Intel Core i9-9820X @ 3.30GHz</a>	20,524	2,431	165
<a href="#">Intel Xeon E5-2699 v3 @ 2.30GHz</a>	20,397	1,994	145

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon W-2150B @ 3.00GHz</a>	20,172	2,651	NA
<a href="#">Intel Xeon E5-2695 v4 @ 2.10GHz</a>	20,096	1,922	120
<a href="#">Intel Core i5-11600K @ 3.90GHz</a>	19,983	3,394	125
<a href="#">AMD Ryzen 7 PRO 4750GE</a>	19,876	2,728	35
<a href="#">AMD Ryzen 7 4700G</a>	19,863	2,765	65
<a href="#">Intel Xeon Gold 6226 @ 2.70GHz</a>	19,810	2,104	125
<a href="#">Intel Core i5-11600KF @ 3.90GHz</a>	19,783	3,359	125
<a href="#">AMD Ryzen 9 4900HS</a>	19,759	2,651	35
<a href="#">Intel Xeon E5-2682 v4 @ 2.50GHz</a>	19,634	1,825	120
<a href="#">AMD EPYC 7351P</a>	19,589	1,876	155
<a href="#">Intel Core i9-9900KS @ 4.00GHz</a>	19,566	3,049	127
<a href="#">Intel Xeon E5-2698 v3 @ 2.30GHz</a>	19,552	1,971	135
<a href="#">Intel Xeon Gold 6132 @ 2.60GHz</a>	19,552	2,177	140
<a href="#">Intel Core i7-10700K @ 3.80GHz</a>	19,502	3,086	125
<a href="#">Intel Xeon W-2245 @ 3.90GHz</a>	19,462	2,765	155
<a href="#">AMD Ryzen 7 5800U</a>	19,379	3,012	15
<a href="#">Intel Xeon Gold 6137 @ 3.90GHz</a>	19,365	2,499	205
<a href="#">Intel Core i7-7900X @ 3.30GHz</a>	19,358	2,610	140
<a href="#">Intel Xeon E5-2690 v4 @ 2.60GHz</a>	19,325	2,034	135
<a href="#">AMD Ryzen 7 4800H</a>	19,231	2,660	45
<a href="#">Intel Xeon Gold 6126 @ 2.60GHz</a>	19,223	2,019	125
<a href="#">Intel Core i7-10700KF @ 3.80GHz</a>	19,188	3,053	125
<a href="#">Intel Xeon W-1270P @ 3.80GHz</a>	19,107	3,108	95
<a href="#">AMD Ryzen 9 4900H</a>	19,067	2,726	45
<a href="#">AMD Ryzen 7 4800HS</a>	19,036	2,630	45
<a href="#">Intel Xeon E5-2697A v4 @ 2.60GHz</a>	18,996	2,184	145
<a href="#">Intel Xeon E5-2676 v4 @ 2.40GHz</a>	18,978	1,730	145
<a href="#">Intel Xeon Silver 4214R @ 2.40GHz</a>	18,940	2,095	100
<a href="#">Intel Core i9-9900K @ 3.60GHz</a>	18,863	2,975	95
<a href="#">Intel Core i9-9900KF @ 3.60GHz</a>	18,860	2,994	95
<a href="#">AMD Ryzen 5 3600XT</a>	18,850	2,800	95
<a href="#">Intel Xeon Gold 6144 @ 3.50GHz</a>	18,656	2,523	150
<a href="#">Intel Xeon Gold 6130 @ 2.10GHz</a>	18,634	1,859	125
<a href="#">Intel Xeon Silver 4216 @ 2.10GHz</a>	18,561	1,667	100
<a href="#">Intel Xeon W-1290T @ 1.90GHz</a>	18,409	2,974	35
<a href="#">AMD Ryzen 5 5600H</a>	18,399	3,071	45
<a href="#">Intel Core i7-9800X @ 3.80GHz</a>	18,397	2,638	165
<a href="#">Intel Xeon D-2183IT @ 2.20GHz</a>	18,385	1,728	100
<a href="#">AMD Ryzen 5 3600X</a>	18,327	2,678	95
<a href="#">AMD Ryzen 7 Extreme Edition</a>	18,187	2,670	NA
<a href="#">Intel Xeon W-2145 @ 3.70GHz</a>	18,163	2,629	140
<a href="#">Intel Xeon E5-2680 v4 @ 2.40GHz</a>	18,156	1,927	120
<a href="#">Intel Xeon D-2187NT @ 2.00GHz</a>	18,070	1,425	110

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-2683 v4 @ 2.10GHz</a>	18,017	1,673	120
<a href="#">Intel Core i9-11900 @ 2.50GHz</a>	17,958	2,695	65
<a href="#">Intel Core i9-10900TE @ 1.80GHz</a>	17,888	2,684	35
<a href="#">AMD Ryzen 5 3600</a>	17,864	2,584	65
<a href="#">Intel Xeon W-1270 @ 3.40GHz</a>	17,830	3,071	80
<a href="#">Intel Xeon E5-2697 v3 @ 2.60GHz</a>	17,797	1,930	145
<a href="#">Intel Xeon E5-2680R v4 @ 2.40GHz</a>	17,795	1,833	120
<a href="#">Intel Xeon E5-2687W v4 @ 3.00GHz</a>	17,791	2,130	160
<a href="#">Intel Xeon E5-2686 v3 @ 2.00GHz</a>	17,678	1,862	120
<a href="#">Intel Xeon E-2278G @ 3.40GHz</a>	17,609	2,991	80
<a href="#">AMD Ryzen 7 2700X</a>	17,594	2,438	105
<a href="#">Intel Core i5-11400F @ 2.60GHz</a>	17,583	3,072	65
<a href="#">Intel Xeon Gold 5120T @ 2.20GHz</a>	17,540	1,827	105
<a href="#">Intel Xeon E5-2673 v4 @ 2.30GHz</a>	17,533	1,909	135
<a href="#">AMD Ryzen Embedded V2718</a>	17,506	2,608	15
<a href="#">Intel Core i7-10700 @ 2.90GHz</a>	17,394	2,939	65
<a href="#">Intel Xeon E-2288G @ 3.70GHz</a>	17,378	2,906	95
<a href="#">AMD Ryzen 7 4800U</a>	17,343	2,607	15
<a href="#">Intel Core i7-7820X @ 3.60GHz</a>	17,323	2,532	140
<a href="#">Intel Xeon E-2278GE @ 3.30GHz</a>	17,210	2,754	80
<a href="#">Intel Xeon E5-4669 v3 @ 2.10GHz</a>	17,209	1,433	135
<a href="#">Intel Xeon W-10885M @ 2.40GHz</a>	17,140	2,985	45
<a href="#">Intel Xeon W-3223 @ 3.50GHz</a>	17,139	2,432	160
<a href="#">Intel Core i9-9900 @ 3.10GHz</a>	17,108	2,894	65
<a href="#">Intel Core i7-6950X @ 3.00GHz</a>	17,040	2,342	140
<a href="#">Intel Core i7-10700F @ 2.90GHz</a>	16,993	2,928	65
<a href="#">Intel Xeon Gold 5120 @ 2.20GHz</a>	16,990	1,887	105
<a href="#">AMD Ryzen 7 PRO 2700X</a>	16,846	2,362	105
<a href="#">Intel Xeon E5-2686 v4 @ 2.30GHz</a>	16,745	1,613	145
<a href="#">AMD Ryzen Threadripper 1900X</a>	16,732	2,329	180
<a href="#">Intel Xeon E5-2689 v4 @ 3.10GHz</a>	16,706	2,380	165
<a href="#">AMD EPYC 7232P</a>	16,658	1,354	120
<a href="#">Intel Core i9-10980HK @ 2.40GHz</a>	16,593	2,925	45
<a href="#">AMD Ryzen 5 PRO 4650G</a>	16,565	2,672	65
<a href="#">Intel Xeon Gold 6134 @ 3.20GHz</a>	16,513	2,251	130
<a href="#">Intel Xeon W-2140B @ 3.20GHz</a>	16,505	2,480	NA
<a href="#">Intel Core i9-10900T @ 1.90GHz</a>	16,480	2,570	35
<a href="#">AMD Ryzen 5 PRO 4400G</a>	16,456	2,656	NA
<a href="#">AMD Ryzen 5 4600GE</a>	16,377	2,676	35
<a href="#">Intel Core i7-10700TE @ 2.00GHz</a>	16,332	2,772	35
<a href="#">AMD Ryzen 7 1800X</a>	16,289	2,178	95
<a href="#">Intel Xeon E5-2690 v3 @ 2.60GHz</a>	16,256	1,880	135
<a href="#">AMD Ryzen 5 PRO 4650GE</a>	16,141	2,651	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Ryzen 7 5700U</a>	16,062	2,514	15
<a href="#">Intel Xeon Gold 5215 @ 2.50GHz</a>	16,058	2,021	85
<a href="#">Intel Core i9-10885H @ 2.40GHz</a>	16,049	2,880	45
<a href="#">Intel Xeon E5-2695 v3 @ 2.30GHz</a>	16,032	1,778	120
<a href="#">Intel Core i7-10875H @ 2.30GHz</a>	15,966	2,833	45
<a href="#">AMD Ryzen 5 4600G</a>	15,851	2,655	65
<a href="#">Intel Xeon Gold 5117 @ 2.00GHz</a>	15,816	1,531	105
<a href="#">Intel Xeon E-2286M @ 2.40GHz</a>	15,755	2,801	45
<a href="#">AMD Ryzen 7 PRO 1700X</a>	15,735	2,208	95
<a href="#">AMD Ryzen 7 2700</a>	15,712	2,208	65
<a href="#">Intel Core i7-10870H @ 2.20GHz</a>	15,644	2,755	45
<a href="#">Intel Xeon Gold 5118 @ 2.30GHz</a>	15,591	1,832	105
<a href="#">AMD Ryzen 7 PRO 4750U</a>	15,583	2,573	15
<a href="#">AMD EPYC 7251</a>	15,542	1,606	120
<a href="#">AMD Ryzen 7 1700X</a>	15,539	2,073	95
<a href="#">Intel Xeon E5-2680 v3 @ 2.50GHz</a>	15,477	1,773	120
<a href="#">Intel Xeon E5-4667 v3 @ 2.00GHz</a>	15,397	1,461	135
<a href="#">Intel Core i9-10880H @ 2.30GHz</a>	15,390	2,777	45
<a href="#">Intel Xeon Silver 4214Y @ 2.20GHz</a>	15,248	1,790	85
<a href="#">Intel Xeon Silver 4116T @ 2.10GHz</a>	15,187	1,781	85
<a href="#">Intel Xeon Silver 4210R @ 2.40GHz</a>	15,121	1,884	100
<a href="#">Intel Xeon D-2166NT @ 2.00GHz</a>	15,105	1,751	85
<a href="#">Intel Core i9-9980HK @ 2.40GHz</a>	15,093	2,682	45
<a href="#">AMD EPYC 7301</a>	14,991	1,363	155
<a href="#">Intel Xeon E5-2699A v4 @ 2.40GHz</a>	14,917	1,037	145
<a href="#">AMD Ryzen 7 PRO 2700</a>	14,878	2,237	65
<a href="#">Apple M1 8 Core 3200 MHz</a>	14,872	3,630	15.1
<a href="#">AMD Ryzen 5 4600H</a>	14,833	2,482	45
<a href="#">Intel Xeon E5-2678 v3 @ 2.50GHz</a>	14,824	1,709	120
<a href="#">Intel Xeon E5-1681 v3 @ 2.90GHz</a>	14,820	2,040	135
<a href="#">AMD Ryzen 5 PRO 4400GE</a>	14,795	2,664	35
<a href="#">Intel Xeon Silver 4116 @ 2.10GHz</a>	14,785	1,678	85
<a href="#">Intel Xeon E5-2687W v3 @ 3.10GHz</a>	14,761	1,895	160
<a href="#">Intel Core i7-8086K @ 4.00GHz</a>	14,721	2,926	95
<a href="#">Intel Xeon E5-2683 v3 @ 2.00GHz</a>	14,720	1,564	120
<a href="#">AMD Ryzen 7 1700</a>	14,674	1,987	65
<a href="#">AMD Ryzen 7 2700E</a>	14,657	2,410	45
<a href="#">Intel Core i7-9700KF @ 3.60GHz</a>	14,647	2,948	95
<a href="#">AMD Ryzen 7 PRO 1700</a>	14,613	2,042	65
<a href="#">Intel Core i5-10600KF @ 4.10GHz</a>	14,595	2,954	125
<a href="#">Intel Core i5-10600K @ 4.10GHz</a>	14,593	2,935	125
<a href="#">Intel Core i7-9700K @ 3.60GHz</a>	14,548	2,909	95
<a href="#">AMD Ryzen 5 4600HS</a>	14,508	2,460	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon Silver 4215 @ 2.50GHz</a>	14,439	2,060	85
<a href="#">Intel Xeon E5-2676 v3 @ 2.40GHz</a>	14,407	1,727	120
<a href="#">Intel Xeon Silver 4123 @ 3.00GHz</a>	14,405	1,967	105
<a href="#">Intel Xeon E-2286G @ 4.00GHz</a>	14,368	2,865	95
<a href="#">Intel Xeon W-2235 @ 3.80GHz</a>	14,351	2,665	130
<a href="#">Intel Xeon E-2236 @ 3.40GHz</a>	14,348	2,878	80
<a href="#">Intel Xeon E5-2660 v4 @ 2.00GHz</a>	14,342	1,713	105
<a href="#">Intel Xeon E5-2697 v2 @ 2.70GHz</a>	14,333	1,713	130
<a href="#">Intel Xeon Gold 6128 @ 3.40GHz</a>	14,273	2,247	115
<a href="#">Intel Xeon E5-4660 v3 @ 2.10GHz</a>	14,256	1,558	120
<a href="#">AMD EPYC 3251</a>	14,225	1,825	50
<a href="#">Intel Xeon E5-2696 v2 @ 2.50GHz</a>	14,191	1,652	NA
<a href="#">Intel Xeon W-1250 @ 3.30GHz</a>	14,175	2,878	80
<a href="#">Intel Xeon E5-2658 v4 @ 2.30GHz</a>	14,168	1,590	105
<a href="#">Intel Xeon E5-2667 v4 @ 3.20GHz</a>	14,148	2,236	135
<a href="#">AMD Ryzen 5 2600X</a>	14,087	2,413	95
<a href="#">Intel Xeon W-2135 @ 3.70GHz</a>	14,038	2,592	140
<a href="#">Intel Xeon E-2246G @ 3.60GHz</a>	14,018	2,851	80
<a href="#">Intel Core i9-9900T @ 2.10GHz</a>	13,993	2,484	35
<a href="#">Intel Xeon E5-2670 v3 @ 2.30GHz</a>	13,981	1,667	120
<a href="#">Intel Xeon E-2186G @ 3.80GHz</a>	13,976	2,824	95
<a href="#">Intel Core i7-6900K @ 3.20GHz</a>	13,954	2,376	140
<a href="#">Intel Core i9-9880H @ 2.30GHz</a>	13,954	2,564	45
<a href="#">Intel Core i5-10600 @ 3.30GHz</a>	13,905	2,868	65
<a href="#">Intel Core i7-8700K @ 3.70GHz</a>	13,904	2,784	95
<a href="#">AMD Ryzen 5 5500U</a>	13,888	2,516	15
<a href="#">AMD Ryzen 7 4700U</a>	13,809	2,576	15
<a href="#">Intel Xeon E5-2673 v3 @ 2.40GHz</a>	13,801	1,708	110
<a href="#">AMD Ryzen 5 4600U</a>	13,729	2,405	15
<a href="#">Intel Xeon E-2176G @ 3.70GHz</a>	13,727	2,785	80
<a href="#">Intel Core i7-9700F @ 3.00GHz</a>	13,639	2,823	65
<a href="#">AMD Ryzen 5 PRO 2600</a>	13,575	2,259	65
<a href="#">Intel Xeon E-2276G @ 3.80GHz</a>	13,553	2,914	80
<a href="#">Intel Core i7-11375H @ 3.30GHz</a>	13,548	3,213	35
<a href="#">Intel Xeon E5-1660 v4 @ 3.20GHz</a>	13,519	2,228	140
<a href="#">Intel Xeon E-2136 @ 3.30GHz</a>	13,506	2,713	80
<a href="#">Intel Xeon E5-2658 v3 @ 2.20GHz</a>	13,487	1,711	105
<a href="#">Intel Core i7-9700 @ 3.00GHz</a>	13,482	2,803	65
<a href="#">AMD Ryzen 5 3500X</a>	13,408	2,536	65
<a href="#">Intel Xeon E5-2695 v2 @ 2.40GHz</a>	13,382	1,535	115
<a href="#">Intel Xeon E-2146G @ 3.50GHz</a>	13,379	2,699	80
<a href="#">Intel Core i5-10500 @ 3.10GHz</a>	13,275	2,772	65
<a href="#">Intel Xeon W-10855M @ 2.80GHz</a>	13,252	2,836	45



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-2660 v3 @ 2.60GHz</a>	13,124	1,778	105
<a href="#">Intel Xeon E5-2690 v2 @ 3.00GHz</a>	13,109	1,782	130
<a href="#">Intel Xeon D-2143IT @ 2.20GHz</a>	13,107	1,812	65
<a href="#">Intel Core i7-8700 @ 3.20GHz</a>	13,077	2,676	65
<a href="#">AMD Ryzen 5 1600X</a>	13,060	2,193	95
<a href="#">Intel Xeon E5-1680 v3 @ 3.20GHz</a>	13,055	2,099	140
<a href="#">AMD Ryzen 5 PRO 4650U</a>	12,986	2,473	15
<a href="#">Intel Xeon E5-4627 v4 @ 2.60GHz</a>	12,969	2,030	135
<a href="#">Intel Xeon E5-2685 v3 @ 2.60GHz</a>	12,944	1,726	120
<a href="#">AMD Ryzen 5 3500</a>	12,864	2,529	65
<a href="#">Intel Xeon Silver 4114 @ 2.20GHz</a>	12,800	1,658	85
<a href="#">Intel Core i7-11370H @ 3.30GHz</a>	12,788	3,200	35
<a href="#">AMD Ryzen 3 3300X</a>	12,739	2,687	65
<a href="#">Intel Xeon E5-2667 v3 @ 3.20GHz</a>	12,739	2,053	135
<a href="#">Intel Core i7-7800X @ 3.50GHz</a>	12,721	2,423	140
<a href="#">AMD EPYC 3201</a>	12,677	2,027	30
<a href="#">Intel Core i7-5960X @ 3.00GHz</a>	12,662	1,988	140
<a href="#">Intel Core i7-10750H @ 2.60GHz</a>	12,590	2,741	45
<a href="#">Intel Core i7-10850H @ 2.70GHz</a>	12,542	2,829	45
<a href="#">Intel Core i5-10400F @ 2.90GHz</a>	12,540	2,581	65
<a href="#">Intel Xeon E5-2680 v2 @ 2.80GHz</a>	12,500	1,787	115
<a href="#">Intel Xeon E5-4657L v2 @ 2.40GHz</a>	12,495	1,478	115
<a href="#">Intel Core i5-10400 @ 2.90GHz</a>	12,438	2,594	65
<a href="#">Intel Xeon E5-1680 v2 @ 3.00GHz</a>	12,416	2,073	130
<a href="#">AMD Ryzen 3 5400U</a>	12,367	NA	15
<a href="#">AMD Ryzen 5 1600</a>	12,367	2,082	65
<a href="#">Intel Xeon W-2133 @ 3.60GHz</a>	12,325	2,300	140
<a href="#">Intel Core i7-8700B @ 3.20GHz</a>	12,288	2,709	65
<a href="#">Intel Core i5-10500H @ 2.50GHz</a>	12,254	2,630	45
<a href="#">Intel Xeon E-2276M @ 2.80GHz</a>	12,252	2,714	45
<a href="#">Intel Xeon E5-2667 v2 @ 3.30GHz</a>	12,205	2,022	130
<a href="#">Intel Xeon E5-2687W v2 @ 3.40GHz</a>	12,198	2,027	150
<a href="#">Intel Xeon D-2141I @ 2.20GHz</a>	12,177	1,756	65
<a href="#">Intel Xeon E5-2692 v2 @ 2.20GHz</a>	12,119	1,571	115
<a href="#">Intel Core i5-10600T @ 2.40GHz</a>	12,097	2,506	35
<a href="#">AMD Ryzen 5 PRO 4500U</a>	12,049	2,486	15
<a href="#">Intel Xeon E5-2618L v4 @ 2.20GHz</a>	12,041	1,879	75
<a href="#">Intel Xeon E-2278GEL @ 2.00GHz</a>	12,024	2,428	35
<a href="#">Intel Xeon E5-2675 v3 @ 1.80GHz</a>	11,960	1,209	NA
<a href="#">Intel Xeon E5-2650 v3 @ 2.30GHz</a>	11,922	1,592	105
<a href="#">Intel Xeon E5-2673 v2 @ 3.30GHz</a>	11,919	1,959	110
<a href="#">Intel Xeon E5-2650L v4 @ 1.70GHz</a>	11,918	1,541	65
<a href="#">AMD Ryzen 3 4300GE</a>	11,878	2,585	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-2663 v3 @ 2.80GHz</a>	11,777	2,040	120
<a href="#">AMD Ryzen 3 3100</a>	11,736	2,440	65
<a href="#">Intel Xeon E5-2650L v3 @ 1.80GHz</a>	11,711	1,356	65
<a href="#">Intel Core i5-11300H @ 3.10GHz</a>	11,710	2,896	35
<a href="#">Intel Xeon E5-2630 v4 @ 2.20GHz</a>	11,660	1,787	85
<a href="#">Intel Core i7-9750HF @ 2.60GHz</a>	11,648	2,564	45
<a href="#">Intel Xeon D-1577 @ 1.30GHz</a>	11,645	1,319	45
<a href="#">Intel Xeon E5-1660 v3 @ 3.00GHz</a>	11,617	1,887	140
<a href="#">Intel Core i7-9850H @ 2.60GHz</a>	11,562	2,576	45
<a href="#">Intel Xeon E5-2648L v4 @ 1.80GHz</a>	11,547	1,435	75
<a href="#">Intel Xeon E5-4669 v4 @ 2.20GHz</a>	11,523	1,366	135
<a href="#">Intel Xeon D-2146NT @ 2.30GHz</a>	11,438	1,735	80
<a href="#">AMD Ryzen 3 PRO 4350GE</a>	11,420	2,578	35
<a href="#">Intel Xeon E5-4627 v3 @ 2.60GHz</a>	11,344	1,749	135
<a href="#">Intel Xeon E5-2670 v2 @ 2.50GHz</a>	11,328	1,556	115
<a href="#">Intel Core i7-9750H @ 2.60GHz</a>	11,319	2,505	45
<a href="#">AMD Ryzen 3 PRO 4200G</a>	11,315	2,564	65
<a href="#">Intel Core i7-1185G7 @ 3.00GHz</a>	11,295	2,965	15
<a href="#">Intel Core i7-6850K @ 3.60GHz</a>	11,295	2,417	140
<a href="#">Intel Xeon W-2225 @ 4.10GHz</a>	11,292	2,703	105
<a href="#">AMD Ryzen 5 4500U</a>	11,275	2,474	15
<a href="#">Intel Xeon E5-2643 v4 @ 3.40GHz</a>	11,261	2,252	135
<a href="#">Apple A12X Bionic</a>	11,244	2,697	NA
<a href="#">Intel Xeon E5-2640 v3 @ 2.60GHz</a>	11,206	1,867	90
<a href="#">Intel Xeon E5-1650 v4 @ 3.60GHz</a>	11,204	2,362	140
<a href="#">AMD Ryzen 3 4300G</a>	11,164	2,565	65
<a href="#">Intel Xeon Silver 4208 @ 2.10GHz</a>	11,163	1,818	85
<a href="#">Intel Xeon E-2226G @ 3.40GHz</a>	11,138	2,861	80
<a href="#">Intel Xeon E-2186M @ 2.90GHz</a>	11,088	2,432	45
<a href="#">Intel Xeon E5-2628L v4 @ 1.90GHz</a>	11,079	1,433	75
<a href="#">Intel Xeon E-2176M @ 2.70GHz</a>	11,069	2,476	45
<a href="#">Intel Xeon E5-2640 v4 @ 2.40GHz</a>	11,065	1,636	90
<a href="#">AMD Ryzen 3 PRO 4200GE</a>	11,006	2,545	35
<a href="#">Intel Core i7-1160G7 @ 1.20GHz</a>	10,997	2,837	NA
<a href="#">Intel Core i9-8950HK @ 2.90GHz</a>	10,939	2,481	45
<a href="#">Intel Xeon E-2126G @ 3.30GHz</a>	10,922	2,658	80
<a href="#">Intel Core i5-1140G7 @ 1.10GHz</a>	10,892	2,667	15
<a href="#">Intel Xeon E5-2470 v2 @ 2.40GHz</a>	10,871	1,623	95
<a href="#">Intel Xeon E5-2630L v4 @ 1.80GHz</a>	10,864	1,743	55
<a href="#">Intel Core i5-9600KF @ 3.70GHz</a>	10,861	2,801	95
<a href="#">AMD Ryzen 3 PRO 4350G</a>	10,839	2,562	65
<a href="#">Intel Xeon E5-4650 v3 @ 2.10GHz</a>	10,838	1,384	105
<a href="#">Intel Core i5-9600K @ 3.70GHz</a>	10,831	2,785	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-4620 v3 @ 2.00GHz</a>	10,681	NA	105
<a href="#">Intel Core i7-9700TE @ 1.80GHz</a>	10,645	2,318	35
<a href="#">Intel Core i5-9600 @ 3.10GHz</a>	10,589	2,720	65
<a href="#">Intel Core i5-1145G7 @ 2.60GHz</a>	10,579	2,899	28
<a href="#">Intel Core i7-9700T @ 2.00GHz</a>	10,561	2,513	35
<a href="#">Intel Core i5-1130G7 @ 1.10GHz</a>	10,548	2,583	15
<a href="#">Intel Core i7-6800K @ 3.40GHz</a>	10,546	2,258	140
<a href="#">Intel Xeon E5-2643 v3 @ 3.40GHz</a>	10,523	2,087	135
<a href="#">Intel Core i7-1165G7 @ 2.80GHz</a>	10,521	2,901	15
<a href="#">Intel Xeon E5-2660 v2 @ 2.20GHz</a>	10,482	1,510	95
<a href="#">Intel Xeon E5-2618L v3 @ 2.30GHz</a>	10,464	1,872	75
<a href="#">Intel Core i7-1068NG7 @ 2.30GHz</a>	10,460	2,568	28
<a href="#">Intel Core i7-8850H @ 2.60GHz</a>	10,425	2,422	45
<a href="#">AMD Ryzen 5 PRO 1600</a>	10,401	1,685	65
<a href="#">Intel Xeon E5-4640 v3 @ 1.90GHz</a>	10,372	1,514	105
<a href="#">Intel Xeon Silver 4109T @ 2.00GHz</a>	10,348	1,445	70
<a href="#">Intel Xeon E5-1650 v3 @ 3.50GHz</a>	10,342	2,114	140
<a href="#">Intel Core i3-1125G4 @ 2.00GHz</a>	10,327	2,563	28
<a href="#">Intel Xeon E5-1660 v2 @ 3.70GHz</a>	10,299	2,104	130
<a href="#">Intel Xeon E5-2658 v2 @ 2.40GHz</a>	10,280	1,301	95
<a href="#">Intel Core i5-9500F @ 3.00GHz</a>	10,269	2,689	65
<a href="#">Intel Core i7-5930K @ 3.50GHz</a>	10,232	2,056	140
<a href="#">Intel Xeon W-2125 @ 4.00GHz</a>	10,187	2,651	120
<a href="#">Intel Core i7-8750H @ 2.20GHz</a>	10,184	2,348	45
<a href="#">Intel Xeon Silver 4110 @ 2.10GHz</a>	10,160	1,634	85
<a href="#">Intel Core i5-8600K @ 3.60GHz</a>	10,149	2,621	95
<a href="#">Intel Core i5-10400T @ 2.00GHz</a>	10,111	2,147	35
<a href="#">AMD Ryzen 3 PRO 4450U</a>	10,097	2,382	15
<a href="#">Intel Core i3-10320 @ 3.80GHz</a>	10,096	2,825	65
<a href="#">Intel Core i5-1135G7 @ 2.40GHz</a>	10,092	2,749	15
<a href="#">Intel Xeon E5-2630 v3 @ 2.40GHz</a>	10,090	1,758	85
<a href="#">Intel Core i7-10710U @ 1.10GHz</a>	10,082	2,458	15
<a href="#">Intel Xeon E5-2650 v4 @ 2.20GHz</a>	10,066	1,201	105
<a href="#">Intel Xeon E5-2690 @ 2.90GHz</a>	9,990	1,673	135
<a href="#">Intel Xeon E5-2650 v2 @ 2.60GHz</a>	9,989	1,682	95
<a href="#">Intel Xeon E-2244G @ 3.80GHz</a>	9,986	2,833	71
<a href="#">Intel Xeon E5-2628L v3 @ 2.00GHz</a>	9,949	1,483	75
<a href="#">Intel Core i7-4960X @ 3.60GHz</a>	9,929	2,073	130
<a href="#">Intel Core i5-8600 @ 3.10GHz</a>	9,852	2,568	65
<a href="#">Intel Xeon E5-2648L v3 @ 1.80GHz</a>	9,847	1,292	75
<a href="#">Intel Core i7-5820K @ 3.30GHz</a>	9,811	2,015	140
<a href="#">Intel Xeon E5-2689 @ 2.60GHz</a>	9,769	1,556	115
<a href="#">Intel Core i7-7740X @ 4.30GHz</a>	9,762	2,801	112

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Ryzen 5 3350GE</a>	9,684	2,342	35
<a href="#">AMD Ryzen 5 PRO 3350GE</a>	9,643	2,340	35
<a href="#">Intel Xeon E-2274G @ 4.00GHz</a>	9,639	2,747	83
<a href="#">AMD Ryzen 5 PRO 3350G</a>	9,583	2,342	65
<a href="#">Intel Xeon E5-2687W @ 3.10GHz</a>	9,578	1,707	150
<a href="#">Intel Xeon E-2234 @ 3.60GHz</a>	9,555	2,888	71
<a href="#">Intel Core i5-9400F @ 2.90GHz</a>	9,545	2,483	65
<a href="#">Intel Xeon D-1541 @ 2.10GHz</a>	9,544	1,642	45
<a href="#">Intel Core i5-8500 @ 3.00GHz</a>	9,542	2,486	65
<a href="#">AMD Ryzen 5 2500X</a>	9,517	2,332	65
<a href="#">Intel Xeon E-2174G @ 3.80GHz</a>	9,502	2,590	71
<a href="#">Intel Core i5-9400 @ 2.90GHz</a>	9,496	2,494	65
<a href="#">Intel Core i5-8500B @ 3.00GHz</a>	9,478	2,464	65
<a href="#">Intel Core i5-1038NG7 @ 2.00GHz</a>	9,465	2,383	28
<a href="#">Intel Xeon E-2144G @ 3.60GHz</a>	9,447	2,687	71
<a href="#">AMD Ryzen 5 PRO 3400G</a>	9,443	2,340	65
<a href="#">AMD Ryzen 5 PRO 1500</a>	9,434	2,171	65
<a href="#">Intel Xeon Gold 5222 @ 3.80GHz</a>	9,428	2,372	105
<a href="#">Intel Xeon E5-4655 v3 @ 2.90GHz</a>	9,377	1,817	135
<a href="#">AMD Ryzen 5 3400G</a>	9,372	2,369	65
<a href="#">Intel Core i3-10300 @ 3.70GHz</a>	9,351	2,685	65
<a href="#">Intel Xeon E5-2680 @ 2.70GHz</a>	9,326	1,564	130
<a href="#">Intel Xeon E5-4627 v2 @ 3.30GHz</a>	9,320	1,786	130
<a href="#">Intel Xeon Silver 4108 @ 1.80GHz</a>	9,302	1,535	85
<a href="#">Intel Core i7-4930K @ 3.40GHz</a>	9,285	1,961	130
<a href="#">Intel Xeon E3-1285 v6 @ 4.10GHz</a>	9,276	2,692	79
<a href="#">Intel Core i7-8569U @ 2.80GHz</a>	9,251	2,829	28
<a href="#">Intel Xeon D-1567 @ 2.10GHz</a>	9,236	988	65
<a href="#">Intel Core i5-8400 @ 2.80GHz</a>	9,227	2,415	65
<a href="#">Intel Xeon D-1587 @ 1.70GHz</a>	9,223	835	65
<a href="#">Intel Core i5-9500TE @ 2.20GHz</a>	9,212	2,296	35
<a href="#">Intel Core i5-9600T @ 2.30GHz</a>	9,167	2,429	35
<a href="#">Intel Core i3-10105F @ 3.70GHz</a>	9,157	2,619	NA
<a href="#">Intel Xeon E5-1650 v2 @ 3.50GHz</a>	9,151	1,962	130
<a href="#">Intel Core i7-10810U @ 1.10GHz</a>	9,121	2,431	15
<a href="#">Intel Core i7-9850HL @ 1.90GHz</a>	9,112	2,139	25
<a href="#">Intel Xeon E3-1280 v6 @ 3.90GHz</a>	9,087	2,564	72
<a href="#">Intel Xeon D-1548 @ 2.00GHz</a>	9,075	1,647	45
<a href="#">Intel Xeon E5-2629 v3 @ 2.40GHz</a>	9,062	1,451	85
<a href="#">Intel Xeon E5-4648 v3 @ 1.70GHz</a>	9,061	1,317	105
<a href="#">AMD Ryzen 5 1500X</a>	9,053	2,102	65
<a href="#">AMD Ryzen 5 3400GE</a>	9,042	2,289	35
<a href="#">Intel Xeon E5-2620 v4 @ 2.10GHz</a>	9,036	1,638	85

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-2630L v3 @ 1.80GHz</a>	8,980	1,553	55
<a href="#">Intel Core i7-6700K @ 4.00GHz</a>	8,973	2,532	95
<a href="#">Intel Xeon E3-1270 v6 @ 3.80GHz</a>	8,949	2,374	72
<a href="#">Intel Core i5-10400H @ 2.60GHz</a>	8,932	2,759	45
<a href="#">Intel Xeon E5-2670 @ 2.60GHz</a>	8,920	1,464	115
<a href="#">Intel Xeon E3-1275 v6 @ 3.80GHz</a>	8,889	2,576	73
<a href="#">Intel Core i5-3170K @ 3.20GHz</a>	8,882	2,510	NA
<a href="#">Intel Core i7-1065G7 @ 1.30GHz</a>	8,879	2,457	15
<a href="#">Intel Core i3-10100 @ 3.60GHz</a>	8,873	2,641	65
<a href="#">Intel Xeon E5-2643 v2 @ 3.50GHz</a>	8,867	1,857	130
<a href="#">Intel Core i7-8559U @ 2.70GHz</a>	8,864	2,578	28
<a href="#">Intel Xeon E3-1240 v6 @ 3.70GHz</a>	8,809	2,469	72
<a href="#">Intel Core i5-10300H @ 2.50GHz</a>	8,804	2,646	45
<a href="#">Intel Core i7-8809G @ 3.10GHz</a>	8,777	2,460	100
<a href="#">AMD Ryzen 5 2400G</a>	8,731	2,160	65
<a href="#">Intel Core i3-10100F @ 3.60GHz</a>	8,722	2,609	65
<a href="#">Apple A14 Bionic</a>	8,701	3,471	NA
<a href="#">Intel Core i5-8600T @ 2.30GHz</a>	8,701	2,249	35
<a href="#">Intel Core i3-10105 @ 3.70GHz</a>	8,677	2,709	65
<a href="#">Intel Xeon W-2223 @ 3.60GHz</a>	8,663	2,265	120
<a href="#">Intel Xeon W-2123 @ 3.60GHz</a>	8,635	2,268	120
<a href="#">Intel Core i7-3960X @ 3.30GHz</a>	8,631	1,816	130
<a href="#">Intel Core i7-7700 @ 3.60GHz</a>	8,617	2,479	65
<a href="#">Intel Xeon E5-2648L v2 @ 1.90GHz</a>	8,611	1,350	70
<a href="#">Intel Xeon Gold 5122 @ 3.60GHz</a>	8,598	2,098	105
<a href="#">Intel Xeon E5-4650 @ 2.70GHz</a>	8,574	1,482	130
<a href="#">AMD Ryzen 5 PRO 2400G</a>	8,535	2,178	65
<a href="#">Intel Xeon E3-1245 v6 @ 3.70GHz</a>	8,533	2,429	73
<a href="#">Intel Xeon E3-1535M v6 @ 3.10GHz</a>	8,523	2,436	35
<a href="#">Intel Core i5-10200H @ 2.40GHz</a>	8,520	2,472	45
<a href="#">Intel Xeon E5-2665 @ 2.40GHz</a>	8,463	1,411	115
<a href="#">Intel Xeon E5-1660 @ 3.30GHz</a>	8,433	1,808	130
<a href="#">Intel Xeon E3-1585 v5 @ 3.50GHz</a>	8,408	2,402	65
<a href="#">Intel Xeon E3-1275 v5 @ 3.60GHz</a>	8,389	2,344	80
<a href="#">Intel Core i5-1035G7 @ 1.20GHz</a>	8,379	2,288	15
<a href="#">AMD Ryzen 7 3750H</a>	8,377	2,127	35
<a href="#">Intel Core i5-1035G4 @ 1.10GHz</a>	8,347	2,334	15
<a href="#">Intel Xeon E3-1270 v5 @ 3.60GHz</a>	8,343	2,289	80
<a href="#">AMD Ryzen Embedded V1807B</a>	8,342	2,171	45
<a href="#">Intel Core i3-10300T @ 3.00GHz</a>	8,342	2,432	35
<a href="#">Intel Xeon E3-1280 v5 @ 3.70GHz</a>	8,320	2,343	80
<a href="#">Intel Core i5-8259U @ 2.30GHz</a>	8,277	2,255	28
<a href="#">Intel Core i5-9400H @ 2.50GHz</a>	8,267	2,518	45

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E-2134 @ 3.50GHz</a>	8,253	2,440	71
<a href="#">Intel Core i7-8557U @ 1.70GHz</a>	8,236	2,590	15
<a href="#">Intel Xeon E3-1240 v5 @ 3.50GHz</a>	8,234	2,354	80
<a href="#">Intel Xeon E5-2470 @ 2.30GHz</a>	8,205	1,442	95
<a href="#">Intel Core i5-9500T @ 2.20GHz</a>	8,183	2,189	35
<a href="#">AMD Ryzen Embedded V1756B</a>	8,180	2,136	45
<a href="#">Intel Core i5-8400H @ 2.50GHz</a>	8,175	2,494	45
<a href="#">Intel Core i7-3930K @ 3.20GHz</a>	8,173	1,742	130
<a href="#">AMD Ryzen 5 PRO 3400GE</a>	8,171	2,271	35
<a href="#">Intel Xeon E5-2660 @ 2.20GHz</a>	8,169	1,401	95
<a href="#">Intel Core i7-8706G @ 3.10GHz</a>	8,136	2,519	65
<a href="#">AMD Ryzen 5 3550H</a>	8,091	2,103	35
<a href="#">Intel Xeon E5-1650 @ 3.20GHz</a>	8,084	1,739	130
<a href="#">Intel Core i7-4790K @ 4.00GHz</a>	8,062	2,468	88
<a href="#">Intel Core i5-8269U @ 2.60GHz</a>	8,055	2,561	28
<a href="#">Intel Core i7-6700 @ 3.40GHz</a>	8,043	2,300	65
<a href="#">Intel Xeon E3-1245 v5 @ 3.50GHz</a>	8,038	2,277	80
<a href="#">AMD Opteron 6348</a>	8,030	1,302	115
<a href="#">Intel Core i7-7920HQ @ 3.10GHz</a>	8,028	2,283	45
<a href="#">Intel Xeon E3-1585L v5 @ 3.00GHz</a>	8,021	2,179	45
<a href="#">Intel Xeon E5-2637 v3 @ 3.50GHz</a>	7,995	2,103	135
<a href="#">Intel Xeon D-1531 @ 2.20GHz</a>	7,967	1,731	45
<a href="#">AMD Ryzen 5 3580U</a>	7,958	2,125	15
<a href="#">Intel Core i5-1035G1 @ 1.00GHz</a>	7,955	2,351	15
<a href="#">AMD Ryzen 5 2400GE</a>	7,948	2,162	35
<a href="#">Intel Xeon E5-2620 v3 @ 2.40GHz</a>	7,939	1,693	85
<a href="#">Intel Core i5-8257U @ 1.40GHz</a>	7,937	2,358	15
<a href="#">Intel Xeon E3-1285L v4 @ 3.40GHz</a>	7,934	2,350	65
<a href="#">Intel Core i7-8709G @ 3.10GHz</a>	7,921	2,312	100
<a href="#">Intel Xeon E3-1515M v5 @ 2.80GHz</a>	7,918	2,151	45
<a href="#">Intel Core i5-9300H @ 2.40GHz</a>	7,899	2,382	45
<a href="#">Intel Core i5-8500T @ 2.10GHz</a>	7,887	2,084	35
<a href="#">Intel Core i7-7700T @ 2.90GHz</a>	7,881	2,263	35
<a href="#">Intel Xeon E3-1230 v5 @ 3.40GHz</a>	7,877	2,073	80
<a href="#">Intel Core i7-3970X @ 3.50GHz</a>	7,874	1,772	150
<a href="#">Intel Core i5-8260U @ 1.60GHz</a>	7,869	2,350	15
<a href="#">Intel Core i7-8705G @ 3.10GHz</a>	7,853	2,263	65
<a href="#">AMD Ryzen 5 1400</a>	7,835	1,917	65
<a href="#">Intel Core i7-7820HK @ 2.90GHz</a>	7,814	2,218	45
<a href="#">Intel Xeon E5-2640 v2 @ 2.00GHz</a>	7,784	1,274	95
<a href="#">Intel Core i5-9400T @ 1.80GHz</a>	7,782	2,054	35
<a href="#">Intel Core i7-5775C @ 3.30GHz</a>	7,769	2,315	65
<a href="#">Intel Core i3-9350K @ 4.00GHz</a>	7,760	2,847	91

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E3-1545M v5 @ 2.90GHz</a>	7,757	2,053	45
<a href="#">Intel Xeon D-2123IT @ 2.20GHz</a>	7,731	1,750	60
<a href="#">Intel Xeon E3-1575M v5 @ 3.00GHz</a>	7,721	2,142	45
<a href="#">AMD Ryzen 3 PRO 1300</a>	7,717	2,229	65
<a href="#">AMD Ryzen 3 4300U</a>	7,704	2,340	15
<a href="#">AMD Athlon Gold PRO 3150G</a>	7,702	2,321	65
<a href="#">AMD Ryzen 3 2300X</a>	7,692	2,374	65
<a href="#">AMD Ryzen 5 3550U</a>	7,681	2,053	15
<a href="#">Intel Xeon E3-1270L v4 @ 3.00GHz</a>	7,662	2,378	45
<a href="#">AMD Ryzen 7 2800H</a>	7,656	2,164	45
<a href="#">Intel Xeon E3-1285 v4 @ 3.50GHz</a>	7,614	2,260	95
<a href="#">Intel Core i5-9300HF @ 2.40GHz</a>	7,598	2,353	45
<a href="#">AMD Athlon Gold PRO 3150GE</a>	7,578	2,257	35
<a href="#">Intel Xeon E-2124G @ 3.40GHz</a>	7,573	2,807	71
<a href="#">Intel Core i5-8300H @ 2.30GHz</a>	7,556	2,332	45
<a href="#">AMD Ryzen 5 2600H</a>	7,537	2,125	45
<a href="#">AMD Ryzen 5 PRO 2400GE</a>	7,520	2,120	35
<a href="#">Intel Core i3-10100T @ 3.00GHz</a>	7,510	2,372	35
<a href="#">Intel Xeon E5-2650L v2 @ 1.70GHz</a>	7,475	1,102	70
<a href="#">Intel Xeon E-2224G @ 3.50GHz</a>	7,466	2,714	71
<a href="#">Intel Xeon E-2224 @ 3.40GHz</a>	7,461	2,630	71
<a href="#">Intel Xeon E5-1630 v3 @ 3.70GHz</a>	7,458	2,144	140
<a href="#">AMD Ryzen 7 PRO 3700U</a>	7,446	2,026	15
<a href="#">Intel Xeon E5-2630 v2 @ 2.60GHz</a>	7,435	1,570	80
<a href="#">AMD Ryzen 3 3200GE</a>	7,434	2,221	35
<a href="#">Intel Xeon E3-1535M v5 @ 2.90GHz</a>	7,431	2,085	45
<a href="#">Intel Xeon E5-1630 v4 @ 3.70GHz</a>	7,428	2,346	140
<a href="#">Intel Core i7-6920HQ @ 2.90GHz</a>	7,426	2,131	45
<a href="#">Intel Xeon E3-1286 v3 @ 3.70GHz</a>	7,418	2,391	84
<a href="#">Intel Xeon E5-2667 @ 2.90GHz</a>	7,400	1,592	130
<a href="#">Intel Core i3-9350KF @ 4.00GHz</a>	7,399	2,730	91
<a href="#">AMD Ryzen 7 3780U</a>	7,386	2,240	15
<a href="#">Intel Core i5-8400T @ 1.70GHz</a>	7,382	1,931	35
<a href="#">Intel Xeon E5-2623 v3 @ 3.00GHz</a>	7,382	2,006	105
<a href="#">Intel Xeon E3-1276 v3 @ 3.60GHz</a>	7,381	2,269	84
<a href="#">Intel Xeon E5-1620 v4 @ 3.50GHz</a>	7,364	2,271	140
<a href="#">Intel Xeon @ 2.00GHz</a>	7,363	939	NA
<a href="#">Intel Core i3-9320 @ 3.70GHz</a>	7,358	2,711	62
<a href="#">AMD Ryzen 7 3700U</a>	7,355	2,033	15
<a href="#">Intel Xeon E3-1271 v3 @ 3.60GHz</a>	7,340	2,265	80
<a href="#">AMD Opteron 6380</a>	7,336	1,237	115
<a href="#">Intel Xeon E5-2450 @ 2.10GHz</a>	7,321	1,137	95
<a href="#">Intel Xeon E5-2430 v2 @ 2.50GHz</a>	7,319	1,439	80

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Opteron 6281</a>	7,279	1,129	NA
<a href="#">Intel Core i7-6700T @ 2.80GHz</a>	7,273	2,113	35
<a href="#">Intel Core i3-9300 @ 3.70GHz</a>	7,267	2,687	62
<a href="#">Intel Core i7-990X @ 3.47GHz</a>	7,245	1,602	130
<a href="#">AMD Ryzen 3 3200G</a>	7,233	2,230	65
<a href="#">Intel Xeon E5-4610 v3 @ 1.70GHz</a>	7,229	1,027	105
<a href="#">Intel Core i7-6770HQ @ 2.60GHz</a>	7,212	1,966	45
<a href="#">Intel Xeon E3-1281 v3 @ 3.70GHz</a>	7,210	2,308	82
<a href="#">Intel Core i7-4790 @ 3.60GHz</a>	7,196	2,224	84
<a href="#">Intel Core i7-7820HQ @ 2.90GHz</a>	7,192	2,126	45
<a href="#">Intel Xeon E3-1246 v3 @ 3.50GHz</a>	7,181	2,204	84
<a href="#">Intel Xeon E5-2628L v2 @ 1.90GHz</a>	7,181	1,106	70
<a href="#">Intel Xeon E3-1270 v3 @ 3.50GHz</a>	7,177	2,143	80
<a href="#">Intel Xeon D-1537 @ 1.70GHz</a>	7,176	1,104	35
<a href="#">Intel Xeon D-1539 @ 1.60GHz</a>	7,175	1,179	35
<a href="#">Intel Core i7-10610U @ 1.80GHz</a>	7,161	2,438	15
<a href="#">AMD Ryzen 5 3500U</a>	7,151	1,990	15
<a href="#">Intel Core i7-5775R @ 3.30GHz</a>	7,150	2,126	65
<a href="#">AMD Ryzen 7 PRO 2700U</a>	7,146	2,035	15
<a href="#">Intel Xeon W3690 @ 3.47GHz</a>	7,145	1,600	130
<a href="#">Intel Xeon E3-1241 v3 @ 3.50GHz</a>	7,126	2,150	80
<a href="#">Intel Xeon D-1557 @ 1.50GHz</a>	7,118	718	45
<a href="#">AMD Ryzen 3 PRO 3200GE</a>	7,113	2,246	35
<a href="#">Intel Xeon E3-1505M v5 @ 2.80GHz</a>	7,105	2,038	45
<a href="#">Intel Xeon X5679 @ 3.20GHz</a>	7,095	1,547	115
<a href="#">Intel Core i7-995X @ 3.60GHz</a>	7,079	1,683	NA
<a href="#">AMD Ryzen 5 3450U</a>	7,076	2,032	15
<a href="#">Intel Core i5-8305G @ 2.80GHz</a>	7,073	2,118	65
<a href="#">Intel Core i7-4770K @ 3.50GHz</a>	7,071	2,155	84
<a href="#">Intel Core i7-6820HK @ 2.70GHz</a>	7,067	1,995	45
<a href="#">Intel Core i7-4940MX @ 3.10GHz</a>	7,063	2,261	57
<a href="#">Intel Core i7-7820EQ @ 3.00GHz</a>	7,059	2,265	45
<a href="#">AMD Ryzen 3 PRO 3200G</a>	7,057	2,239	65
<a href="#">Intel Xeon E3-1245 v3 @ 3.40GHz</a>	7,040	2,168	84
<a href="#">Intel Core i5-10310U @ 1.70GHz</a>	7,036	2,396	15
<a href="#">Intel Core i7-5850EQ @ 2.70GHz</a>	7,036	2,119	47
<a href="#">Intel Xeon E-2124 @ 3.30GHz</a>	7,036	2,576	71
<a href="#">Intel Core i7-4770 @ 3.40GHz</a>	7,028	2,172	84
<a href="#">Intel Core i7-4771 @ 3.50GHz</a>	7,021	2,194	84
<a href="#">AMD Opteron 6386 SE</a>	7,017	1,262	140
<a href="#">Intel Core i7-980 @ 3.33GHz</a>	6,992	1,555	130
<a href="#">Intel Core i7-10510U @ 1.80GHz</a>	6,988	2,413	15
<a href="#">Intel Xeon E3-1275 v3 @ 3.50GHz</a>	6,988	2,222	95



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5-1620 v3 @ 3.50GHz</a>	6,978	2,026	140
<a href="#">Intel Core i7-4790S @ 3.20GHz</a>	6,977	2,212	65
<a href="#">Intel Xeon E3-1505M v6 @ 3.00GHz</a>	6,973	2,176	45
<a href="#">Intel Xeon E3-1231 v3 @ 3.40GHz</a>	6,964	2,143	80
<a href="#">Intel Core i7-7700HQ @ 2.80GHz</a>	6,961	2,073	45
<a href="#">Intel Xeon E3-1240 v3 @ 3.40GHz</a>	6,955	2,134	80
<a href="#">Intel Core i7-6700TE @ 2.40GHz</a>	6,935	2,118	35
<a href="#">Intel Core i7-4980HQ @ 2.80GHz</a>	6,933	2,245	47
<a href="#">Intel Xeon E5-2440 v2 @ 1.90GHz</a>	6,927	962	95
<a href="#">AMD Opteron 6287 SE</a>	6,925	1,091	NA
<a href="#">Intel Core i7-6820EQ @ 2.80GHz</a>	6,924	1,969	45
<a href="#">AMD Ryzen 5 PRO 3500U</a>	6,919	1,973	15
<a href="#">Intel Xeon E3-1285 v3 @ 3.60GHz</a>	6,919	2,253	84
<a href="#">Intel Core i7-4770R @ 3.20GHz</a>	6,918	2,180	65
<a href="#">AMD Ryzen 3 1300X</a>	6,902	2,094	65
<a href="#">Intel Xeon X5690 @ 3.47GHz</a>	6,901	1,600	130
<a href="#">Intel Core i7-6820HQ @ 2.70GHz</a>	6,889	1,998	45
<a href="#">Intel Xeon E3-1280 v3 @ 3.60GHz</a>	6,884	2,204	82
<a href="#">Intel Core i5-7600K @ 3.80GHz</a>	6,875	2,572	91
<a href="#">Intel Core i7-5850HQ @ 2.70GHz</a>	6,866	2,219	47
<a href="#">AMD Ryzen Embedded V1605B</a>	6,864	1,999	15
<a href="#">Intel Core i3-8350K @ 4.00GHz</a>	6,851	2,502	91
<a href="#">Intel Xeon E3-1285L v3 @ 3.10GHz</a>	6,848	2,132	65
<a href="#">Intel Core i7-4770S @ 3.10GHz</a>	6,841	2,151	65
<a href="#">Intel Xeon E5-4620 @ 2.20GHz</a>	6,830	1,239	95
<a href="#">AMD Ryzen 7 2700U</a>	6,823	1,781	15
<a href="#">Intel Core i7-4930MX @ 3.00GHz</a>	6,821	2,193	57
<a href="#">Intel Xeon E3-1230 v3 @ 3.30GHz</a>	6,815	2,085	80
<a href="#">Intel Xeon D-1528 @ 1.90GHz</a>	6,806	1,296	35
<a href="#">Intel Core i3-9100F @ 3.60GHz</a>	6,781	2,527	65
<a href="#">Intel Core i7-970 @ 3.20GHz</a>	6,774	1,498	130
<a href="#">Intel Xeon E5-2448L v2 @ 1.80GHz</a>	6,774	1,235	70
<a href="#">AMD Ryzen 3 2200G</a>	6,761	2,055	65
<a href="#">Intel Core i7-980X @ 3.33GHz</a>	6,729	1,523	130
<a href="#">Intel Core i3-9100 @ 3.60GHz</a>	6,727	2,550	65
<a href="#">AMD FX-9590 Eight-Core</a>	6,721	1,831	220
<a href="#">Intel Xeon W3680 @ 3.33GHz</a>	6,716	1,511	130
<a href="#">Intel Xeon X5680 @ 3.33GHz</a>	6,674	1,465	130
<a href="#">AMD Ryzen 5 2500U</a>	6,672	1,860	15
<a href="#">Intel Xeon E5-2637 v2 @ 3.50GHz</a>	6,666	1,899	130
<a href="#">Intel Core i5-7600 @ 3.50GHz</a>	6,662	2,489	65
<a href="#">Intel Xeon E5-2623 v4 @ 2.60GHz</a>	6,644	1,679	85
<a href="#">AMD Ryzen 5 PRO 2500U</a>	6,625	1,738	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E3-1268L v5 @ 2.40GHz</a>	6,600	1,869	35
<a href="#">Intel Xeon Platinum 8151 @ 3.40GHz</a>	6,591	2,393	NA
<a href="#">Intel Core i7-8665UE @ 1.70GHz</a>	6,587	2,491	15
<a href="#">Intel Xeon E5-1428L v2 @ 2.20GHz</a>	6,566	1,321	60
<a href="#">Intel Core i5-8279U @ 2.40GHz</a>	6,558	2,244	28
<a href="#">Intel Xeon E5-1620 v2 @ 3.70GHz</a>	6,553	1,979	130
<a href="#">Intel Xeon E3-1290 V2 @ 3.70GHz</a>	6,551	2,191	87
<a href="#">Intel Core i7-8665U @ 1.90GHz</a>	6,548	2,301	15
<a href="#">Intel Core i7-4820K @ 3.70GHz</a>	6,537	1,937	130
<a href="#">Intel Xeon Bronze 3106 @ 1.70GHz</a>	6,532	993	85
<a href="#">Intel Core i7-6700HQ @ 2.60GHz</a>	6,515	1,912	45
<a href="#">Intel Xeon E3-1270 V2 @ 3.50GHz</a>	6,513	2,089	69
<a href="#">Intel Xeon E5-2637 v4 @ 3.50GHz</a>	6,509	2,051	135
<a href="#">Intel Core i5-7640X @ 4.00GHz</a>	6,497	2,479	112
<a href="#">Intel Xeon W3670 @ 3.20GHz</a>	6,497	1,481	130
<a href="#">Intel Core i5-10210U @ 1.60GHz</a>	6,495	2,270	15
<a href="#">Intel Core i7-8650U @ 1.90GHz</a>	6,495	2,194	15
<a href="#">Intel Xeon E3-1265L v4 @ 2.30GHz</a>	6,493	1,977	35
<a href="#">Intel Xeon E3-1280 V2 @ 3.60GHz</a>	6,493	2,153	69
<a href="#">Intel Xeon E5-2420 v2 @ 2.20GHz</a>	6,492	1,373	80
<a href="#">Intel Core i7-4860HQ @ 2.40GHz</a>	6,477	2,005	47
<a href="#">Intel Xeon E5-4610 @ 2.40GHz</a>	6,460	1,401	95
<a href="#">Intel Xeon E3-1286L v3 @ 3.20GHz</a>	6,450	2,207	65
<a href="#">Intel Core i7-4870HQ @ 2.50GHz</a>	6,444	2,072	47
<a href="#">Intel Core i7-4960HQ @ 2.60GHz</a>	6,423	2,147	47
<a href="#">Intel Core i3-8100B @ 3.60GHz</a>	6,417	2,266	65
<a href="#">Intel Core i7-3770K @ 3.50GHz</a>	6,416	2,070	77
<a href="#">Intel Xeon E5-2608L v3 @ 2.00GHz</a>	6,415	1,210	52
<a href="#">Intel Core i5-8365U @ 1.60GHz</a>	6,399	2,218	15
<a href="#">Intel Xeon E3-1275 V2 @ 3.50GHz</a>	6,398	2,119	77
<a href="#">Intel Xeon E3-1265L v3 @ 2.50GHz</a>	6,394	2,069	45
<a href="#">Intel Xeon X5675 @ 3.07GHz</a>	6,386	1,466	95
<a href="#">AMD Opteron 6282 SE</a>	6,385	953	140
<a href="#">Intel Core i7-8565U @ 1.80GHz</a>	6,384	2,267	15
<a href="#">AMD Ryzen 3 PRO 1200</a>	6,376	1,924	65
<a href="#">Intel Core i7-3770 @ 3.40GHz</a>	6,368	2,071	77
<a href="#">Intel Xeon W-2104 @ 3.20GHz</a>	6,362	1,841	120
<a href="#">AMD Opteron 6276</a>	6,351	1,122	115
<a href="#">Intel Xeon E3-1225 v6 @ 3.30GHz</a>	6,343	2,296	73
<a href="#">Intel Xeon E5-2630L v2 @ 2.40GHz</a>	6,337	1,340	60
<a href="#">Intel Xeon E-2254ML @ 1.70GHz</a>	6,333	2,029	25
<a href="#">Intel Core i7-4790T @ 2.70GHz</a>	6,332	2,133	45
<a href="#">Intel Core i5-8350U @ 1.70GHz</a>	6,318	2,053	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E3-1240 V2 @ 3.40GHz</a>	6,305	2,039	69
<a href="#">AMD Ryzen 3 2200GE</a>	6,304	2,011	35
<a href="#">Intel Core i7-4760HQ @ 2.10GHz</a>	6,300	1,944	47
<a href="#">Intel Core i7-4910MQ @ 2.90GHz</a>	6,298	2,059	47
<a href="#">Intel Xeon E5-4617 @ 2.90GHz</a>	6,298	1,552	130
<a href="#">Intel Core i3-8300 @ 3.70GHz</a>	6,283	2,312	62
<a href="#">Intel Core i5-6600K @ 3.50GHz</a>	6,282	2,334	91
<a href="#">AMD Ryzen 3 1200</a>	6,271	1,915	65
<a href="#">Intel Xeon X5660 @ 2.80GHz</a>	6,254	1,405	95
<a href="#">AMD Ryzen 3 PRO 2200GE</a>	6,238	2,011	35
<a href="#">Intel Core i7-1060NG7 @ 1.20GHz</a>	6,234	1,909	10
<a href="#">Intel Core i7-4770HQ @ 2.20GHz</a>	6,217	1,923	47
<a href="#">AMD Ryzen 3 PRO 2300U</a>	6,216	1,882	15
<a href="#">Intel Xeon E-2104G @ 3.20GHz</a>	6,215	1,981	65
<a href="#">Intel Core i7-3770S @ 3.10GHz</a>	6,214	2,046	65
<a href="#">Intel Xeon E5-2620 v2 @ 2.10GHz</a>	6,202	1,288	80
<a href="#">Intel Xeon E3-1230 V2 @ 3.30GHz</a>	6,199	1,999	69
<a href="#">Intel Core i7-8565UC @ 1.80GHz</a>	6,187	2,527	15
<a href="#">AMD FX-8370 Eight-Core</a>	6,184	1,644	125
<a href="#">Intel Xeon X5670 @ 2.93GHz</a>	6,140	1,404	95
<a href="#">Intel Core i3-8100 @ 3.60GHz</a>	6,137	2,243	65
<a href="#">Intel Xeon E5-2630 @ 2.30GHz</a>	6,134	1,302	95
<a href="#">Intel Core i5-8265U @ 1.60GHz</a>	6,131	2,144	15
<a href="#">Intel Core i7-4810MQ @ 2.80GHz</a>	6,129	2,042	47
<a href="#">Intel Xeon E3-1245 V2 @ 3.40GHz</a>	6,127	2,001	77
<a href="#">Intel Core i5-6600 @ 3.30GHz</a>	6,115	2,275	65
<a href="#">Intel Core i7-5675C @ 3.10GHz</a>	6,089	2,249	65
<a href="#">Intel Xeon E3-1505L v6 @ 2.20GHz</a>	6,088	1,848	25
<a href="#">Intel Xeon E5-2658 @ 2.10GHz</a>	6,073	1,156	95
<a href="#">AMD Opteron 6344</a>	6,069	1,231	115
<a href="#">Intel Core i5-7500 @ 3.40GHz</a>	6,067	2,279	65
<a href="#">AMD Ryzen 3 PRO 3300U</a>	6,060	2,071	15
<a href="#">Intel Xeon E3-1220 v6 @ 3.00GHz</a>	6,048	2,072	72
<a href="#">Intel Core i7-4850HQ @ 2.30GHz</a>	6,040	1,923	47
<a href="#">AMD FX-9370 Eight-Core</a>	6,032	1,683	220
<a href="#">Intel Core i7-4770T @ 2.50GHz</a>	6,026	2,033	45
<a href="#">Intel Xeon E3-1240L v5 @ 2.10GHz</a>	6,025	1,921	25
<a href="#">Intel Core i5-7600T @ 2.80GHz</a>	6,021	2,256	35
<a href="#">Intel Core i5-8265UC @ 1.60GHz</a>	5,988	2,200	NA
<a href="#">Intel Core i7-4900MQ @ 2.80GHz</a>	5,988	1,953	47
<a href="#">Intel Core i5-8250U @ 1.60GHz</a>	5,977	1,956	15
<a href="#">Intel Core i7-5700HQ @ 2.70GHz</a>	5,975	2,026	47
<a href="#">Intel Xeon E5-2609 v4 @ 1.70GHz</a>	5,974	1,078	85

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD FX-8350 Eight-Core</a>	5,946	1,573	125
<a href="#">Intel Core i7-3840QM @ 2.80GHz</a>	5,933	1,925	45
<a href="#">Intel Xeon D-1521 @ 2.40GHz</a>	5,931	1,693	45
<a href="#">Intel Xeon E5-2650L @ 1.80GHz</a>	5,929	1,091	70
<a href="#">Intel Core i3-9300T @ 3.20GHz</a>	5,927	2,312	35
<a href="#">Intel Core i7-5700EQ @ 2.60GHz</a>	5,905	2,124	47
<a href="#">Intel Core i7-4800MQ @ 2.70GHz</a>	5,900	1,960	47
<a href="#">AMD Opteron 6378</a>	5,889	1,127	115
<a href="#">Intel Xeon E5-2430 @ 2.20GHz</a>	5,867	1,234	95
<a href="#">AMD Ryzen 3 3300U</a>	5,865	1,897	15
<a href="#">Intel Xeon E5-1620 @ 3.60GHz</a>	5,864	1,775	130
<a href="#">Intel Xeon E5-1410 v2 @ 2.80GHz</a>	5,842	1,689	80
<a href="#">Intel Xeon E3-1225 v5 @ 3.30GHz</a>	5,829	1,968	80
<a href="#">Intel Core i3-8300T @ 3.20GHz</a>	5,827	2,005	25
<a href="#">Intel Xeon X5650 @ 2.67GHz</a>	5,794	1,307	95
<a href="#">Intel Core i7-3820 @ 3.60GHz</a>	5,790	1,754	130
<a href="#">AMD Opteron 4274 HE</a>	5,776	1,060	65
<a href="#">Intel Core i7-4710MQ @ 2.50GHz</a>	5,770	1,896	47
<a href="#">Intel Xeon E5-2450L @ 1.80GHz</a>	5,769	1,013	70
<a href="#">Intel Xeon E5-2440 @ 2.40GHz</a>	5,766	1,299	95
<a href="#">Intel Core i5-1030NG7 @ 1.10GHz</a>	5,734	1,737	10
<a href="#">Intel Core i5-5675R @ 3.10GHz</a>	5,726	2,246	65
<a href="#">Intel Core i5-7440EQ @ 2.90GHz</a>	5,711	2,131	45
<a href="#">Intel Core i3-9100TE @ 2.20GHz</a>	5,705	2,042	35
<a href="#">Intel Core i7-4720HQ @ 2.60GHz</a>	5,699	1,862	47
<a href="#">Intel Core i7-3940XM @ 3.00GHz</a>	5,697	1,930	55
<a href="#">Intel Xeon E3-1220 v5 @ 3.00GHz</a>	5,687	2,058	80
<a href="#">Intel Xeon E3-1205 v6 @ 3.00GHz</a>	5,682	1,875	65
<a href="#">Intel Core i7-3720QM @ 2.60GHz</a>	5,675	1,856	45
<a href="#">Intel Core i5-5675C @ 3.10GHz</a>	5,674	2,231	65
<a href="#">Intel Core i7-3920XM @ 2.90GHz</a>	5,659	1,901	55
<a href="#">Intel Core i5-6500 @ 3.20GHz</a>	5,657	2,129	65
<a href="#">Intel Xeon D-1559 @ 1.50GHz</a>	5,647	569	45
<a href="#">Intel Core i3-9100T @ 3.10GHz</a>	5,646	2,205	35
<a href="#">Intel Core i5-6600T @ 2.70GHz</a>	5,637	2,127	35
<a href="#">Intel Core i7-3740QM @ 2.70GHz</a>	5,630	1,848	45
<a href="#">AMD Opteron 6238</a>	5,625	1,157	115
<a href="#">Intel Core i7-2700K @ 3.50GHz</a>	5,620	1,796	95
<a href="#">Intel Core i7-3820QM @ 2.70GHz</a>	5,620	1,876	45
<a href="#">Intel Core i7-4722HQ @ 2.40GHz</a>	5,620	1,844	37
<a href="#">Intel Core i5-4690 @ 3.50GHz</a>	5,602	2,204	84
<a href="#">Intel Core i5-4690K @ 3.50GHz</a>	5,584	2,193	88
<a href="#">AMD Opteron 6376</a>	5,572	1,165	115

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i7-3770T @ 2.50GHz</a>	5,554	1,962	45
<a href="#">Intel Pentium Gold 7505 @ 2.00GHz</a>	5,541	2,433	15
<a href="#">Intel Xeon E5-2643 @ 3.30GHz</a>	5,521	1,641	130
<a href="#">Intel Core i5-6402P @ 2.80GHz</a>	5,515	2,056	65
<a href="#">Intel Core i5-7400 @ 3.00GHz</a>	5,513	2,110	65
<a href="#">Intel Xeon E3-1280 @ 3.50GHz</a>	5,510	1,780	95
<a href="#">Intel Core i7-4700HQ @ 2.40GHz</a>	5,504	1,775	47
<a href="#">Intel Core i5-4670K @ 3.40GHz</a>	5,500	2,149	84
<a href="#">AMD Ryzen Embedded V1404I</a>	5,491	1,932	15
<a href="#">Intel Core i7-2600K @ 3.40GHz</a>	5,472	1,738	95
<a href="#">Intel Core i5-760S @ 2.53GHz</a>	5,440	1,578	NA
<a href="#">Intel Xeon E5-1607 v4 @ 3.10GHz</a>	5,438	1,951	140
<a href="#">Intel Xeon E3-1275 @ 3.40GHz</a>	5,433	1,760	95
<a href="#">AMD Ryzen 3 2300U</a>	5,419	1,725	15
<a href="#">Intel Core i7-4710HQ @ 2.50GHz</a>	5,410	1,753	47
<a href="#">Intel Core i5-8365UE @ 1.60GHz</a>	5,408	2,314	15
<a href="#">Intel Core i5-4690S @ 3.20GHz</a>	5,403	2,211	65
<a href="#">AMD FX-8320 Eight-Core</a>	5,387	1,471	125
<a href="#">Intel Core i5-4670 @ 3.40GHz</a>	5,385	2,128	84
<a href="#">Intel Xeon E3-1226 v3 @ 3.30GHz</a>	5,385	2,070	84
<a href="#">Intel Core i7-4785T @ 2.20GHz</a>	5,381	1,731	35
<a href="#">Intel Core i5-7500T @ 2.70GHz</a>	5,371	1,994	35
<a href="#">Intel Core i5-6440EQ @ 2.70GHz</a>	5,368	1,943	45
<a href="#">Intel Xeon E3-1270 @ 3.40GHz</a>	5,365	1,753	80
<a href="#">Intel Core i7-4700MQ @ 2.40GHz</a>	5,351	1,780	47
<a href="#">Intel Xeon X5687 @ 3.60GHz</a>	5,341	1,595	130
<a href="#">Intel Core i5-4670R @ 3.00GHz</a>	5,335	2,164	65
<a href="#">Intel Core i3-8100T @ 3.10GHz</a>	5,333	1,932	35
<a href="#">Intel Xeon E3-1268L v3 @ 2.30GHz</a>	5,333	1,896	45
<a href="#">Intel Core i5-6500TE @ 2.30GHz</a>	5,329	1,916	35
<a href="#">Intel Xeon E3-1245 @ 3.30GHz</a>	5,323	1,739	95
<a href="#">Intel Core i7-2600 @ 3.40GHz</a>	5,317	1,733	95
<a href="#">Intel Core i5-4590 @ 3.30GHz</a>	5,308	2,084	84
<a href="#">Intel Xeon E5-2630L @ 2.00GHz</a>	5,305	1,119	60
<a href="#">Intel Core i7-10510Y @ 1.20GHz</a>	5,289	1,915	7
<a href="#">AMD Opteron 6274</a>	5,286	849	115
<a href="#">Intel Core i7-4860EQ @ 1.80GHz</a>	5,280	1,726	47
<a href="#">Intel Xeon E5-2430L @ 2.00GHz</a>	5,273	1,005	60
<a href="#">Intel Xeon E3-1225 v3 @ 3.20GHz</a>	5,264	2,026	84
<a href="#">Intel Xeon E3-1240 @ 3.30GHz</a>	5,259	1,715	80
<a href="#">Intel Xeon E5-2620 @ 2.00GHz</a>	5,257	1,111	95
<a href="#">AMD FX-8300 Eight-Core</a>	5,247	1,476	95
<a href="#">Intel Core i7-6822EQ @ 2.00GHz</a>	5,241	1,572	25

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Opteron 6328</a>	5,210	1,398	115
<a href="#">Intel Core i7-4712MQ @ 2.30GHz</a>	5,203	1,779	37
<a href="#">Haydn based on Qualcomm Technologies, Inc SM8350</a>	5,201	2,206	NA
<a href="#">Intel Xeon X5677 @ 3.47GHz</a>	5,184	1,613	130
<a href="#">Intel Core i5-4670S @ 3.10GHz</a>	5,178	2,121	65
<a href="#">Intel Core i5-6440HQ @ 2.60GHz</a>	5,177	2,050	45
<a href="#">Intel Core i7-3615QE @ 2.30GHz</a>	5,174	1,724	45
<a href="#">Intel Xeon E5-2420 @ 1.90GHz</a>	5,170	1,105	95
<a href="#">Intel Core i7-3615QM @ 2.30GHz</a>	5,164	1,715	45
<a href="#">Intel Core i5-6400 @ 2.70GHz</a>	5,163	1,976	65
<a href="#">Intel Core i5-4570 @ 3.20GHz</a>	5,157	2,024	84
<a href="#">Intel Core i5-5575R @ 2.80GHz</a>	5,155	2,028	65
<a href="#">Intel Xeon W-2102 @ 2.90GHz</a>	5,149	1,764	120
<a href="#">AMD Opteron 6272</a>	5,146	737	115
<a href="#">Intel Core i7-4702HQ @ 2.20GHz</a>	5,125	1,571	37
<a href="#">Intel Xeon X5672 @ 3.20GHz</a>	5,123	1,574	95
<a href="#">Intel Core i7-3610QE @ 2.30GHz</a>	5,122	1,662	45
<a href="#">Qualcomm Technologies, Inc SM8250</a>	5,121	2,327	NA
<a href="#">Intel Core i5-4590S @ 3.00GHz</a>	5,117	2,073	65
<a href="#">Intel Core i5-7300HQ @ 2.50GHz</a>	5,117	1,981	45
<a href="#">AMD FX-8370E Eight-Core</a>	5,115	1,429	95
<a href="#">Intel Core i7-3610QM @ 2.30GHz</a>	5,105	1,654	45
<a href="#">Intel Core i7-3630QM @ 2.40GHz</a>	5,097	1,688	45
<a href="#">Intel Core i7-4712HQ @ 2.30GHz</a>	5,097	1,657	37
<a href="#">Intel Core i7-4702MQ @ 2.20GHz</a>	5,086	1,681	37
<a href="#">Intel Xeon Bronze 3204 @ 1.90GHz</a>	5,080	1,093	85
<a href="#">Apple A13 Bionic</a>	5,065	2,040	NA
<a href="#">Intel Xeon E3-1240L v3 @ 2.00GHz</a>	5,062	1,695	25
<a href="#">Intel Xeon E3-1220 v3 @ 3.10GHz</a>	5,059	1,974	80
<a href="#">Intel Core i5-4670K CPT @ 3.40GHz</a>	5,034	2,042	84
<a href="#">Intel Xeon E5645 @ 2.40GHz</a>	5,024	1,161	80
<a href="#">AMD FX-8150 Eight-Core</a>	5,016	1,383	125
<a href="#">Intel Xeon E5-2430L v2 @ 2.40GHz</a>	5,014	668	60
<a href="#">Intel Xeon E3-1235L v5 @ 2.00GHz</a>	5,013	1,761	25
<a href="#">Intel Xeon E3-1290 @ 3.60GHz</a>	4,988	1,833	95
<a href="#">Intel Xeon E5-1607 v3 @ 3.10GHz</a>	4,987	1,811	140
<a href="#">Intel Xeon E3-1230 @ 3.20GHz</a>	4,984	1,661	80
<a href="#">Venus based on Qualcomm Technologies, Inc SM8350</a>	4,981	2,421	NA
<a href="#">AMD FX-8320E Eight-Core</a>	4,968	1,406	95
<a href="#">AMD FX-8140 Eight-Core</a>	4,953	1,336	95
<a href="#">Intel Core i7-4700EQ @ 2.40GHz</a>	4,941	1,842	47
<a href="#">Intel Xeon E5649 @ 2.53GHz</a>	4,936	1,176	80
<a href="#">Intel Core i7-4765T @ 2.00GHz</a>	4,924	1,581	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i5-10210Y @ 1.00GHz</a>	4,918	2,108	7
<a href="#">AMD Athlon 300GE</a>	4,905	2,119	35
<a href="#">Intel Xeon Bronze 3104 @ 1.70GHz</a>	4,887	986	85
<a href="#">Intel Core i5-3570 @ 3.40GHz</a>	4,873	2,039	77
<a href="#">Intel Core i3-7350K @ 4.20GHz</a>	4,870	2,504	60
<a href="#">AMD Opteron 6366 HE</a>	4,858	793	85
<a href="#">Intel Core i3-7320 @ 4.10GHz</a>	4,856	2,456	51
<a href="#">Intel Xeon E3-1505L v5 @ 2.00GHz</a>	4,838	1,635	25
<a href="#">Intel Xeon E5-1603 v4 @ 2.80GHz</a>	4,838	1,752	140
<a href="#">Intel Core i5-7442EQ @ 2.10GHz</a>	4,834	1,819	25
<a href="#">Intel Core i5-6500T @ 2.50GHz</a>	4,801	1,836	35
<a href="#">Intel Core i5-4460 @ 3.20GHz</a>	4,800	1,895	84
<a href="#">Qualcomm Technologies, Inc KONA</a>	4,787	2,316	NA
<a href="#">Intel Xeon D-1518 @ 2.20GHz</a>	4,784	1,256	35
<a href="#">Intel Core i7-3612QE @ 2.10GHz</a>	4,783	1,658	35
<a href="#">Intel Core i5-3550 @ 3.30GHz</a>	4,772	2,005	77
<a href="#">Intel Core i3-7300 @ 4.00GHz</a>	4,769	2,485	51
<a href="#">Intel Xeon E3-1230L v3 @ 1.80GHz</a>	4,764	1,502	25
<a href="#">Hisilicon Kirin9000</a>	4,760	2,382	NA
<a href="#">AMD Opteron 6220</a>	4,753	1,203	115
<a href="#">Intel Core i5-4570R @ 2.70GHz</a>	4,748	1,866	65
<a href="#">Intel Core i5-4470S @ 3.00GHz</a>	4,742	1,756	65
<a href="#">Intel Xeon E3-1235 @ 3.20GHz</a>	4,725	1,562	95
<a href="#">Intel Xeon E3-1225 V2 @ 3.20GHz</a>	4,712	1,935	77
<a href="#">Intel Core i5-4430 @ 3.00GHz</a>	4,707	1,829	84
<a href="#">Intel Core i5-7400T @ 2.40GHz</a>	4,703	1,821	35
<a href="#">AMD Athlon Silver PRO 3125GE</a>	4,701	2,067	35
<a href="#">Intel Xeon E5-2603 v4 @ 1.70GHz</a>	4,695	1,046	85
<a href="#">Intel Core i5-4440 @ 3.10GHz</a>	4,681	1,857	84
<a href="#">Intel Xeon E3-1220 V2 @ 3.10GHz</a>	4,680	1,923	69
<a href="#">Intel Atom C3758 @ 2.20GHz</a>	4,675	857	25
<a href="#">Intel Core i5-6300HQ @ 2.30GHz</a>	4,670	1,786	45
<a href="#">AMD Opteron 4284</a>	4,665	1,181	95
<a href="#">Intel Core i5-3470 @ 3.20GHz</a>	4,642	1,937	77
<a href="#">AMD Athlon 240GE</a>	4,634	2,009	35
<a href="#">Intel Xeon E5-1410 @ 2.80GHz</a>	4,634	1,484	80
<a href="#">Qualcomm Snapdragon 8350</a>	4,625	2,509	NA
<a href="#">Intel Xeon L5640 @ 2.27GHz</a>	4,591	1,139	60
<a href="#">Intel Core i5-3570S @ 3.10GHz</a>	4,582	1,987	65
<a href="#">Intel Xeon E3-1265L V2 @ 2.50GHz</a>	4,582	1,442	45
<a href="#">Intel Core i7-3635QM @ 2.40GHz</a>	4,554	1,692	45
<a href="#">Intel Core i7-3632QM @ 2.20GHz</a>	4,551	1,556	35
<a href="#">Intel Core i7-2860QM @ 2.50GHz</a>	4,549	1,562	45

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Apple A12 Bionic</a>	4,537	1,896	NA
<a href="#">Intel Xeon X5667 @ 3.07GHz</a>	4,534	1,452	95
<a href="#">AMD FX-8120 Eight-Core</a>	4,523	1,318	125
<a href="#">Intel Xeon X5647 @ 2.93GHz</a>	4,522	1,368	130
<a href="#">Intel Core i5-6442EQ @ 1.90GHz</a>	4,519	1,688	25
<a href="#">Intel Xeon E5-1603 v3 @ 2.80GHz</a>	4,513	1,636	140
<a href="#">Intel Core i3-1000NG4 @ 1.10GHz</a>	4,505	2,056	9
<a href="#">AMD Opteron 4280</a>	4,504	1,141	95
<a href="#">Intel Core i5-4460S @ 2.90GHz</a>	4,472	1,823	65
<a href="#">Intel Pentium Gold G6600 @ 4.20GHz</a>	4,463	2,564	58
<a href="#">AMD FX-6350 Six-Core</a>	4,457	1,548	125
<a href="#">AMD FX-6330 Six-Core</a>	4,455	1,540	95
<a href="#">AMD Athlon 3000G</a>	4,449	1,985	35
<a href="#">Intel Core i5-3450 @ 3.10GHz</a>	4,447	1,880	77
<a href="#">Intel Core i3-6320 @ 3.90GHz</a>	4,441	2,388	51
<a href="#">Intel Core i5-3550S @ 3.00GHz</a>	4,440	1,942	65
<a href="#">Samsung Exynos 2100</a>	4,438	2,022	NA
<a href="#">Intel Core i7-3612QM @ 2.10GHz</a>	4,429	1,495	35
<a href="#">Intel Xeon L5639 @ 2.13GHz</a>	4,419	1,102	60
<a href="#">Intel Core i5-4690T @ 2.50GHz</a>	4,410	1,919	45
<a href="#">Intel Core i3-6300 @ 3.80GHz</a>	4,406	2,355	51
<a href="#">Intel Core i7-2760QM @ 2.40GHz</a>	4,406	1,561	45
<a href="#">Intel Xeon E5-2609 v3 @ 1.90GHz</a>	4,391	1,095	80
<a href="#">AMD Opteron 4386</a>	4,378	1,012	95
<a href="#">Intel Core i5-6400T @ 2.20GHz</a>	4,378	1,678	35
<a href="#">AMD Ryzen Embedded R1606G</a>	4,371	1,953	15
<a href="#">Intel Core i7-2920XM @ 2.50GHz</a>	4,370	1,503	55
<a href="#">Intel Core i3-8121U @ 2.20GHz</a>	4,369	1,921	15
<a href="#">AMD FX-6130 Six-Core</a>	4,353	1,390	125
<a href="#">Intel Core i3-8109U @ 3.00GHz</a>	4,351	2,162	28
<a href="#">Intel Core i7-2600S @ 2.80GHz</a>	4,339	1,685	65
<a href="#">AMD Athlon PRO 300GE</a>	4,337	1,840	35
<a href="#">Intel Core i5-4670T @ 2.30GHz</a>	4,333	1,722	45
<a href="#">Intel Core i5-3470S @ 2.90GHz</a>	4,321	1,896	65
<a href="#">Intel Xeon E5-1607 v2 @ 3.00GHz</a>	4,313	1,616	130
<a href="#">AMD Ryzen 3 PRO 2100GE</a>	4,308	1,901	35
<a href="#">Intel Core i3-7100 @ 3.90GHz</a>	4,292	2,326	51
<a href="#">Intel Atom C3958 @ 2.00GHz</a>	4,281	514	31
<a href="#">Intel Core i7-2820QM @ 2.30GHz</a>	4,270	1,510	45
<a href="#">Intel Core i5-7360U @ 2.30GHz</a>	4,267	2,231	15
<a href="#">Intel Core i7-4770TE @ 2.30GHz</a>	4,257	1,458	45
<a href="#">Intel Core i5-3450S @ 2.80GHz</a>	4,252	1,849	65
<a href="#">Intel Core i5-3340 @ 3.10GHz</a>	4,246	1,789	77



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Athlon Gold 3150U</a>	4,224	1,886	15
<a href="#">Intel Core i5-3350P @ 3.10GHz</a>	4,215	1,782	69
<a href="#">Intel Pentium Gold G6500 @ 4.10GHz</a>	4,213	2,567	58
<a href="#">Intel Core i7-7660U @ 2.50GHz</a>	4,207	2,191	15
<a href="#">AMD Athlon 200GE</a>	4,184	1,830	35
<a href="#">Intel Core i7-7567U @ 3.50GHz</a>	4,181	2,220	28
<a href="#">Intel Core i5-2550K @ 3.40GHz</a>	4,180	1,761	95
<a href="#">Apple A11 Bionic</a>	4,176	1,142	NA
<a href="#">Intel Core i5-3570T @ 2.30GHz</a>	4,168	1,779	45
<a href="#">Intel Core i5-4440S @ 2.80GHz</a>	4,165	1,765	65
<a href="#">Hisilicon Kirin985</a>	4,162	1,823	NA
<a href="#">Intel Core i3-6100 @ 3.70GHz</a>	4,161	2,229	51
<a href="#">Intel Pentium Gold G6400 @ 4.00GHz</a>	4,161	2,473	58
<a href="#">Intel Pentium Gold G5600F @ 3.90GHz</a>	4,160	2,442	54
<a href="#">Intel Core i3-7300T @ 3.50GHz</a>	4,159	2,128	35
<a href="#">Intel Core i5-7287U @ 3.30GHz</a>	4,149	2,154	28
<a href="#">AMD Ryzen 3 3250U</a>	4,146	1,909	15
<a href="#">Intel Core i7-2960XM @ 2.70GHz</a>	4,144	1,404	55
<a href="#">AMD Athlon PRO 200GE</a>	4,139	1,821	35
<a href="#">AMD Opteron 3380</a>	4,134	1,107	65
<a href="#">AMD FX-6300 Six-Core</a>	4,133	1,482	95
<a href="#">Intel Core i3-8145UE @ 2.20GHz</a>	4,133	2,324	15
<a href="#">Intel Core i5-7267U @ 3.10GHz</a>	4,110	2,117	28
<a href="#">Intel Pentium Gold G5620 @ 4.00GHz</a>	4,102	2,424	54
<a href="#">Intel Core i7-7560U @ 2.40GHz</a>	4,101	2,108	15
<a href="#">Intel Core i3-6098P @ 3.60GHz</a>	4,096	2,089	54
<a href="#">Intel Core i5-2500K @ 3.30GHz</a>	4,092	1,700	95
<a href="#">Intel Core i5-2500 @ 3.30GHz</a>	4,076	1,703	95
<a href="#">Intel Celeron J6413 @ 1.80GHz</a>	4,075	1,601	10
<a href="#">AMD Opteron 6234</a>	4,072	547	115
<a href="#">Intel Core i3-10110U @ 2.10GHz</a>	4,066	2,321	15
<a href="#">Intel Core i5-3475S @ 2.90GHz</a>	4,059	1,771	65
<a href="#">AMD Athlon 300U</a>	4,051	1,868	15
<a href="#">AMD A8-7500</a>	4,048	1,515	65
<a href="#">AMD Opteron 6212</a>	4,046	987	115
<a href="#">Intel Core i5-3330 @ 3.00GHz</a>	4,044	1,714	77
<a href="#">Intel Core i5-4590T @ 2.00GHz</a>	4,044	1,657	35
<a href="#">Intel Core i3-6300T @ 3.30GHz</a>	4,040	2,055	35
<a href="#">Intel Core i7-2720QM @ 2.20GHz</a>	4,040	1,368	45
<a href="#">Intel Xeon E5-2407 v2 @ 2.40GHz</a>	4,034	1,302	80
<a href="#">Intel Xeon E5640 @ 2.67GHz</a>	4,018	1,204	80
<a href="#">Microsoft ARM SQ1 @ 3.0 GHz</a>	4,014	1,844	15
<a href="#">Intel Pentium Gold G6500T @ 3.50GHz</a>	4,005	2,277	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i5-4430S @ 2.70GHz</a>	3,984	1,670	65
<a href="#">Intel Core i5-2450P @ 3.20GHz</a>	3,974	1,654	95
<a href="#">Intel Core i5-3340S @ 2.80GHz</a>	3,974	1,747	65
<a href="#">AMD Ryzen Embedded R1505G</a>	3,969	1,806	15
<a href="#">Intel Core i5-7260U @ 2.20GHz</a>	3,965	1,991	15
<a href="#">AMD Ryzen 3 3200U</a>	3,959	1,859	15
<a href="#">AMD Opteron 4334</a>	3,949	1,269	95
<a href="#">Intel Xeon E5-2603 v3 @ 1.60GHz</a>	3,948	939	85
<a href="#">AMD Opteron 3365</a>	3,941	1,128	65
<a href="#">Intel Core i7-985 @ 3.47GHz</a>	3,928	1,579	NA
<a href="#">Intel Xeon E3-1260L @ 2.40GHz</a>	3,891	1,452	45
<a href="#">Qualcomm Technologies, Inc SM8150</a>	3,886	1,784	NA
<a href="#">Qualcomm Technologies, Inc SM8150P</a>	3,874	1,717	NA
<a href="#">AMD FX-6120 Six-Core</a>	3,873	1,414	95
<a href="#">Intel Core i7-6660U @ 2.40GHz</a>	3,863	1,925	15
<a href="#">Intel Core i3-7100T @ 3.40GHz</a>	3,861	2,052	35
<a href="#">AMD PRO A12-9800</a>	3,852	1,770	65
<a href="#">AMD PRO A12-8870</a>	3,848	1,718	65
<a href="#">AMD FX-8100 Eight-Core</a>	3,847	1,094	95
<a href="#">Intel Core i7-2840QM @ 2.40GHz</a>	3,842	1,493	NA
<a href="#">Hisilicon Kirin980</a>	3,833	1,713	NA
<a href="#">Intel Pentium Silver N6000 @ 1.10GHz</a>	3,827	1,475	6
<a href="#">AMD Ryzen Embedded V1202B</a>	3,823	1,654	15
<a href="#">Intel Core i5-2400 @ 3.10GHz</a>	3,819	1,577	95
<a href="#">Intel Pentium G4620 @ 3.70GHz</a>	3,818	2,280	51
<a href="#">Intel Core i7-6567U @ 3.30GHz</a>	3,817	1,966	28
<a href="#">Intel Core i3-8145U @ 2.10GHz</a>	3,813	2,128	15
<a href="#">Intel Core i5-3330S @ 2.70GHz</a>	3,807	1,666	65
<a href="#">Intel Core i7-2670QM @ 2.20GHz</a>	3,805	1,340	45
<a href="#">Intel Core i5-6287U @ 3.10GHz</a>	3,804	2,030	28
<a href="#">Intel Core i5-2380P @ 3.10GHz</a>	3,797	1,607	95
<a href="#">Intel Xeon E5-1607 @ 3.00GHz</a>	3,777	1,437	130
<a href="#">MT6889Z/CZA</a>	3,773	1,792	NA
<a href="#">Intel Xeon E3-1220 @ 3.10GHz</a>	3,760	1,563	80
<a href="#">Intel Xeon E3-1225 @ 3.10GHz</a>	3,757	1,559	95
<a href="#">Intel Core i5-3335S @ 2.70GHz</a>	3,754	1,738	65
<a href="#">AMD PRO A10-8850B</a>	3,752	1,611	95
<a href="#">ZHAOXIN KaiXian KX-U6780A@2.7GHz</a>	3,744	570	NA
<a href="#">AMD Athlon X4 845</a>	3,742	1,665	65
<a href="#">Intel Core i5-7300U @ 2.60GHz</a>	3,721	1,957	15
<a href="#">AMD Opteron 3280</a>	3,720	1,043	65
<a href="#">Intel Pentium Gold G5400 @ 3.70GHz</a>	3,716	2,231	54
<a href="#">Intel Pentium Gold G5420T @ 3.20GHz</a>	3,716	1,972	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5620 @ 2.40GHz</a>	3,709	1,118	80
<a href="#">Intel Core i7-2710QE @ 2.10GHz</a>	3,704	1,384	45
<a href="#">AMD Phenom II X6 1100T</a>	3,699	1,498	125
<a href="#">Intel Xeon E5630 @ 2.53GHz</a>	3,698	1,188	80
<a href="#">AMD Opteron 6174</a>	3,697	488	115
<a href="#">AMD Ryzen 3 2200U</a>	3,695	1,706	15
<a href="#">Intel Pentium Gold G5500 @ 3.80GHz</a>	3,689	2,237	54
<a href="#">Intel Core i3-4370 @ 3.80GHz</a>	3,682	2,023	54
<a href="#">Intel Core i3-8130U @ 2.20GHz</a>	3,672	1,962	15
<a href="#">Intel Core i3-6100T @ 3.20GHz</a>	3,671	1,932	35
<a href="#">Intel Xeon E5-2609 v2 @ 2.50GHz</a>	3,666	1,376	80
<a href="#">Intel Core i7-7500U @ 2.70GHz</a>	3,665	1,968	15
<a href="#">AMD A9-9820</a>	3,662	798	NA
<a href="#">Qualcomm Technologies, Inc SM8350</a>	3,660	1,997	NA
<a href="#">Intel Core i7-7600U @ 2.80GHz</a>	3,650	2,019	15
<a href="#">Intel Pentium Silver J5040 @ 2.00GHz</a>	3,648	1,423	NA
<a href="#">AMD FX-6100 Six-Core</a>	3,645	1,308	95
<a href="#">Snapdragon 8cx @ 2.84 GHz</a>	3,634	1,754	NA
<a href="#">Qualcomm Technologies, Inc SM8150 Plus</a>	3,631	1,850	NA
<a href="#">Intel Core i3-4170 @ 3.70GHz</a>	3,619	2,107	54
<a href="#">AMD Athlon X4 950</a>	3,618	1,648	65
<a href="#">MediaTek MT6873</a>	3,618	1,319	NA
<a href="#">AMD Athlon X4 880K</a>	3,612	1,611	95
<a href="#">Intel Core i5-2320 @ 3.00GHz</a>	3,611	1,515	95
<a href="#">AMD Phenom II X6 1090T</a>	3,610	1,454	125
<a href="#">Intel Core i7-6650U @ 2.20GHz</a>	3,605	1,841	15
<a href="#">Intel Core i3-4360 @ 3.70GHz</a>	3,595	2,027	54
<a href="#">Intel Xeon E3-1265L @ 2.40GHz</a>	3,589	1,451	45
<a href="#">Intel Core i3-4340 @ 3.60GHz</a>	3,584	2,039	54
<a href="#">AMD PRO A10-9700</a>	3,583	1,647	65
<a href="#">Intel Core i7-2630QM @ 2.00GHz</a>	3,579	1,227	45
<a href="#">Intel Pentium G4600 @ 3.60GHz</a>	3,579	2,183	51
<a href="#">AMD Opteron 6176 SE</a>	3,564	507	140
<a href="#">MT6875</a>	3,561	1,168	NA
<a href="#">Intel Core i5-4460T @ 1.90GHz</a>	3,559	1,468	35
<a href="#">Intel Core i3-4330 @ 3.50GHz</a>	3,552	1,991	54
<a href="#">AMD A10-7870K</a>	3,551	1,552	95
<a href="#">AMD A10-7890K</a>	3,543	1,584	95
<a href="#">Intel Pentium G4560 @ 3.50GHz</a>	3,532	2,125	54
<a href="#">AMD A8-7680</a>	3,531	1,639	45
<a href="#">Intel Core i5-2310 @ 2.90GHz</a>	3,528	1,494	95
<a href="#">AMD A10-8850</a>	3,525	1,624	NA
<a href="#">Intel Core i7-6600U @ 2.60GHz</a>	3,518	1,869	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A10-9700</a>	3,488	1,598	65
<a href="#">Intel Xeon E5-1603 @ 2.80GHz</a>	3,484	1,346	130
<a href="#">AMD PRO A10-8770</a>	3,479	1,493	65
<a href="#">AMD Opteron 6164 HE</a>	3,478	399	85
<a href="#">Intel Pentium Gold G5420 @ 3.80GHz</a>	3,475	2,301	54
<a href="#">Intel Xeon W3580 @ 3.33GHz</a>	3,465	1,545	130
<a href="#">Intel Core i3-4160 @ 3.60GHz</a>	3,459	2,003	54
<a href="#">Intel Xeon X5698 @ 4.40GHz</a>	3,447	1,922	130
<a href="#">AMD Athlon X4 860K</a>	3,444	1,542	95
<a href="#">Intel Core i3-10110Y @ 1.00GHz</a>	3,444	2,245	7
<a href="#">Intel Core i5-5287U @ 2.90GHz</a>	3,444	2,049	28
<a href="#">Intel Core i7-5557U @ 3.10GHz</a>	3,442	2,088	28
<a href="#">AMD A10-7850K APU</a>	3,436	1,520	95
<a href="#">Intel Core i3-7100H @ 3.00GHz</a>	3,430	1,668	35
<a href="#">AMD Embedded R-Series RX-418GD Radeon R6</a>	3,426	1,467	35
<a href="#">AMD Athlon X4 870K</a>	3,425	1,562	95
<a href="#">AMD A12-9800E</a>	3,410	1,588	35
<a href="#">Intel Core i5-2500S @ 2.70GHz</a>	3,408	1,656	65
<a href="#">AMD A10 PRO-7850B APU</a>	3,406	1,570	95
<a href="#">Samsung Exynos 9825</a>	3,403	1,697	NA
<a href="#">Intel Core i7-6560U @ 2.20GHz</a>	3,400	1,710	15
<a href="#">Intel Core i5-7200U @ 2.50GHz</a>	3,399	1,787	15
<a href="#">Intel Core i5-4340M @ 2.90GHz</a>	3,398	1,979	37
<a href="#">Intel Core i5-6267U @ 2.90GHz</a>	3,392	1,825	28
<a href="#">Intel Xeon E5-4603 @ 2.00GHz</a>	3,391	953	95
<a href="#">Intel Xeon W5580 @ 3.20GHz</a>	3,386	1,503	130
<a href="#">AMD Opteron 6136</a>	3,381	549	115
<a href="#">Intel Core i5-L16G7 @ 1.40GHz</a>	3,372	1,654	7
<a href="#">AMD FX-B4150 Quad-Core</a>	3,369	1,425	95
<a href="#">Intel Core i5-2300 @ 2.80GHz</a>	3,358	1,429	95
<a href="#">Intel Xeon W3570 @ 3.20GHz</a>	3,354	1,520	130
<a href="#">AMD PRO A8-9600</a>	3,347	1,468	65
<a href="#">Intel Core i3-4150 @ 3.50GHz</a>	3,343	1,923	54
<a href="#">AMD Phenom II X6 1405T</a>	3,335	1,247	95
<a href="#">AMD Ryzen Embedded R1305G</a>	3,329	1,656	8
<a href="#">AMD FX-4150 Quad-Core</a>	3,327	1,465	125
<a href="#">Intel Xeon D-1520 @ 2.20GHz</a>	3,324	419	45
<a href="#">Intel Core i5-6360U @ 2.00GHz</a>	3,321	1,790	15
<a href="#">MediaTek MT6853T</a>	3,320	1,575	NA
<a href="#">Intel Core i3-6100E @ 2.70GHz</a>	3,315	1,688	35
<a href="#">Intel Core i7-4610M @ 3.00GHz</a>	3,305	1,897	37
<a href="#">AMD A10-7860K</a>	3,303	1,522	65
<a href="#">AMD Embedded R-Series RX-421BD</a>	3,302	1,477	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Athlon X4 840</a>	3,295	1,490	65
<a href="#">AMD A8-9600</a>	3,294	1,490	65
<a href="#">Intel Core i7-6498DU @ 2.50GHz</a>	3,293	1,759	15
<a href="#">Intel Core i7-975 @ 3.33GHz</a>	3,292	1,495	130
<a href="#">AMD Opteron X3421 APU</a>	3,289	1,476	35
<a href="#">Intel Core i7-965 @ 3.20GHz</a>	3,288	1,452	130
<a href="#">Intel Xeon W3565 @ 3.20GHz</a>	3,287	1,490	130
<a href="#">Intel Core i7-6500U @ 2.50GHz</a>	3,283	1,723	15
<a href="#">Intel Core i3-6100TE @ 2.70GHz</a>	3,280	1,658	35
<a href="#">Intel Core i7-2675QM @ 2.20GHz</a>	3,274	1,108	45
<a href="#">Intel Core i3-4130 @ 3.40GHz</a>	3,266	1,889	54
<a href="#">MT6853V/TNZA</a>	3,266	1,592	NA
<a href="#">AMD FX-4350 Quad-Core</a>	3,265	1,608	125
<a href="#">AMD Opteron 4365 EE</a>	3,263	933	40
<a href="#">Intel Core i7-4578U @ 3.00GHz</a>	3,258	2,031	28
<a href="#">Intel Core i5-6300U @ 2.40GHz</a>	3,257	1,703	15
<a href="#">Intel Core i5-4400E @ 2.70GHz</a>	3,251	1,804	37
<a href="#">Intel Core i3-4370T @ 3.30GHz</a>	3,250	1,908	35
<a href="#">AMD FX-4330</a>	3,248	1,563	95
<a href="#">Intel Xeon X3480 @ 3.07GHz</a>	3,245	1,472	95
<a href="#">Intel Core i3-4570T @ 2.90GHz</a>	3,244	1,693	35
<a href="#">Intel Pentium D1508 @ 2.20GHz</a>	3,240	1,760	25
<a href="#">AMD Phenom II X6 1065T</a>	3,236	1,342	95
<a href="#">Intel Core i5-4570T @ 2.90GHz</a>	3,236	1,945	35
<a href="#">Intel Pentium Gold G5500T @ 3.20GHz</a>	3,234	1,964	35
<a href="#">Intel Xeon W5590 @ 3.33GHz</a>	3,234	1,571	130
<a href="#">Intel Core i7-2635QM @ 2.00GHz</a>	3,232	1,219	45
<a href="#">Intel Core i7-960 @ 3.20GHz</a>	3,232	1,452	130
<a href="#">Intel Core i7-4600M @ 2.90GHz</a>	3,228	1,885	37
<a href="#">Intel Xeon L5638 @ 2.00GHz</a>	3,225	727	60
<a href="#">Intel Core i7-2715QE @ 2.10GHz</a>	3,221	1,287	45
<a href="#">AMD PRO A8-8650B</a>	3,216	1,498	65
<a href="#">AMD A8-7600 APU</a>	3,211	1,442	65
<a href="#">Samsung Exynos 9820</a>	3,207	1,680	NA
<a href="#">AMD PRO A10-9700E</a>	3,195	1,453	35
<a href="#">AMD A10 PRO-7800B APU</a>	3,194	1,497	65
<a href="#">AMD Athlon Silver 3050U</a>	3,192	1,754	15
<a href="#">Intel Core i5-4330M @ 2.80GHz</a>	3,187	1,863	37
<a href="#">AMD PRO A12-9800E</a>	3,186	1,561	35
<a href="#">Samsung Exynos 9810</a>	3,180	1,302	NA
<a href="#">AMD Phenom II X6 1055T</a>	3,179	1,309	125
<a href="#">AMD A12-9730P</a>	3,172	1,487	35
<a href="#">AMD FX-4320</a>	3,167	1,548	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i5-6198DU @ 2.30GHz</a>	3,162	1,658	15
<a href="#">Intel Core i5-4310M @ 2.70GHz</a>	3,158	1,850	37
<a href="#">Intel Xeon X3470 @ 2.93GHz</a>	3,158	1,414	95
<a href="#">Intel Pentium G4600T @ 3.00GHz</a>	3,157	1,870	35
<a href="#">Intel Atom C3858 @ 2.00GHz</a>	3,154	501	25
<a href="#">AMD A10-9700E</a>	3,151	1,387	35
<a href="#">Intel Xeon X5570 @ 2.93GHz</a>	3,148	1,418	95
<a href="#">AMD A10-6800K APU</a>	3,146	1,611	100
<a href="#">Intel Core i3-6100H @ 2.70GHz</a>	3,140	1,625	35
<a href="#">Intel Core i3-4170T @ 3.20GHz</a>	3,137	1,806	35
<a href="#">Intel Core i5-4570TE @ 2.70GHz</a>	3,135	1,672	35
<a href="#">AMD FX-4200 Quad-Core</a>	3,134	1,285	125
<a href="#">AMD A10-7700K APU</a>	3,133	1,420	95
<a href="#">Intel Core i5-6260U @ 1.80GHz</a>	3,132	1,630	15
<a href="#">AMD A10-6700 APU</a>	3,127	1,628	65
<a href="#">Intel Core i7-875K @ 2.93GHz</a>	3,127	1,367	95
<a href="#">Intel Xeon W3550 @ 3.07GHz</a>	3,127	1,417	130
<a href="#">AMD FX-4170 Quad-Core</a>	3,121	1,501	125
<a href="#">AMD PRO A10-8770E</a>	3,121	1,484	35
<a href="#">AMD A10-7800 APU</a>	3,119	1,443	65
<a href="#">Intel Pentium Gold G5400T @ 3.10GHz</a>	3,119	1,807	35
<a href="#">Intel Core i7-5650U @ 2.20GHz</a>	3,110	1,913	15
<a href="#">Intel Core i5-2400S @ 2.50GHz</a>	3,106	1,462	65
<a href="#">Intel Core i3-4330T @ 3.00GHz</a>	3,098	1,717	35
<a href="#">Intel Core i5-4200H @ 2.80GHz</a>	3,096	1,801	47
<a href="#">AMD FX-870K Quad Core</a>	3,094	1,369	NA
<a href="#">Intel Core i7-950 @ 3.07GHz</a>	3,094	1,391	130
<a href="#">Qualcomm Technologies, Inc SM7225</a>	3,092	1,747	NA
<a href="#">Intel Core i3-4160T @ 3.10GHz</a>	3,091	1,742	35
<a href="#">Intel Pentium Silver J5005 @ 1.50GHz</a>	3,080	1,186	10
<a href="#">Intel Core i7-940 @ 2.93GHz</a>	3,075	1,349	130
<a href="#">AMD Opteron X3418 APU</a>	3,074	1,433	25
<a href="#">AMD A12-9800</a>	3,072	1,463	65
<a href="#">Intel Core i7-870 @ 2.93GHz</a>	3,070	1,405	95
<a href="#">ZHAOXIN KaiXian KX-U6580@2.5GHz</a>	3,066	745	NA
<a href="#">Intel Core i5-8210Y @ 1.60GHz</a>	3,063	1,837	7
<a href="#">AMD Opteron 2435</a>	3,061	593	75
<a href="#">Intel Core i5-24050S @ 2.50GHz</a>	3,061	1,397	65
<a href="#">AMD Phenom II X6 1075T</a>	3,060	1,380	125
<a href="#">Qualcomm Technologies, Inc SM7250</a>	3,051	1,628	NA
<a href="#">Hisilicon Kirin810</a>	3,050	1,533	NA
<a href="#">Intel Xeon X5560 @ 2.80GHz</a>	3,045	1,374	95
<a href="#">Intel Core i7-4558U @ 2.80GHz</a>	3,044	1,836	28

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i5-3380M @ 2.90GHz</a>	3,038	1,856	35
<a href="#">Intel Core i5-6200U @ 2.30GHz</a>	3,030	1,599	15
<a href="#">AMD A8-7670K</a>	3,028	1,473	95
<a href="#">Intel Core m3-8100Y @ 1.10GHz</a>	3,022	1,778	5
<a href="#">Intel Core i5-5257U @ 2.70GHz</a>	3,016	1,834	23
<a href="#">AMD Opteron 6128 HE</a>	3,015	827	85
<a href="#">AMD PRO A12-8870E</a>	3,014	1,593	35
<a href="#">AMD Athlon Silver 3050e</a>	3,010	1,476	6
<a href="#">Intel Core i5-4300M @ 2.60GHz</a>	2,993	1,759	37
<a href="#">AMD PRO A8-8670E</a>	2,989	1,382	35
<a href="#">Intel Core i7-5600U @ 2.60GHz</a>	2,987	1,773	15
<a href="#">Qualcomm Technologies, Inc SDMMAGPIEP</a>	2,985	1,505	NA
<a href="#">Intel Core i5-2405S @ 2.50GHz</a>	2,980	1,485	65
<a href="#">Intel Xeon W3530 @ 2.80GHz</a>	2,979	1,327	130
<a href="#">Intel Xeon E5-2637 @ 3.00GHz</a>	2,978	1,526	80
<a href="#">AMD A8-6600K APU</a>	2,972	1,516	100
<a href="#">AMD FX-670K Quad-Core</a>	2,969	1,578	65
<a href="#">Intel Celeron J4105 @ 1.50GHz</a>	2,965	1,103	10
<a href="#">Intel Core i3-7130U @ 2.70GHz</a>	2,962	1,577	15
<a href="#">Intel Pentium G4560T @ 2.90GHz</a>	2,962	1,777	35
<a href="#">Intel Core i5-4308U @ 2.80GHz</a>	2,960	1,665	28
<a href="#">AMD Phenom II X6 1045T</a>	2,957	1,263	95
<a href="#">Intel Xeon X5550 @ 2.67GHz</a>	2,957	1,298	95
<a href="#">Intel Core i5-4210M @ 2.60GHz</a>	2,953	1,738	37
<a href="#">MT6853V/NZA</a>	2,951	1,343	NA
<a href="#">Intel Core i7-4560U @ 1.60GHz</a>	2,950	1,782	NA
<a href="#">Intel Core i5-4210H @ 2.90GHz</a>	2,949	1,723	47
<a href="#">AMD A10-9630P</a>	2,947	1,352	35
<a href="#">Intel Core i5-4278U @ 2.60GHz</a>	2,946	1,755	28
<a href="#">AMD Athlon X4 760K Quad Core</a>	2,945	1,522	100
<a href="#">Intel Pentium G4520 @ 3.60GHz</a>	2,945	2,241	51
<a href="#">MediaTek MT6785V/CD</a>	2,942	1,359	NA
<a href="#">Intel Core i5-3470T @ 2.90GHz</a>	2,939	1,765	35
<a href="#">AMD A10-6790K APU</a>	2,936	1,554	100
<a href="#">AMD Opteron 2431</a>	2,936	570	75
<a href="#">AMD FX-4300 Quad-Core</a>	2,932	1,487	95
<a href="#">Qualcomm Technologies, Inc LITO</a>	2,932	1,559	NA
<a href="#">AMD A10-5800K APU</a>	2,927	1,490	100
<a href="#">Intel Core i5-3360M @ 2.80GHz</a>	2,927	1,793	35
<a href="#">AMD A8-7650K</a>	2,925	1,347	65
<a href="#">AMD Phenom II X6 1035T</a>	2,925	1,228	95
<a href="#">MediaTek MT6785V/CC</a>	2,921	1,306	NA
<a href="#">Intel Core i7-5550U @ 2.00GHz</a>	2,908	1,781	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Athlon X4 830</a>	2,901	1,292	65
<a href="#">Intel Xeon W3540 @ 2.93GHz</a>	2,890	1,289	130
<a href="#">Intel Core i3-4350T @ 3.10GHz</a>	2,888	1,656	35
<a href="#">Intel Core i3-4150T @ 3.00GHz</a>	2,887	1,582	35
<a href="#">Qualcomm Technologies, Inc SDM765G 5G</a>	2,875	1,628	NA
<a href="#">Intel Core i7-3520M @ 2.90GHz</a>	2,874	1,736	35
<a href="#">Intel Core i7-860 @ 2.80GHz</a>	2,873	1,322	95
<a href="#">Intel Xeon E5-2403 v2 @ 1.80GHz</a>	2,873	991	80
<a href="#">AMD Opteron 4184</a>	2,872	630	95
<a href="#">Intel Core i3-4130T @ 2.90GHz</a>	2,871	1,636	35
<a href="#">AMD A10-5800B APU</a>	2,870	1,517	100
<a href="#">Intel Core i5-7Y57 @ 1.20GHz</a>	2,867	1,749	4.5
<a href="#">Intel Core i7-930 @ 2.80GHz</a>	2,864	1,278	130
<a href="#">Intel Celeron G5905 @ 3.50GHz</a>	2,862	2,211	58
<a href="#">AMD FX-7600P APU</a>	2,856	1,436	35
<a href="#">Qualcomm Technologies, Inc SDM730G AIE</a>	2,855	1,510	NA
<a href="#">Intel Core i5-2500T @ 2.30GHz</a>	2,852	1,447	45
<a href="#">Intel Pentium G4500 @ 3.50GHz</a>	2,849	2,165	51
<a href="#">Intel Xeon E3-1220L V2 @ 2.30GHz</a>	2,845	1,688	17
<a href="#">Intel Celeron G5920 @ 3.50GHz</a>	2,840	2,168	58
<a href="#">Intel Xeon L5630 @ 2.13GHz</a>	2,836	1,031	40
<a href="#">Intel Core i7-8500Y @ 1.50GHz</a>	2,832	1,688	5
<a href="#">AMD Phenom II X4 980</a>	2,829	1,521	125
<a href="#">AMD Opteron 6128</a>	2,826	447	115
<a href="#">AMD Opteron 3350 HE</a>	2,825	1,362	45
<a href="#">AMD A10-6800B APU</a>	2,824	1,513	100
<a href="#">Intel Core i5-4258U @ 2.40GHz</a>	2,823	1,664	28
<a href="#">Intel Core i5-7Y54 @ 1.20GHz</a>	2,823	1,679	4.5
<a href="#">Qualcomm Technologies, Inc SDM720G</a>	2,822	1,603	NA
<a href="#">Intel Core i7-880 @ 3.07GHz</a>	2,803	1,356	95
<a href="#">Qualcomm Technologies, Inc SDMMAGPIE</a>	2,798	1,472	NA
<a href="#">Qualcomm Technologies, Inc SM7125</a>	2,792	1,571	NA
<a href="#">AMD A8-6500B APU</a>	2,789	1,479	65
<a href="#">AMD Opteron 6172</a>	2,789	432	115
<a href="#">Intel Core i5-4200M @ 2.50GHz</a>	2,788	1,645	37
<a href="#">AMD Athlon X4 750K Quad Core</a>	2,786	1,453	100
<a href="#">Intel Core i7-870S @ 2.67GHz</a>	2,786	1,270	82
<a href="#">AMD FX-8800P</a>	2,785	1,347	35
<a href="#">Intel Xeon X3450 @ 2.67GHz</a>	2,782	1,215	95
<a href="#">Intel Core2 Extreme X9775 @ 3.20GHz</a>	2,780	1,451	150
<a href="#">Qualcomm Technologies, Inc ATOLL-AB</a>	2,777	1,622	NA
<a href="#">AMD A8-8650</a>	2,774	1,408	65
<a href="#">Intel Celeron G5900 @ 3.40GHz</a>	2,768	2,162	58



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core 860 @ 2.80GHz</a>	2,754	1,142	NA
<a href="#">AMD PRO A10-8750B</a>	2,751	1,217	65
<a href="#">Intel Xeon E5-2603 v2 @ 1.80GHz</a>	2,751	977	80
<a href="#">Intel Xeon W3520 @ 2.67GHz</a>	2,750	1,240	130
<a href="#">Intel Core m3-7Y32 @ 1.10GHz</a>	2,742	1,570	4.5
<a href="#">Intel Core i7-5500U @ 2.40GHz</a>	2,734	1,651	15
<a href="#">AMD A10-5700 APU</a>	2,733	1,436	65
<a href="#">Intel Core i5-5350U @ 1.80GHz</a>	2,733	1,688	15
<a href="#">Intel Core i5-5300U @ 2.30GHz</a>	2,731	1,656	15
<a href="#">AMD A8-6500 APU</a>	2,730	1,464	65
<a href="#">Intel Core i3-7100U @ 2.40GHz</a>	2,725	1,399	15
<a href="#">Intel Core i7-860S @ 2.53GHz</a>	2,725	1,413	82
<a href="#">Intel Core i7-920 @ 2.67GHz</a>	2,720	1,223	130
<a href="#">Intel Core i7-4600U @ 2.10GHz</a>	2,718	1,671	15
<a href="#">AMD A6-9400</a>	2,717	1,664	10
<a href="#">Intel Celeron J4115 @ 1.80GHz</a>	2,715	1,071	NA
<a href="#">Intel Celeron G4950 @ 3.30GHz</a>	2,714	2,041	54
<a href="#">Intel Xeon X3460 @ 2.80GHz</a>	2,705	1,206	95
<a href="#">Intel Xeon X5492 @ 3.40GHz</a>	2,705	1,446	150
<a href="#">AMD FX-4130 Quad-Core</a>	2,699	1,354	125
<a href="#">AMD PRO A12-9800B</a>	2,696	1,400	15
<a href="#">AMD RX-427BB</a>	2,695	1,338	35
<a href="#">Intel Pentium Silver N5030 @ 1.10GHz</a>	2,694	1,316	6
<a href="#">Intel Xeon X5470 @ 3.33GHz</a>	2,689	1,448	120
<a href="#">Intel Xeon E5607 @ 2.27GHz</a>	2,686	1,002	80
<a href="#">AMD Athlon X4 740 Quad Core</a>	2,682	1,364	65
<a href="#">Intel Core i5-4402E @ 1.60GHz</a>	2,681	1,510	25
<a href="#">AMD 3015e</a>	2,678	1,408	6
<a href="#">Intel Core i7-7Y75 @ 1.30GHz</a>	2,678	1,627	4.5
<a href="#">AMD A8-5500B APU</a>	2,663	1,366	65
<a href="#">Intel Xeon E5-2407 @ 2.20GHz</a>	2,661	883	80
<a href="#">Intel Core i5-3340M @ 2.70GHz</a>	2,655	1,654	35
<a href="#">Intel Xeon X3440 @ 2.53GHz</a>	2,651	1,154	95
<a href="#">Intel Core i3-3250T @ 3.00GHz</a>	2,650	1,684	35
<a href="#">Intel Core i5-680 @ 3.60GHz</a>	2,644	1,631	73
<a href="#">Intel Xeon E5540 @ 2.53GHz</a>	2,644	1,149	80
<a href="#">Intel Xeon E5-2609 @ 2.40GHz</a>	2,640	1,059	80
<a href="#">AMD 3020e</a>	2,639	1,484	6
<a href="#">AMD Phenom II X4 970</a>	2,637	1,408	125
<a href="#">Intel Core i3-6157U @ 2.40GHz</a>	2,637	1,370	28
<a href="#">Intel Xeon X5482 @ 3.20GHz</a>	2,636	1,394	150
<a href="#">AMD FirePro A320 APU</a>	2,634	1,482	100
<a href="#">Intel Core2 Extreme X9770 @ 3.20GHz</a>	2,632	1,398	136

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD PRO A10-9700B</a>	2,626	1,315	15
<a href="#">Intel Core i5-3610ME @ 2.70GHz</a>	2,623	1,675	35
<a href="#">Intel Core i7-3687U @ 2.10GHz</a>	2,621	1,577	17
<a href="#">Intel Core i3-5157U @ 2.50GHz</a>	2,613	1,471	28
<a href="#">Intel Pentium Silver N5000 @ 1.10GHz</a>	2,613	1,155	6
<a href="#">Intel Core i3-6100U @ 2.30GHz</a>	2,612	1,344	15
<a href="#">Intel Pentium G4400 @ 3.30GHz</a>	2,608	2,032	54
<a href="#">Intel Xeon E5530 @ 2.40GHz</a>	2,603	1,150	80
<a href="#">Samsung Exynos 8895</a>	2,600	997	NA
<a href="#">Qualcomm Technologies, Inc SM7150</a>	2,598	1,367	NA
<a href="#">AMD A8 PRO-7600B APU</a>	2,593	1,263	65
<a href="#">Intel Core i7-4510U @ 2.00GHz</a>	2,591	1,552	15
<a href="#">MediaTek MT6779V/CE</a>	2,591	1,217	NA
<a href="#">Intel Core i3-7020U @ 2.30GHz</a>	2,589	1,344	15
<a href="#">Intel Core i5-760 @ 2.80GHz</a>	2,583	1,308	95
<a href="#">Intel Core i3-4110M @ 2.60GHz</a>	2,580	1,288	37
<a href="#">AMD FX-770K Quad-Core</a>	2,578	1,413	65
<a href="#">AMD Phenom II X4 B65</a>	2,576	1,357	NA
<a href="#">Intel Celeron G4930 @ 3.20GHz</a>	2,575	2,004	54
<a href="#">AMD A8-5500 APU</a>	2,562	1,326	65
<a href="#">Apple A9X</a>	2,562	1,520	NA
<a href="#">Intel Core i7-3667U @ 2.00GHz</a>	2,554	1,613	17
<a href="#">Intel Core m3-7Y30 @ 1.00GHz</a>	2,549	1,431	4.5
<a href="#">AMD FX-4100 Quad-Core</a>	2,541	1,278	95
<a href="#">Intel Core i7-4500U @ 1.80GHz</a>	2,538	1,546	15
<a href="#">Intel Xeon E5520 @ 2.27GHz</a>	2,536	1,023	80
<a href="#">Intel Xeon X5460 @ 3.16GHz</a>	2,530	1,375	120
<a href="#">AMD A10-9620P</a>	2,529	1,322	15
<a href="#">Intel Core i5-3230M @ 2.60GHz</a>	2,526	1,575	35
<a href="#">MediaTek MT6779V/CV</a>	2,526	1,144	NA
<a href="#">Intel Xeon L5530 @ 2.40GHz</a>	2,522	1,169	60
<a href="#">Intel Core i3-7102E @ 2.10GHz</a>	2,521	1,292	25
<a href="#">AMD Phenom II X4 B99</a>	2,520	1,378	95
<a href="#">AMD Phenom II X4 965</a>	2,518	1,362	125
<a href="#">Intel Pentium G4500T @ 3.00GHz</a>	2,518	1,845	35
<a href="#">Intel Core i5-5200U @ 2.20GHz</a>	2,517	1,523	15
<a href="#">Intel Core i3-3245 @ 3.40GHz</a>	2,514	1,803	55
<a href="#">AMD PRO A12-8800B</a>	2,509	1,331	15
<a href="#">Intel Core i5-5250U @ 1.60GHz</a>	2,506	1,530	15
<a href="#">Intel Core i3-4330TE @ 2.40GHz</a>	2,500	1,399	35
<a href="#">Intel Xeon E5606 @ 2.13GHz</a>	2,500	945	80
<a href="#">Intel Xeon L7455 @ 2.13GHz</a>	2,494	601	65
<a href="#">Intel Core i5-4300U @ 1.90GHz</a>	2,484	1,500	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i5-4288U @ 2.60GHz</a>	2,481	1,520	28
<a href="#">AMD Opteron 8439 SE</a>	2,479	590	105
<a href="#">Intel Core i5-4310U @ 2.00GHz</a>	2,478	1,482	15
<a href="#">AMD Athlon II X4 559</a>	2,473	1,388	NA
<a href="#">Intel Celeron N4120 @ 1.10GHz</a>	2,468	1,116	6
<a href="#">AMD Phenom II X4 B97</a>	2,467	1,326	95
<a href="#">Intel Xeon E5-2403 @ 1.80GHz</a>	2,464	731	80
<a href="#">Intel Core i5-750 @ 2.67GHz</a>	2,459	1,239	95
<a href="#">Intel Xeon D-1602 @ 2.50GHz</a>	2,459	1,435	27
<a href="#">MediaTek MT6779V/CU</a>	2,459	1,185	NA
<a href="#">Intel Core i3-2140 @ 3.50GHz</a>	2,456	1,391	65
<a href="#">Intel Celeron N4100 @ 1.10GHz</a>	2,451	1,008	6
<a href="#">Intel Core i7-2640M @ 2.80GHz</a>	2,449	1,497	35
<a href="#">Intel Xeon E5450 @ 3.00GHz</a>	2,449	1,287	80
<a href="#">Intel Core i7-4610Y @ 1.70GHz</a>	2,446	1,583	11.5
<a href="#">Intel Xeon X3370 @ 3.00GHz</a>	2,446	1,311	95
<a href="#">Qualcomm Technologies, Inc MSM8998</a>	2,446	1,045	NA
<a href="#">Intel Core i5-4260U @ 1.40GHz</a>	2,440	1,541	15
<a href="#">Intel Xeon E5472 @ 3.00GHz</a>	2,432	1,297	80
<a href="#">Intel Pentium G3470 @ 3.60GHz</a>	2,428	2,089	53
<a href="#">AMD Phenom II X4 975</a>	2,424	1,393	125
<a href="#">Intel Core i5-3210M @ 2.50GHz</a>	2,423	1,524	35
<a href="#">Intel Core i7-2620M @ 2.70GHz</a>	2,423	1,463	35
<a href="#">Intel Core i3-4100M @ 2.50GHz</a>	2,422	1,350	37
<a href="#">AMD Phenom II X4 955</a>	2,421	1,310	125
<a href="#">Intel Celeron G4900 @ 3.10GHz</a>	2,419	1,911	54
<a href="#">AMD Athlon II X4 553</a>	2,418	1,204	NA
<a href="#">Intel Core i5-661 @ 3.33GHz</a>	2,412	1,436	87
<a href="#">Intel Celeron G4920 @ 3.20GHz</a>	2,406	1,965	54
<a href="#">Qualcomm Technologies, Inc SM6150</a>	2,404	1,251	NA
<a href="#">Intel Atom C2750 @ 2.40GHz</a>	2,401	382	20
<a href="#">Intel Pentium G4400T @ 2.90GHz</a>	2,401	1,804	35
<a href="#">HiSilicon Kirin 960</a>	2,398	1,092	NA
<a href="#">AMD Phenom II X4 850</a>	2,397	1,351	95
<a href="#">AMD PRO A12-8830B</a>	2,392	1,192	15
<a href="#">AMD Athlon II X4 650</a>	2,390	1,327	95
<a href="#">Apple A8X</a>	2,387	935	NA
<a href="#">AMD Opteron 4170 HE</a>	2,382	476	65
<a href="#">Intel Xeon X5450 @ 3.00GHz</a>	2,381	1,262	120
<a href="#">AMD PRO A8-9600B</a>	2,379	1,327	15
<a href="#">Intel Core i7-3537U @ 2.00GHz</a>	2,378	1,488	17
<a href="#">Intel Core2 Quad Q9650 @ 3.00GHz</a>	2,378	1,290	95
<a href="#">AMD Phenom II X4 977</a>	2,377	1,368	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Phenom II X4 B55</a>	2,366	1,302	NA
<a href="#">Intel Xeon E5-2603 @ 1.80GHz</a>	2,362	868	80
<a href="#">AMD A12-9700P</a>	2,360	1,149	15
<a href="#">AMD Phenom II X4 B60</a>	2,357	1,304	NA
<a href="#">AMD Phenom II X4 840</a>	2,355	1,306	95
<a href="#">Intel Core i7-4550U @ 1.50GHz</a>	2,351	1,256	15
<a href="#">Hisilicon Kirin970</a>	2,349	977	NA
<a href="#">Intel Core i3-6102E @ 1.90GHz</a>	2,349	1,068	25
<a href="#">Intel Core i5-2390T @ 2.70GHz</a>	2,348	1,369	35
<a href="#">Intel Core2 Extreme X9750 @ 3.16GHz</a>	2,348	1,352	NA
<a href="#">Intel Pentium 6405U @ 2.40GHz</a>	2,348	1,425	15
<a href="#">Intel Pentium J4205 @ 1.50GHz</a>	2,346	914	10
<a href="#">Intel Core i5-660 @ 3.33GHz</a>	2,343	1,453	73
<a href="#">AMD Phenom II X4 B35</a>	2,341	1,215	NA
<a href="#">Intel Xeon X5472 @ 3.00GHz</a>	2,340	1,273	120
<a href="#">AMD A8-3870K APU</a>	2,339	1,233	100
<a href="#">AMD Athlon II X4 651 Quad-Core</a>	2,338	1,296	100
<a href="#">Intel Core m5-6Y57 @ 1.10GHz</a>	2,336	1,344	7
<a href="#">Intel Core i3-3250 @ 3.50GHz</a>	2,319	1,775	55
<a href="#">Intel Core i7-4650U @ 1.70GHz</a>	2,312	1,372	15
<a href="#">Intel Xeon L5520 @ 2.27GHz</a>	2,312	1,067	60
<a href="#">AArch64 rev 1 (aarch64)</a>	2,311	1,028	NA
<a href="#">AMD Athlon II X4 555</a>	2,310	1,242	NA
<a href="#">Intel Core i5-8200Y @ 1.30GHz</a>	2,308	1,374	5
<a href="#">Intel Xeon X3380 @ 3.16GHz</a>	2,308	1,335	95
<a href="#">AMD FX-7600P</a>	2,306	1,129	35
<a href="#">Intel Core i5-4350U @ 1.40GHz</a>	2,305	1,499	15
<a href="#">Intel Pentium 5405U @ 2.30GHz</a>	2,305	1,358	15
<a href="#">AMD Phenom II X4 B70</a>	2,303	1,209	65
<a href="#">Intel Core i5-2540M @ 2.60GHz</a>	2,295	1,381	35
<a href="#">Intel Celeron G4900T @ 2.90GHz</a>	2,292	1,799	35
<a href="#">Intel Core i5-3427U @ 1.80GHz</a>	2,287	1,386	17
<a href="#">Intel Core i3-6006U @ 2.00GHz</a>	2,286	1,179	15
<a href="#">Intel Pentium 1403 v2 @ 2.60GHz</a>	2,284	1,391	80
<a href="#">AMD Opteron 3260 HE</a>	2,283	900	45
<a href="#">Intel Core i5-4210U @ 1.70GHz</a>	2,283	1,376	15
<a href="#">Intel Celeron J3455 @ 1.50GHz</a>	2,273	814	10
<a href="#">Intel Xeon L3360 @ 2.83GHz</a>	2,273	1,226	65
<a href="#">Intel Core i3-3240 @ 3.40GHz</a>	2,272	1,806	55
<a href="#">Intel Core2 Quad Q9550 @ 2.83GHz</a>	2,270	1,228	95
<a href="#">Intel Celeron G3930 @ 2.90GHz</a>	2,268	1,795	51
<a href="#">Intel Core2 Extreme Q6800 @ 2.93GHz</a>	2,267	1,202	75
<a href="#">Intel Xeon E5462 @ 2.80GHz</a>	2,266	1,215	80

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Phenom II X4 960T</a>	2,262	1,320	95
<a href="#">AMD PRO A8-8600B</a>	2,262	1,146	15
<a href="#">AMD PRO A10-8730B</a>	2,261	1,170	15
<a href="#">AArch64 rev 0 (aarch64)</a>	2,259	868	NA
<a href="#">Intel Core m7-6Y75 @ 1.20GHz</a>	2,251	1,401	7
<a href="#">Intel Core i5-2520M @ 2.50GHz</a>	2,249	1,383	35
<a href="#">Intel Celeron 6305 @ 1.80GHz</a>	2,246	1,229	NA
<a href="#">Qualcomm Technologies, Inc SDM712</a>	2,246	1,300	NA
<a href="#">AMD Phenom II X4 840T</a>	2,245	1,275	95
<a href="#">Qualcomm Technologies, Inc BENGALP</a>	2,243	957	NA
<a href="#">AMD PRO A10-8700B</a>	2,242	1,119	15
<a href="#">Intel Core2 Extreme Q6850 @ 3.00GHz</a>	2,242	1,227	130
<a href="#">Intel Xeon E5440 @ 2.83GHz</a>	2,242	1,235	80
<a href="#">Intel Celeron J3455E @ 1.50GHz</a>	2,240	869	10
<a href="#">AMD Phenom II X4 B40</a>	2,238	1,231	NA
<a href="#">AMD A10-8700P</a>	2,236	1,168	35
<a href="#">AMD A8-8600P</a>	2,231	1,082	15
<a href="#">Intel Core i3-3225 @ 3.30GHz</a>	2,230	1,711	55
<a href="#">Intel Pentium 4417U @ 2.30GHz</a>	2,230	1,319	15
<a href="#">Intel Xeon X3360 @ 2.83GHz</a>	2,230	1,241	95
<a href="#">Intel Xeon X3353 @ 2.66GHz</a>	2,229	1,173	80
<a href="#">AMD A10-9600P</a>	2,228	1,079	15
<a href="#">Rockchip RK3399</a>	2,228	899	NA
<a href="#">Intel Xeon X3363 @ 2.83GHz</a>	2,225	1,237	80
<a href="#">AMD A10-6700T APU</a>	2,224	1,267	45
<a href="#">Intel Celeron G4930T @ 3.00GHz</a>	2,224	1,761	35
<a href="#">Intel Celeron G3900 @ 2.80GHz</a>	2,223	1,721	51
<a href="#">MediaTek MT6769V/CU</a>	2,222	1,128	NA
<a href="#">AMD Phenom II X4 945</a>	2,220	1,228	125
<a href="#">AMD Phenom II X4 940</a>	2,219	1,207	125
<a href="#">Intel Xeon X3430 @ 2.40GHz</a>	2,219	1,002	95
<a href="#">Intel Celeron G3930TE @ 2.70GHz</a>	2,218	1,706	35
<a href="#">AMD Phenom II X4 B95</a>	2,216	1,227	95
<a href="#">AMD Athlon II X4 645</a>	2,213	1,253	95
<a href="#">Intel Core i5-3437U @ 1.90GHz</a>	2,211	1,380	17
<a href="#">Intel Core i5-650 @ 3.20GHz</a>	2,210	1,386	73
<a href="#">Intel Xeon L5430 @ 2.66GHz</a>	2,210	1,144	50
<a href="#">Intel Xeon E5430 @ 2.66GHz</a>	2,209	1,151	80
<a href="#">MediaTek MT6771V/CT</a>	2,209	925	NA
<a href="#">AMD Phenom II X4 973</a>	2,204	1,180	NA
<a href="#">MediaTek MT6769T</a>	2,202	1,112	NA
<a href="#">Intel Pentium 4415U @ 2.30GHz</a>	2,201	1,281	15
<a href="#">MT6769V/CT</a>	2,200	1,134	NA

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i3-21050 @ 3.10GHz</a>	2,193	1,429	NA
<a href="#">Intel Xeon L3426 @ 1.87GHz</a>	2,193	1,149	45
<a href="#">Intel Core2 Quad Q9500 @ 2.83GHz</a>	2,192	1,220	95
<a href="#">MediaTek MT6769V/WB</a>	2,192	1,118	NA
<a href="#">Intel Core i5-4200U @ 1.60GHz</a>	2,191	1,336	15
<a href="#">Intel Pentium G4400TE @ 2.40GHz</a>	2,190	1,481	35
<a href="#">MediaTek MT6769Z</a>	2,185	1,094	NA
<a href="#">Intel Core m5-6Y54 @ 1.10GHz</a>	2,183	1,246	7
<a href="#">Intel Core i3-5020U @ 2.20GHz</a>	2,178	1,261	15
<a href="#">Qualcomm Technologies, Inc SDA660</a>	2,178	958	NA
<a href="#">Hisilicon Kirin710</a>	2,177	961	NA
<a href="#">Intel Atom C2750 @ 2.41GHz</a>	2,174	291	20
<a href="#">Intel Core i7-3517U @ 1.90GHz</a>	2,169	1,333	17
<a href="#">AMD Phenom II X4 925</a>	2,163	1,156	95
<a href="#">Intel Core i3-3220 @ 3.30GHz</a>	2,162	1,723	55
<a href="#">MediaTek MT6771V/W</a>	2,160	896	NA
<a href="#">Qualcomm Technologies, Inc SM6125</a>	2,159	929	NA
<a href="#">AArch64 rev 2 (aarch64)</a>	2,158	956	NA
<a href="#">Intel Core M-5Y71 @ 1.20GHz</a>	2,158	1,281	4.5
<a href="#">Intel Xeon X3350 @ 2.66GHz</a>	2,158	1,156	95
<a href="#">AMD A8-7200P</a>	2,156	1,079	35
<a href="#">AMD Phenom II X4 B45</a>	2,155	1,245	NA
<a href="#">Intel Atom E3950 @ 1.60GHz</a>	2,151	751	12
<a href="#">AMD Athlon II X4 641 Quad-Core</a>	2,143	1,192	100
<a href="#">Intel Core i3-5015U @ 2.10GHz</a>	2,143	1,193	15
<a href="#">Intel Pentium N4200 @ 1.10GHz</a>	2,143	850	6
<a href="#">Samsung Exynos 8890</a>	2,143	904	NA
<a href="#">Intel Core i7-3517UE @ 1.70GHz</a>	2,141	1,205	17
<a href="#">AMD Athlon II X4 640</a>	2,137	1,213	95
<a href="#">Intel Pentium G3460 @ 3.50GHz</a>	2,133	1,927	53
<a href="#">Intel Core i5-2560M @ 2.70GHz</a>	2,131	1,259	NA
<a href="#">Intel Pentium G3430 @ 3.30GHz</a>	2,129	1,891	54
<a href="#">Intel Pentium G3440 @ 3.30GHz</a>	2,129	1,895	53
<a href="#">AMD FX-9800P</a>	2,125	1,075	15
<a href="#">Intel Core i5-4250U @ 1.30GHz</a>	2,118	1,281	15
<a href="#">AMD Athlon X4 640</a>	2,115	1,224	95
<a href="#">Intel Core i3-5010U @ 2.10GHz</a>	2,111	1,225	15
<a href="#">Intel Celeron G3930T @ 2.70GHz</a>	2,109	1,650	35
<a href="#">AMD Phenom II X4 B25</a>	2,108	1,040	NA
<a href="#">Qualcomm Technologies, Inc TRINKET</a>	2,108	899	NA
<a href="#">Intel Pentium G3440T @ 2.80GHz</a>	2,107	1,615	35
<a href="#">Qualcomm Technologies, Inc SDM660</a>	2,105	970	NA
<a href="#">AMD Phenom II X4 B93</a>	2,104	1,141	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A8-3850 APU</a>	2,102	1,179	100
<a href="#">AMD A10-7400P</a>	2,096	1,067	35
<a href="#">Intel Core i3-2125 @ 3.30GHz</a>	2,093	1,550	65
<a href="#">AMD Phenom II X4 820</a>	2,092	1,134	95
<a href="#">Qualcomm Technologies, Inc BENGAL</a>	2,085	871	NA
<a href="#">MediaTek MT6771V/WM</a>	2,084	817	NA
<a href="#">MediaTek MT6763V/CE</a>	2,082	1,095	NA
<a href="#">AMD Opteron 1389</a>	2,079	1,102	75
<a href="#">AMD Athlon II X4 655</a>	2,078	1,473	95
<a href="#">MediaTek MT6769V/CB</a>	2,077	1,110	NA
<a href="#">MediaTek MT6771V/WT</a>	2,076	915	NA
<a href="#">AMD Athlon II X4 630</a>	2,074	1,141	95
<a href="#">AMD Opteron 2384</a>	2,074	1,074	75
<a href="#">Intel Xeon X3230 @ 2.66GHz</a>	2,073	1,089	95
<a href="#">AMD Athlon II X4 631 Quad-Core</a>	2,072	1,118	100
<a href="#">Qualcomm Technologies, Inc SDM710</a>	2,069	1,116	NA
<a href="#">Unisoc T618</a>	2,065	1,141	NA
<a href="#">AMD Opteron 3250 HE</a>	2,061	1,003	45
<a href="#">Intel Core2 Quad Q9450 @ 2.66GHz</a>	2,061	1,138	95
<a href="#">Intel Pentium 4405U @ 2.10GHz</a>	2,061	1,218	15
<a href="#">Intel Pentium G2140 @ 3.30GHz</a>	2,059	1,837	55
<a href="#">AMD Opteron 4162 EE</a>	2,058	382	35
<a href="#">Intel Atom C2758 @ 2.40GHz</a>	2,056	333	20
<a href="#">Intel Core i7-640M @ 2.80GHz</a>	2,054	1,391	35
<a href="#">Intel Core i3-3210 @ 3.20GHz</a>	2,052	1,683	55
<a href="#">Intel Core2 Quad Q9400 @ 2.66GHz</a>	2,052	1,140	95
<a href="#">Intel Core M-5Y31 @ 0.90GHz</a>	2,051	1,228	4.5
<a href="#">Intel Xeon E3-1220L @ 2.20GHz</a>	2,050	1,421	20
<a href="#">Intel Core i5-3337U @ 1.80GHz</a>	2,049	1,265	17
<a href="#">Intel Core2 Quad Q6700 @ 2.66GHz</a>	2,042	1,083	105
<a href="#">Intel Pentium G3258 @ 3.20GHz</a>	2,041	1,828	53
<a href="#">AMD A6-3670 APU</a>	2,040	1,128	100
<a href="#">Intel Pentium G3260 @ 3.30GHz</a>	2,040	1,869	53
<a href="#">MediaTek MT6771V/C</a>	2,040	828	NA
<a href="#">Intel Celeron G3900E @ 2.40GHz</a>	2,034	1,499	35
<a href="#">Intel Core i3-2102 @ 3.10GHz</a>	2,029	1,400	65
<a href="#">Intel Core i5-2450M @ 2.50GHz</a>	2,029	1,252	35
<a href="#">Intel Xeon L5420 @ 2.50GHz</a>	2,029	1,102	50
<a href="#">Qualcomm Technologies, Inc SDM665</a>	2,028	865	NA
<a href="#">Intel Xeon E7- 2830 @ 2.13GHz</a>	2,027	559	105
<a href="#">AMD Athlon II X4 638 Quad-Core</a>	2,026	1,182	65
<a href="#">AMD A8-3820 APU</a>	2,024	1,098	65
<a href="#">Intel Core i3-5005U @ 2.00GHz</a>	2,024	1,159	15

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core2 Quad Q8400 @ 2.66GHz</a>	2,018	1,153	95
<a href="#">Intel Core i5-655K @ 3.20GHz</a>	2,017	1,446	73
<a href="#">AMD Phenom II X4 910e</a>	2,016	1,077	65
<a href="#">Intel Pentium G3450T @ 2.90GHz</a>	2,016	1,135	35
<a href="#">Samsung Exynos 9611</a>	2,014	1,013	NA
<a href="#">Intel Core i5-2430M @ 2.40GHz</a>	2,013	1,255	35
<a href="#">AMD A6-3650 APU</a>	2,011	1,092	100
<a href="#">Intel Core2 Extreme Q9200 @ 2.40GHz</a>	2,011	1,080	NA
<a href="#">AMD Athlon II X4 635</a>	2,005	1,115	95
<a href="#">Intel Core i7-920XM @ 2.00GHz</a>	2,001	1,035	55
<a href="#">Intel Core i7-2655LE @ 2.20GHz</a>	1,999	1,231	25
<a href="#">AMD A10-5757M APU</a>	1,997	1,195	35
<a href="#">Intel Core2 Quad Q9505 @ 2.83GHz</a>	1,997	1,184	95
<a href="#">AMD Opteron 2427</a>	1,995	386	75
<a href="#">Intel Core i7-620M @ 2.67GHz</a>	1,994	1,280	35
<a href="#">Intel Core i3-2130 @ 3.40GHz</a>	1,993	1,585	65
<a href="#">AMD Athlon X4 750 Quad Core</a>	1,986	1,338	65
<a href="#">Intel Xeon X3320 @ 2.50GHz</a>	1,986	1,097	95
<a href="#">Intel Core i3-3240T @ 2.90GHz</a>	1,985	1,525	35
<a href="#">Intel Xeon X5355 @ 2.66GHz</a>	1,979	1,060	120
<a href="#">Intel Core i5-2410M @ 2.30GHz</a>	1,975	1,239	35
<a href="#">Intel Pentium G3420 @ 3.20GHz</a>	1,975	1,795	54
<a href="#">ARM Neoverse-N1 2 Core 0 MHz</a>	1,971	1,711	NA
<a href="#">Intel Core i3-3220T @ 2.80GHz</a>	1,968	1,531	35
<a href="#">Intel Celeron N4500 @ 1.10GHz</a>	1,967	1,411	6
<a href="#">Intel Core i5-2435M @ 2.40GHz</a>	1,964	1,216	35
<a href="#">Intel Core i7-2677M @ 1.80GHz</a>	1,961	1,211	17
<a href="#">Intel Atom E3900 @ 1.60GHz</a>	1,953	675	NA
<a href="#">MediaTek MT6797X</a>	1,951	603	NA
<a href="#">Intel Celeron 4305UE @ 2.00GHz</a>	1,950	1,214	15
<a href="#">Intel Core2 Quad Q9300 @ 2.50GHz</a>	1,950	1,083	95
<a href="#">Intel Core M-5Y51 @ 1.10GHz</a>	1,949	1,182	4.5
<a href="#">Intel Core i3-4120U @ 2.00GHz</a>	1,948	1,177	15
<a href="#">AMD Phenom 9850B Quad-Core</a>	1,946	992	95
<a href="#">AMD Phenom II X4 920</a>	1,945	1,048	125
<a href="#">Intel Core i5-3317U @ 1.70GHz</a>	1,942	1,232	17
<a href="#">Qualcomm Technologies, Inc SM4250</a>	1,941	729	NA
<a href="#">AMD PRO A6-9500</a>	1,938	1,666	65
<a href="#">Intel Atom E3940 @ 1.60GHz</a>	1,936	673	9.5
<a href="#">Intel Xeon X6550 @ 2.00GHz</a>	1,936	390	130
<a href="#">Intel Xeon E5603 @ 1.60GHz</a>	1,935	712	80
<a href="#">Intel Xeon E5507 @ 2.27GHz</a>	1,928	997	80
<a href="#">Intel Xeon X3330 @ 2.66GHz</a>	1,928	1,160	95



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Celeron N3450 @ 1.10GHz</a>	1,920	752	6
<a href="#">AMD Phenom II X4 905e</a>	1,919	1,022	65
<a href="#">AMD Opteron 3320 EE</a>	1,918	838	25
<a href="#">Intel Core i3-4025U @ 1.90GHz</a>	1,918	1,080	15
<a href="#">Intel Xeon L5410 @ 2.33GHz</a>	1,916	1,027	50
<a href="#">Qualcomm Technologies, Inc SDM636</a>	1,914	829	NA
<a href="#">Intel Pentium G3420T @ 2.70GHz</a>	1,912	1,570	35
<a href="#">AMD Opteron X2170 APU</a>	1,911	832	25
<a href="#">AMD A10 PRO-7350B APU</a>	1,910	911	19
<a href="#">Intel Pentium G3250 @ 3.20GHz</a>	1,908	1,810	53
<a href="#">MediaTek MT6768V/CA</a>	1,908	1,030	NA
<a href="#">Intel Core i5-3439Y @ 1.50GHz</a>	1,907	1,197	13
<a href="#">Intel Core i5-4422E @ 1.80GHz</a>	1,907	1,048	25
<a href="#">Intel Core i5-580M @ 2.67GHz</a>	1,905	1,228	35
<a href="#">Intel Core M-5Y10a @ 0.80GHz</a>	1,905	993	4.5
<a href="#">AMD Athlon II X4 615e</a>	1,904	1,076	45
<a href="#">AMD Phenom II X4 830</a>	1,903	1,041	95
<a href="#">Intel Pentium G3450 @ 3.40GHz</a>	1,903	1,730	53
<a href="#">AMD Opteron 2419 EE</a>	1,902	396	60
<a href="#">Intel Core i3-2120 @ 3.30GHz</a>	1,901	1,519	65
<a href="#">Intel Core i7-2637M @ 1.70GHz</a>	1,901	1,189	17
<a href="#">AMD A10-4600M APU</a>	1,900	1,061	35
<a href="#">Intel Pentium G2120 @ 3.10GHz</a>	1,899	1,716	55
<a href="#">Intel Xeon E5420 @ 2.50GHz</a>	1,899	1,060	80
<a href="#">AMD Opteron 1385</a>	1,898	1,035	115
<a href="#">AMD A6-7480</a>	1,895	1,621	65
<a href="#">Intel Celeron G1850 @ 2.90GHz</a>	1,895	1,692	54
<a href="#">Intel Core M-5Y10c @ 0.80GHz</a>	1,893	1,106	4.5
<a href="#">AMD Athlon II X3 460</a>	1,890	1,384	95
<a href="#">Intel Core i5-2510E @ 2.50GHz</a>	1,889	1,183	35
<a href="#">Intel Pentium G2130 @ 3.20GHz</a>	1,887	1,749	55
<a href="#">AMD PRO A6-8550B</a>	1,885	1,623	65
<a href="#">AMD A8-3800 APU</a>	1,882	1,045	65
<a href="#">AMD A8-5550M APU</a>	1,882	1,065	35
<a href="#">Intel Core i5-2515E @ 2.50GHz</a>	1,882	1,189	35
<a href="#">Intel Core i7-3555LE @ 2.50GHz</a>	1,880	980	25
<a href="#">Intel Core i7-840QM @ 1.87GHz</a>	1,879	1,093	45
<a href="#">Intel Core i3-4030U @ 1.90GHz</a>	1,875	1,032	15
<a href="#">MediaTek MT6797</a>	1,875	988	NA
<a href="#">AMD Athlon II X4 620</a>	1,871	1,034	95
<a href="#">Qualcomm Technologies, Inc SDM460</a>	1,868	755	NA
<a href="#">AMD Athlon II X4 610e</a>	1,864	1,014	45
<a href="#">AMD Opteron 2378</a>	1,864	936	75

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A10-5750M APU</a>	1,857	1,075	35
<a href="#">AMD Athlon 5370 APU</a>	1,857	746	25
<a href="#">Intel Core i3-4110U @ 1.90GHz</a>	1,853	1,119	NA
<a href="#">Intel Core i5-4230U @ 1.90GHz</a>	1,853	1,620	15
<a href="#">ARM Cortex-A53 6 Core 1896 MHz</a>	1,851	751	NA
<a href="#">Intel Pentium 1403 @ 2.60GHz</a>	1,851	990	80
<a href="#">Intel Celeron G3900TE @ 2.30GHz</a>	1,850	1,402	35
<a href="#">Intel Core i3-2310E @ 2.10GHz</a>	1,845	733	35
<a href="#">Intel Core2 Extreme Q9300 @ 2.53GHz</a>	1,845	1,046	45
<a href="#">Intel Xeon E5506 @ 2.13GHz</a>	1,845	936	80
<a href="#">AMD Phenom II X4 805</a>	1,844	999	95
<a href="#">AMD Phenom 9950 Quad-Core</a>	1,843	1,033	125
<a href="#">Intel Pentium G3220 @ 3.00GHz</a>	1,843	1,690	54
<a href="#">AMD A6-9500</a>	1,842	1,614	65
<a href="#">Intel Core i5-560M @ 2.67GHz</a>	1,842	1,230	35
<a href="#">AMD A6-9500E</a>	1,841	1,478	35
<a href="#">Intel Xeon X3323 @ 2.50GHz</a>	1,837	1,059	80
<a href="#">Intel Celeron J4025 @ 2.00GHz</a>	1,830	1,273	10
<a href="#">AMD Phenom II X4 B15e</a>	1,825	1,069	NA
<a href="#">Intel Core i3-3130M @ 2.60GHz</a>	1,824	1,067	35
<a href="#">Intel Core i3-2330E @ 2.20GHz</a>	1,823	1,063	35
<a href="#">AMD Athlon II X3 455</a>	1,820	1,348	95
<a href="#">Intel Xeon X3220 @ 2.40GHz</a>	1,819	942	105
<a href="#">Intel Core i7-610E @ 2.53GHz</a>	1,818	1,400	35
<a href="#">Intel Core i5-4302Y @ 1.60GHz</a>	1,817	1,084	11.5
<a href="#">AMD A8-6500T APU</a>	1,816	1,048	45
<a href="#">Intel Core i3-2105 @ 3.10GHz</a>	1,814	1,274	65
<a href="#">Intel Xeon E5345 @ 2.33GHz</a>	1,814	947	80
<a href="#">AMD Phenom II X3 B77</a>	1,813	1,302	95
<a href="#">AMD A8-7410 APU</a>	1,800	807	25
<a href="#">Intel Core2 Quad Q8300 @ 2.50GHz</a>	1,800	1,057	95
<a href="#">AMD Phenom 9750 Quad-Core</a>	1,798	968	125
<a href="#">AMD Opteron 1381</a>	1,797	1,011	75
<a href="#">AMD Phenom II X940 Quad-Core</a>	1,797	785	45
<a href="#">AMD GX-420MC SOC</a>	1,796	695	17.5
<a href="#">Intel Core i3-2100 @ 3.10GHz</a>	1,792	1,424	65
<a href="#">AMD Athlon X4 530</a>	1,786	690	25
<a href="#">AMD Phenom X4 Quad-Core GP-9730</a>	1,784	957	NA
<a href="#">AMD Athlon X3 455</a>	1,783	1,227	95
<a href="#">AMD Athlon X3 435</a>	1,781	1,192	95
<a href="#">Intel Core i7-820QM @ 1.73GHz</a>	1,781	985	45
<a href="#">Qualcomm Technologies, Inc SDM632</a>	1,780	734	NA
<a href="#">Intel Core2 Quad Q8200 @ 2.33GHz</a>	1,778	1,013	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD R-464L APU</a>	1,773	1,123	35
<a href="#">AMD A8-6410 APU</a>	1,771	790	15
<a href="#">AMD Athlon II X4 605e</a>	1,771	953	45
<a href="#">AMD Athlon II X3 445</a>	1,770	1,282	95
<a href="#">AMD Phenom II N830 3+1</a>	1,768	935	35
<a href="#">Intel Core2 Quad Q6600 @ 2.40GHz</a>	1,767	957	105
<a href="#">Intel Core i7-740QM @ 1.73GHz</a>	1,766	987	45
<a href="#">Intel Core i5-540M @ 2.53GHz</a>	1,762	1,162	35
<a href="#">Intel Xeon L5408 @ 2.13GHz</a>	1,761	935	40
<a href="#">AMD A10-4657M APU</a>	1,759	940	35
<a href="#">AMD Athlon II X3 450</a>	1,756	1,287	95
<a href="#">Intel Pentium G3240T @ 2.70GHz</a>	1,755	1,558	35
<a href="#">Intel Pentium G3260T @ 2.90GHz</a>	1,755	1,568	35
<a href="#">AMD A6-7470K</a>	1,744	1,551	65
<a href="#">AMD A6-3620 APU</a>	1,741	975	65
<a href="#">HP Hexa-Core 2.0GHz</a>	1,741	804	NA
<a href="#">AMD Opteron 2356</a>	1,733	849	75
<a href="#">AMD PRO A4-8350B</a>	1,733	1,523	65
<a href="#">Intel Celeron G1840 @ 2.80GHz</a>	1,729	1,612	53
<a href="#">MediaTek MT6797T</a>	1,723	533	NA
<a href="#">AMD Phenom X2 Dual-Core GE-6060</a>	1,722	1,160	NA
<a href="#">AMD Phenom 9850 Quad-Core</a>	1,721	948	125
<a href="#">AMD A8-5557M APU</a>	1,719	1,047	35
<a href="#">Intel Core i3-4158U @ 2.00GHz</a>	1,718	1,005	28
<a href="#">Intel Core i5-520M @ 2.40GHz</a>	1,718	1,094	35
<a href="#">AMD A10-5745M APU</a>	1,716	989	25
<a href="#">AMD Athlon II X4 600e</a>	1,711	913	45
<a href="#">MT6763V/CT</a>	1,708	634	NA
<a href="#">Intel Pentium G2030 @ 3.00GHz</a>	1,707	1,615	55
<a href="#">AMD A4 PRO-3340B</a>	1,706	757	25
<a href="#">Intel Core M-5Y70 @ 1.10GHz</a>	1,705	1,039	4.5
<a href="#">AMD PRO A6-8500B</a>	1,704	1,365	15
<a href="#">AMD A6-7310 APU</a>	1,703	783	25
<a href="#">AMD Opteron 1356</a>	1,703	918	75
<a href="#">Intel Core i3-4000M @ 2.40GHz</a>	1,702	1,246	37
<a href="#">AMD Phenom FX-5200 Quad-Core</a>	1,699	919	65
<a href="#">AMD Phenom 9650 Quad-Core</a>	1,694	923	95
<a href="#">Intel Core i3-2100T @ 2.50GHz</a>	1,694	1,119	35
<a href="#">AMD A6-6310 APU</a>	1,693	759	15
<a href="#">Qualcomm Technologies, Inc SDM630</a>	1,693	621	NA
<a href="#">AMD Athlon II X3 440</a>	1,692	1,228	95
<a href="#">SAMSUNG Exynos7420</a>	1,692	781	NA
<a href="#">Intel Pentium G2100T @ 2.60GHz</a>	1,691	1,460	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core i7-2617M @ 1.50GHz</a>	1,687	1,092	17
<a href="#">AMD A4-6250J APU</a>	1,685	700	25
<a href="#">AMD Phenom II X4 910</a>	1,685	955	95
<a href="#">Intel Pentium G3250T @ 2.80GHz</a>	1,683	1,541	35
<a href="#">AMD A10-7300 APU</a>	1,680	830	19
<a href="#">Intel Core i7-640LM @ 2.13GHz</a>	1,680	1,249	25
<a href="#">AMD PRO A6-7350B</a>	1,679	1,535	15
<a href="#">Intel Pentium 4425Y @ 1.70GHz</a>	1,679	959	6
<a href="#">AMD A9-9430</a>	1,678	1,435	NA
<a href="#">AMD Phenom II X4 810</a>	1,678	943	95
<a href="#">Intel Xeon L5335 @ 2.00GHz</a>	1,678	827	50
<a href="#">MT6763V/WT</a>	1,678	643	NA
<a href="#">AMD A8-7100 APU</a>	1,677	860	19
<a href="#">MT6765</a>	1,677	624	NA
<a href="#">AMD PRO A4-3350B APU</a>	1,671	763	15
<a href="#">Intel Core i5-4202Y @ 1.60GHz</a>	1,670	1,079	11.5
<a href="#">AMD Phenom II X920 Quad-Core</a>	1,669	944	45
<a href="#">AArch64 rev 4 (aarch64)</a>	1,665	638	NA
<a href="#">Intel Celeron 3965U @ 2.20GHz</a>	1,665	1,368	15
<a href="#">AMD Athlon II X3 435</a>	1,664	1,186	95
<a href="#">AMD Phenom 9600B Quad-Core</a>	1,663	924	95
<a href="#">AMD PRO A6-9500E</a>	1,662	1,493	35
<a href="#">Samsung Exynos 9610</a>	1,662	944	NA
<a href="#">Intel Pentium G2020 @ 2.90GHz</a>	1,661	1,564	55
<a href="#">Intel Core i5-4210Y @ 1.50GHz</a>	1,657	1,058	11
<a href="#">Intel Core i7-720QM @ 1.60GHz</a>	1,657	970	45
<a href="#">MediaTek MT6765V/CA</a>	1,654	632	NA
<a href="#">AMD A8-4500M APU</a>	1,650	914	35
<a href="#">Intel Atom C3558 @ 2.20GHz</a>	1,650	569	16
<a href="#">Intel Core i3-4010U @ 1.70GHz</a>	1,650	910	15
<a href="#">AMD Phenom X4 Quad-Core GP-9600</a>	1,649	764	95
<a href="#">Intel Celeron G1820 @ 2.70GHz</a>	1,647	1,518	53
<a href="#">AMD A4-7210 APU</a>	1,646	716	25
<a href="#">Intel Celeron G1630 @ 2.80GHz</a>	1,646	1,542	55
<a href="#">AMD A6-5200 APU</a>	1,645	653	25
<a href="#">AMD Phenom 9550 Quad-Core</a>	1,644	891	95
<a href="#">MT6765V/WA</a>	1,644	626	NA
<a href="#">Intel Core i7-3689Y @ 1.50GHz</a>	1,642	984	13
<a href="#">Intel Core i3-4005U @ 1.70GHz</a>	1,639	906	15
<a href="#">AMD Phenom II N950 Quad-Core</a>	1,637	883	35
<a href="#">AMD A6-3600 APU</a>	1,636	935	65
<a href="#">MT6765V/WB</a>	1,636	597	NA
<a href="#">Samsung Exynos 7904</a>	1,636	767	NA

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E5405 @ 2.00GHz</a>	1,630	875	80
<a href="#">AMD Embedded R-Series RX-216GD</a>	1,628	1,313	15
<a href="#">Intel Core i5-2557M @ 1.70GHz</a>	1,628	942	17
<a href="#">Qualcomm Technologies, Inc MSM8976SG</a>	1,628	741	NA
<a href="#">Intel Core M-5Y10 @ 0.80GHz</a>	1,627	1,029	4.5
<a href="#">Intel Celeron J4005 @ 2.00GHz</a>	1,626	1,127	10
<a href="#">Intel Core i3-560 @ 3.33GHz</a>	1,626	1,341	73
<a href="#">AMD GX-424CC SOC</a>	1,625	772	25
<a href="#">AMD Phenom II N970 Quad-Core</a>	1,625	902	35
<a href="#">MediaTek MT8768CT</a>	1,625	604	NA
<a href="#">Intel Core i3-4030Y @ 1.60GHz</a>	1,623	865	11.5
<a href="#">Intel Pentium G3320TE @ 2.30GHz</a>	1,623	1,314	35
<a href="#">Qualcomm Technologies, Inc MSM8953</a>	1,621	520	NA
<a href="#">AMD Opteron 1354</a>	1,620	864	75
<a href="#">HiSilicon Kirin 650</a>	1,620	621	NA
<a href="#">Intel Core i5 E 520 @ 2.40GHz</a>	1,619	1,032	35
<a href="#">AMD A6-6400B APU</a>	1,616	1,608	65
<a href="#">Intel Celeron N4020 @ 1.10GHz</a>	1,616	1,196	6
<a href="#">Intel Pentium 4415Y @ 1.60GHz</a>	1,616	919	6
<a href="#">Intel Celeron G1820T @ 2.40GHz</a>	1,614	1,396	35
<a href="#">Intel Pentium G2120T @ 2.70GHz</a>	1,613	1,493	35
<a href="#">AMD Athlon X4 620</a>	1,612	978	95
<a href="#">Intel Pentium 3560M @ 2.40GHz</a>	1,609	1,387	37
<a href="#">Intel Celeron 2000E @ 2.20GHz</a>	1,607	1,282	37
<a href="#">MediaTek MT6765V/CB</a>	1,606	588	NA
<a href="#">AMD A6-8550</a>	1,604	1,474	65
<a href="#">AMD Phenom FX-5000 Quad-Core</a>	1,599	826	65
<a href="#">Intel Xeon X3210 @ 2.13GHz</a>	1,599	875	105
<a href="#">AMD GX-420CA SOC</a>	1,597	622	25
<a href="#">Intel Atom C3538 @ 2.10GHz</a>	1,596	540	15
<a href="#">Intel Celeron N4000C @ 1.10GHz</a>	1,596	1,153	6
<a href="#">Intel Pentium G2030T @ 2.60GHz</a>	1,595	1,446	35
<a href="#">AMD A10-4655M APU</a>	1,591	864	25
<a href="#">Intel Core i5-4220Y @ 1.60GHz</a>	1,591	952	11.5
<a href="#">Intel Core i3-3110M @ 2.40GHz</a>	1,587	1,255	35
<a href="#">AMD A8-3550MX APU</a>	1,579	938	45
<a href="#">ARM phytium FT1500a 4 Core 2000 MHz</a>	1,579	716	NA
<a href="#">Intel Celeron G1840T @ 2.50GHz</a>	1,576	1,431	35
<a href="#">AMD Embedded G-Series GX-420GI Radeon R7E</a>	1,573	826	16.1
<a href="#">AMD A6-7400K APU</a>	1,569	1,404	65
<a href="#">AMD Phenom X2 Dual-Core GE-5060</a>	1,566	1,053	NA
<a href="#">AMD A4-6320 APU</a>	1,563	1,550	65
<a href="#">AMD Phenom II X3 720</a>	1,560	1,115	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A8 PRO-7150B APU</a>	1,557	794	19
<a href="#">Intel Core i3-550 @ 3.20GHz</a>	1,557	1,354	73
<a href="#">AMD Opteron X3216 APU</a>	1,556	1,289	15
<a href="#">AMD A6 PRO-7400B</a>	1,555	1,452	65
<a href="#">AMD A8-5545M APU</a>	1,553	828	19
<a href="#">AMD A6-6420B APU</a>	1,550	1,629	65
<a href="#">AMD Phenom 9600 Quad-Core</a>	1,549	886	95
<a href="#">Intel Xeon E5335 @ 2.00GHz</a>	1,549	817	80
<a href="#">AMD E2-7110 APU</a>	1,548	617	15
<a href="#">MT8788</a>	1,548	883	NA
<a href="#">AMD Athlon II X3 425</a>	1,547	1,109	95
<a href="#">ZHAOXIN KaiXian ZX-C+ C4700@2.0GHz</a>	1,547	556	NA
<a href="#">AMD A9-9425</a>	1,546	1,349	15
<a href="#">Intel Core i5-4300Y @ 1.60GHz</a>	1,545	954	11.5
<a href="#">Intel Pentium 2030M @ 2.50GHz</a>	1,542	1,387	35
<a href="#">AMD Phenom II N930 Quad-Core</a>	1,540	827	35
<a href="#">Intel Pentium G3220T @ 2.60GHz</a>	1,539	1,436	35
<a href="#">AMD A6-6420K APU</a>	1,538	1,557	65
<a href="#">AMD Phenom II X3 B73</a>	1,538	1,056	95
<a href="#">Intel Xeon E5504 @ 2.00GHz</a>	1,529	838	80
<a href="#">Intel Xeon X5270 @ 3.50GHz</a>	1,524	1,485	80
<a href="#">AMD Phenom 9750B Quad-Core</a>	1,520	913	95
<a href="#">AMD A9-9420</a>	1,518	1,306	15
<a href="#">Apple A8</a>	1,518	903	NA
<a href="#">Intel Pentium 4405Y @ 1.50GHz</a>	1,518	868	6
<a href="#">AMD A9-9410</a>	1,517	1,342	25
<a href="#">AMD Athlon X3 425</a>	1,516	845	95
<a href="#">AMD Opteron 2354</a>	1,509	857	115
<a href="#">Intel Pentium G2010 @ 2.80GHz</a>	1,509	1,461	55
<a href="#">Intel Celeron G1620T @ 2.40GHz</a>	1,507	1,321	35
<a href="#">MediaTek MT6757V</a>	1,507	583	NA
<a href="#">AMD Phenom II X4 900e</a>	1,505	917	65
<a href="#">AMD Athlon X2 370K Dual Core</a>	1,504	1,514	65
<a href="#">Qualcomm MSM8996PRO-AB</a>	1,504	986	NA
<a href="#">Intel Core m3-6Y30 @ 0.90GHz</a>	1,502	1,133	4.5
<a href="#">AMD Phenom 9350e Quad-Core</a>	1,501	792	65
<a href="#">Intel Celeron 2970M @ 2.20GHz</a>	1,501	1,245	37
<a href="#">AMD A4-7300 APU</a>	1,500	1,490	65
<a href="#">AMD PRO A6-8530B</a>	1,498	1,271	15
<a href="#">Intel Core i3-540 @ 3.07GHz</a>	1,497	1,271	73
<a href="#">AMD Athlon II X3 420e</a>	1,495	1,097	45
<a href="#">AMD Phenom II X3 710</a>	1,495	1,065	95
<a href="#">MediaTek MT8183</a>	1,491	776	NA

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Samsung Exynos 7885</a>	1,482	813	NA
<a href="#">Intel Core i5-2467M @ 1.60GHz</a>	1,481	897	17
<a href="#">AMD Phenom 9500 Quad-Core</a>	1,480	835	95
<a href="#">AMD A8-3530MX APU</a>	1,477	886	45
<a href="#">Intel Core2 Quad Q9000 @ 2.00GHz</a>	1,475	842	45
<a href="#">MT6757WD</a>	1,474	625	NA
<a href="#">Intel Celeron 3955U @ 2.00GHz</a>	1,473	1,208	15
<a href="#">Pentium Dual-Core E6000 @ 3.46GHz</a>	1,472	1,542	NA
<a href="#">Intel Xeon E7320 @ 2.13GHz</a>	1,469	776	80
<a href="#">Intel Pentium G870 @ 3.10GHz</a>	1,468	1,454	65
<a href="#">AMD A4-6210 APU</a>	1,467	604	15
<a href="#">Intel Celeron 3867U @ 1.80GHz</a>	1,467	1,092	15
<a href="#">AMD Opteron 1352</a>	1,464	849	75
<a href="#">MediaTek MT8768WA</a>	1,464	551	NA
<a href="#">Samsung Exynos 7880</a>	1,462	465	NA
<a href="#">AMD A4 PRO-7300B APU</a>	1,455	1,508	65
<a href="#">AMD Phenom 9450e Quad-Core</a>	1,455	841	65
<a href="#">AMD A6-8500P</a>	1,452	1,227	15
<a href="#">Intel Xeon X5272 @ 3.40GHz</a>	1,451	1,411	80
<a href="#">Intel Xeon E5240 @ 3.00GHz</a>	1,448	1,312	65
<a href="#">Intel Core i3-2120T @ 2.60GHz</a>	1,443	1,105	35
<a href="#">AMD Athlon II X3 415e</a>	1,441	1,028	45
<a href="#">AMD Athlon X3 440</a>	1,438	1,129	95
<a href="#">Intel Core i3-530 @ 2.93GHz</a>	1,438	1,179	73
<a href="#">Intel Celeron 5205U @ 1.90GHz</a>	1,437	1,103	15
<a href="#">Intel Core i3-4020Y @ 1.50GHz</a>	1,437	764	11.5
<a href="#">Intel Celeron N4000 @ 1.10GHz</a>	1,436	1,040	6
<a href="#">MediaTek MT6763V/V</a>	1,431	550	NA
<a href="#">Qualcomm Technologies, Inc APQ8096</a>	1,431	1,146	NA
<a href="#">AMD Phenom II X3 700e</a>	1,430	969	65
<a href="#">Intel Celeron G1610 @ 2.60GHz</a>	1,429	1,344	55
<a href="#">Intel Xeon E3113 @ 3.00GHz</a>	1,429	1,282	65
<a href="#">AMD A8-3520M APU</a>	1,424	847	35
<a href="#">AMD Phenom II X3 740</a>	1,424	982	95
<a href="#">AMD A6-6400K APU</a>	1,422	1,404	65
<a href="#">Intel Celeron 4305U @ 2.20GHz</a>	1,413	1,376	15
<a href="#">AMD A6-5400B APU</a>	1,412	1,354	65
<a href="#">Intel Pentium 3550M @ 2.30GHz</a>	1,412	1,311	37
<a href="#">Intel Atom C2558 @ 2.40GHz</a>	1,410	358	15
<a href="#">Intel Core i7-2610UE @ 1.50GHz</a>	1,409	972	17
<a href="#">Intel Core2 Duo E8290 @ 2.83GHz</a>	1,408	1,302	65
<a href="#">AMD A9-9400</a>	1,407	1,254	10
<a href="#">Intel Xeon E3-1220L v3 @ 1.10GHz</a>	1,407	777	13

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Phenom II X3 B75</a>	1,403	1,132	95
<a href="#">Intel Xeon E5320 @ 1.86GHz</a>	1,402	769	80
<a href="#">Intel Pentium G6951 @ 2.80GHz</a>	1,401	1,137	73
<a href="#">MediaTek MT6762V/WD</a>	1,400	491	NA
<a href="#">AMD A4-6300 APU</a>	1,398	1,414	65
<a href="#">AMD Phenom II P960 Quad-Core</a>	1,395	734	35
<a href="#">Qualcomm Technologies, Inc APQ8076</a>	1,391	564	NA
<a href="#">AMD Phenom 8600B Triple-Core</a>	1,390	957	95
<a href="#">Hisilicon Kirin 930</a>	1,390	482	NA
<a href="#">Intel Pentium 4410Y @ 1.50GHz</a>	1,387	827	6
<a href="#">AMD E1-6050J APU</a>	1,385	787	10
<a href="#">AMD Phenom II X2 565</a>	1,385	1,355	80
<a href="#">Intel Xeon L5310 @ 1.60GHz</a>	1,385	662	50
<a href="#">AMD A6-3500 APU</a>	1,382	974	65
<a href="#">AMD Athlon 5150 APU</a>	1,380	545	25
<a href="#">Intel Pentium 2020M @ 2.40GHz</a>	1,380	1,299	35
<a href="#">Intel Pentium G860 @ 3.00GHz</a>	1,379	1,360	65
<a href="#">Intel Atom x7-Z8750 @ 1.60GHz</a>	1,373	697	4
<a href="#">Intel Celeron G1620 @ 2.70GHz</a>	1,372	1,377	55
<a href="#">Intel Core i3-2312M @ 2.10GHz</a>	1,369	959	35
<a href="#">Intel Core i7-620LM @ 2.00GHz</a>	1,367	1,015	25
<a href="#">AMD GX-415GA SOC</a>	1,363	518	15
<a href="#">AMD Phenom II X2 570</a>	1,363	1,416	80
<a href="#">Intel Core i3-3217UE @ 1.60GHz</a>	1,362	711	17
<a href="#">MT6755V/WS</a>	1,359	531	NA
<a href="#">AMD Athlon II X2 280</a>	1,355	1,462	65
<a href="#">Intel Core i3-2332M @ 2.20GHz</a>	1,353	936	35
<a href="#">Intel Pentium N3710 @ 1.60GHz</a>	1,349	686	6
<a href="#">AMD A4-5100 APU</a>	1,346	540	15
<a href="#">AMD Phenom 8750 Triple-Core</a>	1,343	974	95
<a href="#">ARM Cortex-A57 4 Core 2014 MHz</a>	1,343	456	NA
<a href="#">AMD A6-9225</a>	1,340	1,181	15
<a href="#">AMD PRO A6-9500B</a>	1,340	1,108	15
<a href="#">Intel Core2 Duo E8600 @ 3.33GHz</a>	1,338	1,410	65
<a href="#">Intel Xeon L3110 @ 3.00GHz</a>	1,338	1,279	45
<a href="#">AMD Phenom II X2 B59</a>	1,337	1,387	80
<a href="#">Intel Xeon L5240 @ 3.00GHz</a>	1,337	1,299	40
<a href="#">AMD A8-4555M APU</a>	1,336	805	19
<a href="#">Intel Pentium 3825U @ 1.90GHz</a>	1,333	1,089	15
<a href="#">Intel Core i5-3339Y @ 1.50GHz</a>	1,332	706	13
<a href="#">Unisoc SC9863a</a>	1,332	489	NA
<a href="#">AMD A6-3430MX APU</a>	1,331	785	45
<a href="#">AMD Athlon II X3 405e</a>	1,331	973	45



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon E3120 @ 3.16GHz</a>	1,330	1,364	65
<a href="#">AMD A4-5050 APU</a>	1,328	538	13.5
<a href="#">AMD A4-6300B APU</a>	1,328	1,373	65
<a href="#">AMD Phenom II X2 560</a>	1,328	1,356	80
<a href="#">Intel Atom x7-Z8700 @ 1.60GHz</a>	1,328	663	4
<a href="#">Intel Pentium J3710 @ 1.60GHz</a>	1,328	678	6.5
<a href="#">AMD Athlon X2 280</a>	1,327	1,258	65
<a href="#">Intel Atom T5700 @ 1.70GHz</a>	1,326	549	NA
<a href="#">Intel Core i5 750S @ 2.40GHz</a>	1,326	1,039	82
<a href="#">Qualcomm Technologies, Inc MSM8976</a>	1,326	688	NA
<a href="#">Intel Core i3-2370M @ 2.40GHz</a>	1,325	1,068	35
<a href="#">VIA QuadCore C4650@2.0GHz</a>	1,323	557	NA
<a href="#">AMD Athlon II X3 400e</a>	1,320	908	45
<a href="#">AMD Athlon X2 340 Dual Core</a>	1,319	1,312	65
<a href="#">AMD Phenom II P940 Quad-Core</a>	1,319	679	35
<a href="#">Qualcomm Technologies, Inc SDA450</a>	1,319	426	NA
<a href="#">Intel Celeron J3160 @ 1.60GHz</a>	1,318	624	6
<a href="#">AMD Opteron 2393 SE</a>	1,317	1,237	105
<a href="#">Intel Pentium G645 @ 2.90GHz</a>	1,316	1,278	65
<a href="#">AMD A4-5300 APU</a>	1,313	1,310	65
<a href="#">Intel Pentium N3700 @ 1.60GHz</a>	1,313	643	6
<a href="#">Intel Celeron 4205U @ 1.80GHz</a>	1,311	1,051	15
<a href="#">Intel Core i3-4010Y @ 1.30GHz</a>	1,310	729	11.5
<a href="#">Intel Pentium G2020T @ 2.50GHz</a>	1,308	1,338	35
<a href="#">Intel Xeon E5310 @ 1.60GHz</a>	1,306	640	80
<a href="#">MediaTek MT6757CD</a>	1,306	564	NA
<a href="#">Intel Core i3-4012Y @ 1.50GHz</a>	1,305	745	11.5
<a href="#">Intel Pentium G850 @ 2.90GHz</a>	1,303	1,305	65
<a href="#">Intel Core i5-480M @ 2.67GHz</a>	1,302	1,177	35
<a href="#">AMD Phenom X4 Quad-Core GP-9500</a>	1,297	711	95
<a href="#">Intel Celeron G550 @ 2.60GHz</a>	1,295	1,242	65
<a href="#">AMD Phenom II X2 555</a>	1,294	1,322	80
<a href="#">Intel Pentium G630 @ 2.70GHz</a>	1,294	1,245	65
<a href="#">Intel Pentium G6960 @ 2.93GHz</a>	1,293	1,264	73
<a href="#">AMD A10 Micro-6700T APU</a>	1,291	703	5
<a href="#">Qualcomm Technologies, Inc MSM8996pro</a>	1,290	849	NA
<a href="#">Intel Celeron 3765U @ 1.90GHz</a>	1,286	1,180	15
<a href="#">Intel Celeron 3865U @ 1.80GHz</a>	1,286	1,067	15
<a href="#">Intel Core i7-660UM @ 1.33GHz</a>	1,284	925	18
<a href="#">AMD Phenom 8850B Triple-Core</a>	1,281	972	95
<a href="#">AMD A6-9230</a>	1,279	1,158	15
<a href="#">AMD Phenom 9100e Quad-Core</a>	1,279	734	65
<a href="#">AMD Phenom II X2 521</a>	1,279	1,366	65

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A4-5000 APU</a>	1,275	510	15
<a href="#">Intel Celeron 1020M @ 2.10GHz</a>	1,275	1,176	35
<a href="#">Intel Core i3-3227U @ 1.90GHz</a>	1,275	953	17
<a href="#">AMD Embedded G-Series GX-224IJ Radeon R4E</a>	1,271	1,119	15
<a href="#">Intel Core i5-460M @ 2.53GHz</a>	1,270	1,150	35
<a href="#">Intel Celeron G555 @ 2.70GHz</a>	1,268	1,275	65
<a href="#">AMD Phenom 9150e Quad-Core</a>	1,267	702	65
<a href="#">Intel Pentium A1020 @ 2.41GHz</a>	1,265	705	10
<a href="#">Intel Celeron G1610T @ 2.30GHz</a>	1,264	1,166	35
<a href="#">Intel Core i3-390M @ 2.67GHz</a>	1,264	1,096	35
<a href="#">AMD Phenom II X620 Dual-Core</a>	1,262	1,339	45
<a href="#">Intel Pentium G6950 @ 2.80GHz</a>	1,262	1,217	73
<a href="#">AMD A6-9220</a>	1,261	1,157	15
<a href="#">AMD A6-5357M APU</a>	1,260	1,268	35
<a href="#">Intel Celeron 2950M @ 2.00GHz</a>	1,260	1,136	37
<a href="#">Intel Core i3-330E @ 2.13GHz</a>	1,260	934	35
<a href="#">AMD A4-9120</a>	1,257	1,076	15
<a href="#">AMD A6-3420M APU</a>	1,254	787	35
<a href="#">Qualcomm Technologies, Inc MSM8992</a>	1,254	737	NA
<a href="#">AMD A8-3500M APU</a>	1,252	772	35
<a href="#">Intel Core i3-2348M @ 2.30GHz</a>	1,247	1,028	35
<a href="#">Intel Core i3-2350M @ 2.30GHz</a>	1,247	1,010	35
<a href="#">AMD A6-5400K APU</a>	1,246	1,247	65
<a href="#">Intel Celeron 3855U @ 1.60GHz</a>	1,246	938	15
<a href="#">AMD Athlon II X2 B26</a>	1,245	1,315	65
<a href="#">Qualcomm Technologies, Inc MSM8996</a>	1,243	897	NA
<a href="#">Intel Pentium G640 @ 2.80GHz</a>	1,242	1,301	65
<a href="#">Intel Xeon E3110 @ 3.00GHz</a>	1,242	1,331	65
<a href="#">Intel Pentium G645T @ 2.50GHz</a>	1,241	1,195	35
<a href="#">AMD Athlon II X2 270</a>	1,238	1,353	65
<a href="#">AMD Phenom II N850 Triple-Core</a>	1,238	878	35
<a href="#">Intel Atom x5-Z8500 @ 1.44GHz</a>	1,238	625	4
<a href="#">Intel Xeon X5260 @ 3.33GHz</a>	1,238	1,406	80
<a href="#">Intel Xeon @ 2.20GHz</a>	1,237	1,023	61
<a href="#">Intel Celeron J3355 @ 2.00GHz</a>	1,235	841	10
<a href="#">Intel Pentium J2900 @ 2.41GHz</a>	1,235	727	10
<a href="#">AMD Athlon II X2 265</a>	1,233	1,344	65
<a href="#">AMD Sempron 3850 APU</a>	1,231	466	25
<a href="#">Intel Core2 Duo E8500 @ 3.16GHz</a>	1,231	1,316	65
<a href="#">AMD Phenom X4 Quad-Core GP-9530</a>	1,228	417	NA
<a href="#">AMD A4-9125</a>	1,223	1,040	15
<a href="#">AMD Phenom II X3 705e</a>	1,222	962	65
<a href="#">Intel Pentium G620 @ 2.60GHz</a>	1,218	1,217	65

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">MediaTek MT6762V/WB</a>	1,216	453	NA
<a href="#">AMD R-272F APU</a>	1,215	1,087	35
<a href="#">Intel Core i5-450M @ 2.40GHz</a>	1,215	1,061	35
<a href="#">Intel Celeron N3160 @ 1.60GHz</a>	1,214	613	6
<a href="#">Intel Core2 Duo E8435 @ 3.06GHz</a>	1,213	1,304	NA
<a href="#">MediaTek MT6765G</a>	1,213	486	NA
<a href="#">AMD Phenom 8600 Triple-Core</a>	1,210	898	95
<a href="#">Intel Pentium N3540 @ 2.16GHz</a>	1,210	716	7.5
<a href="#">AMD A6-3410MX APU</a>	1,209	728	45
<a href="#">AMD A6-9220C</a>	1,208	1,050	6
<a href="#">AMD A4-5300B APU</a>	1,207	1,273	65
<a href="#">Intel Core2 Extreme X9000 @ 2.80GHz</a>	1,207	1,181	44
<a href="#">AMD Phenom 8650 Triple-Core</a>	1,205	854	95
<a href="#">AMD Phenom II X2 545</a>	1,204	1,220	80
<a href="#">Intel Core i3-2330M @ 2.20GHz</a>	1,204	967	35
<a href="#">AMD Opteron 2222</a>	1,198	618	95
<a href="#">Intel Pentium N3530 @ 2.16GHz</a>	1,197	706	7.5
<a href="#">Intel Core i7-680UM @ 1.47GHz</a>	1,196	911	18
<a href="#">Intel Core i5-430M @ 2.27GHz</a>	1,195	1,004	35
<a href="#">AMD A6-3400M APU</a>	1,191	723	35
<a href="#">Intel Core2 Duo T9900 @ 3.06GHz</a>	1,191	1,155	35
<a href="#">Intel Celeron N3150 @ 1.60GHz</a>	1,189	573	6
<a href="#">AMD Phenom 8750B Triple-Core</a>	1,188	901	95
<a href="#">Intel Atom x5-Z8550 @ 1.44GHz</a>	1,187	709	4
<a href="#">Intel Core2 Extreme X9100 @ 3.06GHz</a>	1,187	1,187	44
<a href="#">AMD A4-4020 APU</a>	1,186	1,216	65
<a href="#">AMD Phenom II P860 Triple-Core</a>	1,183	842	35
<a href="#">AMD R-460L APU</a>	1,183	776	25
<a href="#">Intel Celeron 3755U @ 1.70GHz</a>	1,182	1,022	15
<a href="#">Intel Core i3-3217U @ 1.80GHz</a>	1,182	918	17
<a href="#">Intel Celeron 3965Y @ 1.50GHz</a>	1,177	889	6
<a href="#">Intel Core i3-2310M @ 2.10GHz</a>	1,177	936	35
<a href="#">Intel Celeron G540T @ 2.10GHz</a>	1,174	972	35
<a href="#">Intel Core2 Duo E7600 @ 3.06GHz</a>	1,173	1,289	65
<a href="#">Intel Core2 Duo E8335 @ 2.66GHz</a>	1,172	1,126	NA
<a href="#">Intel Pentium E6800 @ 3.33GHz</a>	1,172	1,367	65
<a href="#">AMD A6-9210</a>	1,167	1,023	15
<a href="#">AMD Phenom II X640 Dual-Core</a>	1,165	1,142	45
<a href="#">AMD Phenom II X2 511</a>	1,163	1,253	65
<a href="#">Intel Core2 Duo T9800 @ 2.93GHz</a>	1,162	1,204	35
<a href="#">AMD E2-6110 APU</a>	1,160	477	15
<a href="#">AMD Phenom II P920 Quad-Core</a>	1,160	598	25
<a href="#">Intel Pentium E5800 @ 3.20GHz</a>	1,160	1,320	65

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD QC-4000</a>	1,155	449	15
<a href="#">Intel Core2 Duo E8400 @ 3.00GHz</a>	1,154	1,240	65
<a href="#">AMD Phenom II X2 B55</a>	1,151	1,244	80
<a href="#">AMD Phenom II X2 550</a>	1,148	1,237	80
<a href="#">AMD A6 Micro-6500T APU</a>	1,146	630	NA
<a href="#">AMD A4-4000 APU</a>	1,144	1,176	65
<a href="#">Intel Pentium 2127U @ 1.90GHz</a>	1,143	1,039	17
<a href="#">AMD Phenom 8850 Triple-Core</a>	1,142	982	95
<a href="#">Intel Core2 Duo E6850 @ 3.00GHz</a>	1,140	1,198	65
<a href="#">Intel Pentium G840 @ 2.80GHz</a>	1,140	1,240	65
<a href="#">AMD Phenom II N870 Triple-Core</a>	1,139	858	35
<a href="#">Intel Pentium G640T @ 2.40GHz</a>	1,139	1,102	35
<a href="#">Intel Core2 Extreme X7800 @ 2.60GHz</a>	1,138	1,077	44
<a href="#">AMD Athlon II X2 255</a>	1,137	1,248	65
<a href="#">AMD Phenom II N830 Triple-Core</a>	1,137	798	35
<a href="#">AMD Phenom 8450e Triple-Core</a>	1,134	781	65
<a href="#">AMD A4-5150M APU</a>	1,129	1,109	35
<a href="#">AMD A8-7050</a>	1,129	890	15
<a href="#">Intel Core i3-380M @ 2.53GHz</a>	1,126	996	35
<a href="#">MediaTek MT6750V/WT</a>	1,126	420	NA
<a href="#">AMD Phenom II P840 Triple-Core</a>	1,124	790	35
<a href="#">Intel Core i3-370M @ 2.40GHz</a>	1,124	980	35
<a href="#">AMD Phenom II X2 B53</a>	1,123	1,169	80
<a href="#">AMD A6-5345M APU</a>	1,122	1,094	17
<a href="#">AMD Phenom 8450 Triple-Core</a>	1,121	795	95
<a href="#">Intel Xeon W3505 @ 2.53GHz</a>	1,120	1,103	130
<a href="#">Intel Xeon L5320 @ 1.86GHz</a>	1,118	281	50
<a href="#">Intel Pentium A1018 @ 2.10GHz</a>	1,117	1,020	35
<a href="#">Intel Atom Z3795 @ 1.60GHz</a>	1,115	648	4
<a href="#">Intel Celeron G1820TE @ 2.20GHz</a>	1,115	728	35
<a href="#">Intel Celeron J1900 @ 1.99GHz</a>	1,115	641	10
<a href="#">AMD Phenom 8250 Triple-Core</a>	1,114	752	65
<a href="#">Qualcomm Technologies, Inc SDM450</a>	1,114	390	NA
<a href="#">Intel Celeron 3215U @ 1.70GHz</a>	1,113	1,046	15
<a href="#">Intel Pentium N3520 @ 2.16GHz</a>	1,111	660	7.5
<a href="#">Intel Core2 Duo E7500 @ 2.93GHz</a>	1,107	1,207	65
<a href="#">AMD A9-9420e</a>	1,106	971	NA
<a href="#">AMD Opteron 2220</a>	1,106	553	95
<a href="#">AMD Athlon II X2 210e</a>	1,105	1,105	45
<a href="#">Samsung J7 Max LTE SWA board based on MT6757V/WL</a>	1,104	325	NA
<a href="#">AMD E2-3800 APU</a>	1,103	445	15
<a href="#">Intel Celeron G530 @ 2.40GHz</a>	1,102	1,091	65
<a href="#">Intel Celeron G550T @ 2.20GHz</a>	1,102	1,026	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Xeon 3075 @ 2.66GHz</a>	1,096	1,096	NA
<a href="#">Intel Core i5-2537M @ 1.40GHz</a>	1,094	688	17
<a href="#">Intel Pentium E6700 @ 3.20GHz</a>	1,094	1,280	65
<a href="#">Intel Core2 Duo E8135 @ 2.66GHz</a>	1,092	1,117	NA
<a href="#">AMD Athlon II X2 B28</a>	1,091	1,329	65
<a href="#">Intel Celeron 2002E @ 1.50GHz</a>	1,091	871	25
<a href="#">Intel Pentium E6500 @ 2.93GHz</a>	1,091	1,224	65
<a href="#">Intel Core i7-640UM @ 1.20GHz</a>	1,090	817	18
<a href="#">Qualcomm Technologies, Inc. SDM439</a>	1,090	431	NA
<a href="#">AMD Opteron 1222</a>	1,089	1,128	103
<a href="#">Intel Atom C2538 @ 2.40GHz</a>	1,086	441	15
<a href="#">Intel Celeron G1101 @ 2.27GHz</a>	1,086	929	73
<a href="#">AMD Athlon II X2 260</a>	1,085	1,264	65
<a href="#">AMD Phenom 8400 Triple-Core</a>	1,085	840	95
<a href="#">Intel Pentium 3805U @ 1.90GHz</a>	1,085	1,027	15
<a href="#">AMD Phenom 8250e Triple-Core</a>	1,084	729	65
<a href="#">Intel Celeron G540 @ 2.50GHz</a>	1,080	1,135	65
<a href="#">Intel Core2 Duo T9600 @ 2.80GHz</a>	1,079	1,153	35
<a href="#">AMD Athlon II X2 245e</a>	1,075	1,145	45
<a href="#">AMD Embedded G-Series GX-215JJ Radeon R2E</a>	1,073	895	10
<a href="#">Intel Xeon W3503 @ 2.40GHz</a>	1,073	1,027	130
<a href="#">Qualcomm MSM8937</a>	1,072	359	NA
<a href="#">Intel Xeon 3085 @ 3.00GHz</a>	1,070	1,124	65
<a href="#">Qualcomm MSM 8939 HUAWEI KIW-L21</a>	1,070	357	NA
<a href="#">Intel Core2 Duo P9700 @ 2.80GHz</a>	1,069	1,104	28
<a href="#">Intel Pentium B980 @ 2.40GHz</a>	1,069	1,048	35
<a href="#">AMD Phenom II P820 Triple-Core</a>	1,068	717	25
<a href="#">Intel Core2 Duo P9600 @ 2.66GHz</a>	1,067	1,109	25
<a href="#">Intel Pentium G630T @ 2.30GHz</a>	1,067	1,009	35
<a href="#">AMD Phenom II N660 Dual-Core</a>	1,065	1,167	35
<a href="#">MediaTek MT6762V/CA</a>	1,065	416	NA
<a href="#">AMD Phenom X4 Quad-Core GS-6560</a>	1,063	282	NA
<a href="#">AMD A6-9200</a>	1,062	925	10
<a href="#">AMD Athlon II X2 4400e</a>	1,059	1,121	37
<a href="#">Intel Celeron 1005M @ 1.90GHz</a>	1,059	1,014	35
<a href="#">Intel Celeron 2980U @ 1.60GHz</a>	1,056	929	15
<a href="#">Intel Celeron G530T @ 2.00GHz</a>	1,055	966	35
<a href="#">AMD Athlon II X2 250</a>	1,054	1,135	65
<a href="#">AMD A4-3420 APU</a>	1,052	1,146	65
<a href="#">AMD A6-5350M APU</a>	1,049	1,084	35
<a href="#">ARM Cortex-A72 4 Core 1800 MHz</a>	1,049	649	NA
<a href="#">Intel Core i3-350M @ 2.27GHz</a>	1,048	876	35
<a href="#">AMD Athlon II X2 250e</a>	1,046	1,153	45

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A4-4300M APU</a>	1,042	1,050	35
<a href="#">AMD Athlon II X2 235e</a>	1,040	1,102	45
<a href="#">Intel Atom x5-E8000 @ 1.04GHz</a>	1,040	520	5
<a href="#">AMD GX-222GC SOC</a>	1,038	819	15
<a href="#">AMD Opteron 1220</a>	1,036	1,077	103
<a href="#">AMD Opteron 2218</a>	1,036	491	95
<a href="#">AMD Athlon II X2 B24</a>	1,035	1,192	65
<a href="#">Qualcomm Technologies, Inc MSM8956</a>	1,035	590	NA
<a href="#">Intel Core2 Duo E8300 @ 2.83GHz</a>	1,034	1,169	65
<a href="#">AMD A6-1450 APU</a>	1,033	457	8
<a href="#">Intel Celeron N2940 @ 1.83GHz</a>	1,033	610	7.5
<a href="#">AMD A4-3400 APU</a>	1,031	1,046	65
<a href="#">AMD Athlon II X2 B22</a>	1,030	1,128	65
<a href="#">Intel Celeron 1000M @ 1.80GHz</a>	1,028	973	35
<a href="#">Intel Celeron U1900 @ 1.99GHz</a>	1,028	527	NA
<a href="#">MediaTek MT6750T</a>	1,026	464	NA
<a href="#">Intel Xeon 3070 @ 2.66GHz</a>	1,025	1,024	65
<a href="#">AMD A4 PRO-7350B</a>	1,024	1,174	65
<a href="#">Intel Celeron 1037U @ 1.80GHz</a>	1,021	947	17
<a href="#">Intel Pentium 2117U @ 1.80GHz</a>	1,021	948	17
<a href="#">Intel Pentium E5700 @ 3.00GHz</a>	1,020	1,167	65
<a href="#">Intel Core2 Extreme X7900 @ 2.80GHz</a>	1,018	1,040	44
<a href="#">AMD Turion II Ultra Dual-Core Mobile M640</a>	1,016	1,063	35
<a href="#">Intel Pentium J2850 @ 2.41GHz</a>	1,016	646	10
<a href="#">Qualcomm MSM8992</a>	1,016	425	NA
<a href="#">AMD A6 PRO-7050B APU</a>	1,015	884	17
<a href="#">AMD Athlon X2 240e</a>	1,015	1,092	45
<a href="#">Intel Core i5-560UM @ 1.33GHz</a>	1,015	898	18
<a href="#">Intel Core2 Duo P9600 @ 2.53GHz</a>	1,012	1,075	25
<a href="#">AMD Turion II Ultra Dual-Core Mobile M660</a>	1,011	1,103	35
<a href="#">AMD A6-7000</a>	1,010	857	17
<a href="#">AMD Phenom X2 Dual-Core GE-7060</a>	1,010	1,332	NA
<a href="#">Intel Core2 Duo T9500 @ 2.60GHz</a>	1,010	1,095	35
<a href="#">Intel Atom E3845 @ 1.91GHz</a>	1,006	535	10
<a href="#">AMD A4 Micro-6400T APU</a>	1,004	530	4.5
<a href="#">Intel Core2 Extreme X6800 @ 2.93GHz</a>	1,004	1,094	75
<a href="#">AMD Athlon II X2 220</a>	1,003	1,100	65
<a href="#">Pentium Dual-Core T4500 @ 2.30GHz</a>	1,003	944	NA
<a href="#">Intel Core i5-540UM @ 1.20GHz</a>	1,002	818	18
<a href="#">Intel Core2 Duo E6750 @ 2.66GHz</a>	1,001	1,051	65
<a href="#">Intel Core2 Duo E8200 @ 2.66GHz</a>	1,001	1,111	65
<a href="#">Intel Pentium E6600 @ 3.06GHz</a>	998	1,085	65
<a href="#">AMD Athlon X2 215</a>	996	1,107	65

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core2 Duo E8235 @ 2.80GHz</a>	995	1,113	NA
<a href="#">MediaTek MT6750</a>	995	368	NA
<a href="#">MediaTek MT6762G</a>	995	379	NA
<a href="#">AMD Athlon X2 250</a>	993	1,132	65
<a href="#">Intel Atom x5-E3930 @ 1.30GHz</a>	993	648	6.5
<a href="#">AMD E2-9010</a>	991	871	15
<a href="#">Intel Celeron 2981U @ 1.60GHz</a>	991	871	15
<a href="#">Intel Core2 Duo T9300 @ 2.50GHz</a>	991	1,047	35
<a href="#">AMD Athlon II X2 4300e</a>	990	1,074	13
<a href="#">Intel Pentium 3556U @ 1.70GHz</a>	990	932	15
<a href="#">MediaTek MT6762V/WA</a>	988	385	NA
<a href="#">Intel Pentium Extreme Edition 965 @ 3.73GHz</a>	987	818	130
<a href="#">AMD Athlon II X2 240e</a>	986	1,122	45
<a href="#">Intel Core2 Duo E6700 @ 2.66GHz</a>	986	1,047	65
<a href="#">Intel Pentium E5500 @ 2.80GHz</a>	986	1,135	65
<a href="#">Intel Pentium 3558U @ 1.70GHz</a>	984	925	15
<a href="#">Intel Celeron N2930 @ 1.83GHz</a>	983	574	7.5
<a href="#">Qualcomm Technologies, Inc MSM8937</a>	981	370	NA
<a href="#">Intel Core i3-3229Y @ 1.40GHz</a>	978	646	13
<a href="#">Intel Core i3-2340UE @ 1.30GHz</a>	976	620	17
<a href="#">MT6755V/WM</a>	976	310	NA
<a href="#">MediaTek MT6753T</a>	975	424	NA
<a href="#">Intel Core2 Duo E7400 @ 2.80GHz</a>	974	1,105	65
<a href="#">Intel Core i3-330M @ 2.13GHz</a>	973	815	35
<a href="#">AMD Athlon 64 FX-74</a>	972	617	125
<a href="#">Intel Core2 Duo E8135 @ 2.40GHz</a>	972	1,027	NA
<a href="#">tn8</a>	972	592	NA
<a href="#">AMD E2-3200 APU</a>	971	971	65
<a href="#">AMD Phenom II N620 Dual-Core</a>	968	1,051	35
<a href="#">MT6795M</a>	968	377	NA
<a href="#">AMD Athlon 64 X2 Dual Core 6400+</a>	967	1,142	125
<a href="#">Intel Pentium P6300 @ 2.27GHz</a>	967	833	35
<a href="#">AMD GX-412HC</a>	966	420	7
<a href="#">Intel Pentium B950 @ 2.10GHz</a>	966	916	35
<a href="#">AMD Phenom II N640 Dual-Core</a>	965	1,039	35
<a href="#">Intel Core i7-620UM @ 1.07GHz</a>	964	777	18
<a href="#">Intel Pentium E6300 @ 2.80GHz</a>	964	1,144	65
<a href="#">Intel Xeon 5160 @ 3.00GHz</a>	963	1,134	80
<a href="#">AMD A4-3300 APU</a>	961	1,025	65
<a href="#">AMD Phenom X3 8550</a>	961	773	95
<a href="#">AMD A6-9220e</a>	959	845	NA
<a href="#">Intel Core2 Duo P9500 @ 2.53GHz</a>	959	1,056	25
<a href="#">AMD Athlon 7850 Dual-Core</a>	956	1,065	95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Opteron 290</a>	952	570	95
<a href="#">ARM Cortex-A57 4 Core 1479 MHz</a>	950	511	NA
<a href="#">Intel Core2 Duo SP9400 @ 2.40GHz</a>	948	936	25
<a href="#">Intel Core2 Duo P8700 @ 2.53GHz</a>	945	1,041	25
<a href="#">AMD Athlon II X2 215</a>	944	1,024	65
<a href="#">VIA Eden X4 C4250 @ 1.2+GHz</a>	944	476	NA
<a href="#">AMD Athlon 64 FX-62 Dual Core</a>	943	1,000	125
<a href="#">Intel Celeron J1850 @ 1.99GHz</a>	942	455	10
<a href="#">Intel Core2 Duo E7200 @ 2.53GHz</a>	942	1,074	65
<a href="#">Intel Xeon 3060 @ 2.40GHz</a>	939	942	65
<a href="#">AMD Athlon X2 255</a>	938	1,095	65
<a href="#">Intel Celeron 3205U @ 1.50GHz</a>	935	898	15
<a href="#">Intel Celeron E3500 @ 2.70GHz</a>	935	1,154	65
<a href="#">Intel Core2 Duo T7800 @ 2.60GHz</a>	932	1,015	35
<a href="#">AMD Sempron X2 198 Dual-Core</a>	930	1,070	65
<a href="#">Intel Celeron B840 @ 1.90GHz</a>	930	901	35
<a href="#">Intel Core2 Duo E7300 @ 2.66GHz</a>	929	1,085	65
<a href="#">Intel Core i5-520UM @ 1.07GHz</a>	928	737	18
<a href="#">Intel Xeon L3406 @ 2.27GHz</a>	928	647	30
<a href="#">Qualcomm MSM8996</a>	926	644	NA
<a href="#">Samsung EXYNOS5433</a>	925	352	NA
<a href="#">AMD Turion II Ultra Dual-Core Mobile M600</a>	923	982	35
<a href="#">AMD Athlon 64 X2 Dual Core 6000+</a>	922	1,034	89
<a href="#">AMD E2-9030</a>	922	906	NA
<a href="#">AMD Athlon X2 240</a>	921	1,017	65
<a href="#">AMD Athlon 7750 Dual-Core</a>	916	998	95
<a href="#">AMD E2-9000</a>	915	779	10
<a href="#">Intel Atom x5-Z8350 @ 1.44GHz</a>	915	489	4
<a href="#">Intel Core2 Duo P7550 @ 2.26GHz</a>	915	951	25
<a href="#">Intel Pentium E5400 @ 2.70GHz</a>	914	1,070	65
<a href="#">AMD Turion II Dual-Core Mobile M540</a>	912	967	35
<a href="#">Intel Xeon 5148 @ 2.33GHz</a>	912	868	40
<a href="#">AMD Opteron 1218</a>	910	962	103
<a href="#">AMD Opteron 2220 SE</a>	909	519	119
<a href="#">Intel Core2 Duo P9300 @ 2.26GHz</a>	909	855	NA
<a href="#">Intel Core i3-2375M @ 1.50GHz</a>	907	686	17
<a href="#">Intel Core2 Duo P8800 @ 2.66GHz</a>	903	1,082	25
<a href="#">Intel Celeron N2920 @ 1.86GHz</a>	901	546	7.5
<a href="#">Intel Core2 Duo T9400 @ 2.53GHz</a>	901	1,020	35
<a href="#">Intel Xeon 3.73GHz</a>	901	734	NA
<a href="#">Intel Core2 Duo T8300 @ 2.40GHz</a>	900	1,024	35
<a href="#">AMD Athlon II N370 Dual-Core</a>	899	913	35
<a href="#">Intel Pentium E5300 @ 2.60GHz</a>	899	1,026	65



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Qualcomm MSM8994</a>	896	395	NA
<a href="#">MediaTek MT6753</a>	895	348	NA
<a href="#">AMD A4-9120e</a>	894	758	NA
<a href="#">Qualcomm Technologies, Inc SDM429</a>	889	567	NA
<a href="#">Intel Pentium B960 @ 2.20GHz</a>	888	936	35
<a href="#">Intel Xeon 5133 @ 2.20GHz</a>	887	838	40
<a href="#">MT8168B</a>	886	537	NA
<a href="#">AMD Phenom X2 Dual-Core GP-7730</a>	884	1,047	NA
<a href="#">AMD Turion II P540 Dual-Core</a>	884	843	35
<a href="#">Intel Core2 Duo E6550 @ 2.33GHz</a>	881	907	65
<a href="#">AMD Sempron X2 190</a>	879	977	45
<a href="#">AMD Turion II N550 Dual-Core</a>	877	891	35
<a href="#">AMD Athlon 64 X2 Dual Core 5400+</a>	876	995	65
<a href="#">Athlon 64 Dual Core 5600+</a>	875	993	65
<a href="#">AMD Athlon II X2 240</a>	872	980	65
<a href="#">Intel Core2 Duo T9550 @ 2.66GHz</a>	870	997	35
<a href="#">Qualcomm Technologies, Inc MSM8952</a>	868	381	NA
<a href="#">AMD Athlon II X2 4450e</a>	867	1,066	45
<a href="#">Intel Core2 Duo E6600 @ 2.40GHz</a>	866	948	65
<a href="#">Intel Core2 Duo L9600 @ 2.13GHz</a>	865	837	17
<a href="#">Intel Atom x5-Z8330 @ 1.44GHz</a>	864	487	4
<a href="#">AMD Turion 64 X2 Mobile TL-68</a>	861	887	35
<a href="#">Intel Core i3-2365M @ 1.40GHz</a>	861	629	17
<a href="#">Intel Core i3-2377M @ 1.50GHz</a>	861	651	17
<a href="#">Intel Celeron E3200 @ 2.40GHz</a>	860	992	65
<a href="#">Intel Xeon 5140 @ 2.33GHz</a>	857	870	65
<a href="#">AMD Turion II N530 Dual-Core</a>	855	968	35
<a href="#">Intel Pentium N3510 @ 1.99GHz</a>	854	528	7.5
<a href="#">Intel Pentium P6200 @ 2.13GHz</a>	852	839	35
<a href="#">Athlon 64 Dual Core 5000+</a>	850	924	89
<a href="#">Intel Pentium 3560Y @ 1.20GHz</a>	849	700	11.5
<a href="#">Samsung Exynos 7870</a>	849	275	NA
<a href="#">Intel Core2 Duo P8600 @ 2.40GHz</a>	848	952	25
<a href="#">Intel Core i3-2367M @ 1.40GHz</a>	847	628	17
<a href="#">MT6761V/CBB</a>	846	536	NA
<a href="#">Intel Pentium E5200 @ 2.50GHz</a>	844	1,003	65
<a href="#">AMD TurionX2 Ultra DualCore Mobile ZM-85</a>	841	686	35
<a href="#">Intel Xeon 3050 @ 2.13GHz</a>	841	672	65
<a href="#">AMD Opteron 275</a>	839	445	95
<a href="#">Intel Xeon E5205 @ 1.86GHz</a>	838	788	65
<a href="#">AMD A4-3320M APU</a>	837	832	35
<a href="#">Intel Xeon E5502 @ 1.87GHz</a>	837	799	80
<a href="#">Intel Core i5-430UM @ 1.20GHz</a>	836	630	18

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD E2-9000e</a>	835	724	6
<a href="#">Intel Atom x5-Z8300 @ 1.44GHz</a>	832	466	4
<a href="#">Intel Pentium P6000 @ 1.87GHz</a>	828	767	35
<a href="#">Intel Xeon 3065 @ 2.33GHz</a>	827	780	65
<a href="#">AMD Athlon Dual Core 5400B</a>	826	969	65
<a href="#">AMD Sempron X2 180</a>	826	865	45
<a href="#">AMD Athlon 7550 Dual-Core</a>	824	894	95
<a href="#">Intel Core i3-2357M @ 1.30GHz</a>	824	591	17
<a href="#">Intel Pentium B940 @ 2.00GHz</a>	823	861	35
<a href="#">AMD Phenom II P650 Dual-Core</a>	821	889	35
<a href="#">Intel Core2 Duo P8400 @ 2.26GHz</a>	820	921	25
<a href="#">AMD Turion II P560 Dual-Core</a>	818	931	25
<a href="#">Intel Celeron E3400 @ 2.60GHz</a>	817	990	65
<a href="#">AMD A4-4355M APU</a>	816	815	17
<a href="#">Intel Celeron P4500 @ 1.87GHz</a>	816	707	35
<a href="#">AMD Turion II Ultra Dual-Core Mobile M620</a>	814	945	35
<a href="#">AMD Turion II Dual-Core Mobile M500</a>	810	881	35
<a href="#">Intel Celeron 2957U @ 1.40GHz</a>	809	776	15
<a href="#">Qualcomm Technologies, Inc MSM8940</a>	809	287	NA
<a href="#">Intel Core2 Duo E6540 @ 2.33GHz</a>	808	969	65
<a href="#">Intel Core2 Duo T7700 @ 2.40GHz</a>	808	884	35
<a href="#">AMD A4-3305M APU</a>	807	893	35
<a href="#">Intel Core2 Duo T7500 @ 2.20GHz</a>	807	872	35
<a href="#">AMD Opteron 1214 HE</a>	806	811	65
<a href="#">Intel Celeron E3300 @ 2.50GHz</a>	805	1,032	65
<a href="#">Intel Xeon E5503 @ 2.00GHz</a>	804	845	80
<a href="#">AMD Athlon64 X2 Dual Core 4600+</a>	803	755	110
<a href="#">Intel Core2 Duo E4700 @ 2.60GHz</a>	803	985	65
<a href="#">AMD Athlon 64 X2 Dual Core 5800+</a>	797	1,008	89
<a href="#">AMD Athlon 5000 Dual-Core</a>	796	853	65
<a href="#">AMD Athlon Dual Core 5200B</a>	796	953	65
<a href="#">Intel Core2 Duo E6400 @ 2.13GHz</a>	795	850	65
<a href="#">Intel Atom Z3775D @ 1.49GHz</a>	794	646	4.4
<a href="#">Intel Celeron 1017U @ 1.60GHz</a>	793	772	17
<a href="#">Intel Pentium E2220 @ 2.40GHz</a>	793	892	65
<a href="#">AMD Turion II P520 Dual-Core</a>	790	892	25
<a href="#">Intel Core2 Duo P7370 @ 2.00GHz</a>	790	793	25
<a href="#">AMD Athlon 7450 Dual-Core</a>	789	853	95
<a href="#">Intel Pentium 997 @ 1.60GHz</a>	789	729	17
<a href="#">Intel Xeon 3040 @ 1.86GHz</a>	789	474	65
<a href="#">MT8766B</a>	789	511	NA
<a href="#">MediaTek MT8166B</a>	787	495	NA
<a href="#">Celeron Dual-Core T3500 @ 2.10GHz</a>	786	870	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD A6-4455M APU</a>	783	783	17
<a href="#">AMD Turion II Dual-Core Mobile M520</a>	783	908	35
<a href="#">AMD Athlon 64 X2 Dual Core 5200+</a>	781	890	65
<a href="#">AMD Opteron 1216</a>	781	810	103
<a href="#">Intel Celeron 1007U @ 1.50GHz</a>	779	746	17
<a href="#">Intel Core2 Duo T6670 @ 2.20GHz</a>	777	878	35
<a href="#">Intel Celeron B820 @ 1.70GHz</a>	776	740	35
<a href="#">Qualcomm APQ 8084 (Flattened Device Tree)</a>	776	500	NA
<a href="#">Intel Celeron B810 @ 1.60GHz</a>	775	754	35
<a href="#">Intel Core2 Duo P7450 @ 2.13GHz</a>	773	851	25
<a href="#">VIA QuadCore L4700 @ 1.2+ GHz</a>	773	355	27.5
<a href="#">Intel Pentium T4300 @ 2.10GHz</a>	770	843	35
<a href="#">Athlon Dual Core 4850e</a>	769	861	45
<a href="#">Intel Xeon 5130 @ 2.00GHz</a>	769	766	65
<a href="#">SAMSUNG Exynos7580</a>	769	228	NA
<a href="#">AMD Athlon II N350 Dual-Core</a>	767	945	35
<a href="#">AMD A4-9120C</a>	766	832	6
<a href="#">Spreadtrum SC9853I-IA</a>	766	469	NA
<a href="#">AMD Opteron 280</a>	765	430	95
<a href="#">Intel Celeron 2955U @ 1.40GHz</a>	763	714	15
<a href="#">Intel Core2 Duo E4600 @ 2.40GHz</a>	763	900	65
<a href="#">Intel Xeon 5120 @ 1.86GHz</a>	763	748	65
<a href="#">AMD Opteron 270</a>	761	411	95
<a href="#">AMD Athlon Dual Core 5050e</a>	759	902	45
<a href="#">Intel Core2 Duo T7600 @ 2.33GHz</a>	758	843	34
<a href="#">AMD Athlon 64 X2 Dual Core 5000+</a>	756	876	65
<a href="#">Intel Pentium T4400 @ 2.20GHz</a>	756	862	35
<a href="#">Intel Atom Z3775 @ 1.46GHz</a>	755	539	4
<a href="#">Intel Core i5-470UM @ 1.33GHz</a>	755	539	18
<a href="#">AMD GX-218GL SOC</a>	754	627	15
<a href="#">Intel Core2 Duo T6600 @ 2.20GHz</a>	754	856	35
<a href="#">Qualcomm Technologies, Inc MSM8939</a>	750	278	NA
<a href="#">Intel Pentium T4500 @ 2.30GHz</a>	749	899	35
<a href="#">Dual-Core AMD Opteron 1220 SE</a>	748	900	103
<a href="#">Intel Celeron 1047UE @ 1.40GHz</a>	748	526	17
<a href="#">Intel Core2 Duo P7570 @ 2.26GHz</a>	747	882	25
<a href="#">Intel Pentium E2200 @ 2.20GHz</a>	747	851	65
<a href="#">AMD Opteron 180</a>	746	874	110
<a href="#">Intel Atom Z3770 @ 1.46GHz</a>	746	543	4
<a href="#">Intel Core2 Duo E4500 @ 2.20GHz</a>	745	831	65
<a href="#">AMD GX-217GA SOC</a>	744	562	15
<a href="#">Intel Pentium D 960 @ 3.60GHz</a>	743	775	130
<a href="#">Intel Core2 Duo E6420 @ 2.13GHz</a>	742	819	65

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Athlon Dual Core 5600B</a>	737	1,003	65
<a href="#">Athlon 64 Dual Core 3800+</a>	736	653	35
<a href="#">AMD Athlon Dual Core 4850e</a>	735	879	45
<a href="#">AMD Athlon 5200 Dual-Core</a>	734	882	75
<a href="#">Intel Core2 Duo T8100 @ 2.10GHz</a>	734	863	35
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-87</a>	733	806	35
<a href="#">Intel Celeron 2961Y @ 1.10GHz</a>	732	641	11.5
<a href="#">AMD Athlon 64 X2 Dual Core 4600+</a>	730	862	65
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-85</a>	730	828	35
<a href="#">Intel Xeon 5150 @ 2.66GHz</a>	728	954	65
<a href="#">AMD Athlon Dual Core 4850B</a>	727	887	45
<a href="#">AMD Opteron 1216 HE</a>	727	847	65
<a href="#">Intel Celeron 887 @ 1.50GHz</a>	727	694	17
<a href="#">AMD E2-3000 APU</a>	726	547	15
<a href="#">AMD Turion II Neo N54L Dual-Core</a>	724	828	25
<a href="#">AMD Athlon Dual Core 4450e</a>	721	831	45
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-84</a>	720	751	35
<a href="#">MT6795</a>	717	500	NA
<a href="#">AMD Athlon II P360 Dual-Core</a>	716	874	25
<a href="#">Intel Core2 Duo T7200 @ 2.00GHz</a>	716	765	34
<a href="#">Intel Celeron E1600 @ 2.40GHz</a>	712	877	65
<a href="#">Intel Core2 Duo SL9400 @ 1.86GHz</a>	712	752	17
<a href="#">Intel Pentium T4200 @ 2.00GHz</a>	712	796	35
<a href="#">ARM Cortex-A72 4 Core 2200 MHz</a>	711	560	NA
<a href="#">Intel Core2 Duo P7350 @ 2.00GHz</a>	711	767	25
<a href="#">AMD Athlon 64 FX-60 Dual Core</a>	709	912	110
<a href="#">AMD Turion X2 Dual-Core Mobile RM-75</a>	708	770	35
<a href="#">Intel Core i3-380UM @ 1.33GHz</a>	708	545	18
<a href="#">Intel Atom Z3580 @ 1.33GHz</a>	707	476	NA
<a href="#">Intel Core2 Duo T5850 @ 2.16GHz</a>	705	797	NA
<a href="#">AMD Athlon 64 X2 Dual Core 4800+</a>	704	879	65
<a href="#">Intel Atom E3840 @ 1.91GHz</a>	704	477	NA
<a href="#">Intel Core2 Duo T5870 @ 2.00GHz</a>	704	754	35
<a href="#">Intel Pentium E2210 @ 2.20GHz</a>	702	946	65
<a href="#">Rockchip RK3368</a>	702	344	NA
<a href="#">Intel Core2 Duo T5900 @ 2.20GHz</a>	701	767	NA
<a href="#">Intel Celeron P4600 @ 2.00GHz</a>	700	675	35
<a href="#">Intel Core2 Duo T6400 @ 2.00GHz</a>	699	797	35
<a href="#">Intel Core2 Duo T7250 @ 2.00GHz</a>	699	787	35
<a href="#">Intel Core2 Duo T7300 @ 2.00GHz</a>	697	780	35
<a href="#">AMD Opteron 1214</a>	696	830	103
<a href="#">AMD Opteron 185</a>	695	884	110
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-86</a>	695	820	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">MediaTek MT6761V/WE</a>	693	432	NA
<a href="#">AMD Turion 64 X2 Mobile TL-64</a>	692	770	35
<a href="#">AMD Turion X2 Dual Core Mobile RM-76</a>	691	729	35
<a href="#">Intel Celeron G470 @ 2.00GHz</a>	691	937	35
<a href="#">Intel Celeron P4505 @ 1.87GHz</a>	689	820	35
<a href="#">AMD Athlon X2 Dual Core BE-2400</a>	688	693	18
<a href="#">Intel Core2 Duo T6500 @ 2.10GHz</a>	687	835	35
<a href="#">Intel Pentium D 950 @ 3.40GHz</a>	685	690	130
<a href="#">AMD Turion II Neo K685 Dual-Core</a>	684	729	15
<a href="#">AMD A4-3300M APU</a>	682	761	65
<a href="#">AMD Opteron 175</a>	682	773	110
<a href="#">Qualcomm MSM8974PRO-AB</a>	682	371	NA
<a href="#">AMD A4-3330MX APU</a>	681	909	45
<a href="#">Athlon Dual Core 4450e</a>	681	792	45
<a href="#">Intel Core2 Duo L7800 @ 2.00GHz</a>	680	622	NA
<a href="#">Intel Core2 Duo T5750 @ 2.00GHz</a>	680	768	35
<a href="#">AMD Athlon 64 X2 Dual Core 4400+</a>	679	782	65
<a href="#">AMD Athlon II Dual-Core M320</a>	679	827	35
<a href="#">ARM Cortex-A72 4 Core 2000 MHz</a>	679	560	NA
<a href="#">AMD Athlon II Dual-Core M340</a>	676	774	35
<a href="#">AMD E2-3000M APU</a>	676	738	35
<a href="#">AMD Athlon II X2 270u</a>	675	791	25
<a href="#">Intel Celeron N3060 @ 1.60GHz</a>	674	631	6
<a href="#">Intel Celeron B815 @ 1.60GHz</a>	672	654	35
<a href="#">Intel Celeron N2910 @ 1.60GHz</a>	672	444	7.5
<a href="#">Intel Pentium E2180 @ 2.00GHz</a>	672	745	65
<a href="#">Intel Celeron E1400 @ 2.00GHz</a>	671	746	65
<a href="#">Athlon Dual Core 4050e</a>	670	744	45
<a href="#">Intel Celeron B800 @ 1.50GHz</a>	669	664	35
<a href="#">AMD Athlon II P340 Dual-Core</a>	668	829	25
<a href="#">Intel Core i3-330UM @ 1.20GHz</a>	666	457	18
<a href="#">VIA QuadCore U4650 @ 1.0+ GHz</a>	666	296	27.5
<a href="#">AMD Athlon II N330 Dual-Core</a>	665	813	35
<a href="#">Intel Core2 Duo T7400 @ 2.16GHz</a>	665	732	34
<a href="#">AMD Athlon II X2 260u</a>	663	703	25
<a href="#">Intel Celeron J3060 @ 1.60GHz</a>	662	626	6
<a href="#">AMD Athlon 64 X2 Dual Core 3600+</a>	660	720	65
<a href="#">AMD Turion Dual-Core RM-75</a>	659	444	35
<a href="#">Intel Core2 Duo E4400 @ 2.00GHz</a>	656	773	65
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-82</a>	654	789	35
<a href="#">AMD Athlon 64 X2 Dual Core 4200+</a>	651	780	89
<a href="#">Intel Core2 Duo T5800 @ 2.00GHz</a>	650	748	35
<a href="#">AMD Turion Dual-Core RM-72</a>	649	725	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Celeron Dual-Core T3300 @ 2.00GHz</a>	646	717	35
<a href="#">Intel Celeron N3000 @ 1.04GHz</a>	645	572	4
<a href="#">AMD Turion X2 Dual-Core Mobile RM-72</a>	644	745	35
<a href="#">AMD Athlon Dual Core 4450B</a>	643	756	45
<a href="#">Intel Celeron 877 @ 1.40GHz</a>	643	633	17
<a href="#">AMD Athlon II P320 Dual-Core</a>	642	792	25
<a href="#">AMD Athlon 64 X2 QL-66</a>	641	751	35
<a href="#">Intel Pentium 2129Y @ 1.10GHz</a>	638	569	10
<a href="#">Rockchip (Device Tree)</a>	636	436	NA
<a href="#">AMD Turion X2 Dual-Core Mobile RM-77</a>	635	753	35
<a href="#">Intel Core2 Duo T5300 @ 1.73GHz</a>	635	423	34
<a href="#">AMD Turion X2 Dual-Core Mobile RM-70</a>	634	650	31
<a href="#">Intel Core2 Duo T5600 @ 1.83GHz</a>	634	715	34
<a href="#">Intel Pentium 987 @ 1.50GHz</a>	630	610	17
<a href="#">Qualcomm MSM8974PRO-AA</a>	629	342	NA
<a href="#">AMD Turion 64 X2 Mobile TL-66</a>	627	816	35
<a href="#">Intel Atom C2358 @ 1.74GHz</a>	625	291	7
<a href="#">Samsung EXYNOS5420</a>	625	406	NA
<a href="#">AMD Athlon 64 X2 Dual Core 3800+</a>	624	728	89
<a href="#">Intel Pentium 957 @ 1.20GHz</a>	622	574	17
<a href="#">AMD Athlon 64 X2 Dual Core 4000+</a>	621	703	65
<a href="#">AMD Athlon 64 X2 QL-64</a>	621	726	35
<a href="#">Intel Atom Z3745 @ 1.33GHz</a>	621	435	4
<a href="#">AMD Athlon 64 X2 Dual-Core TK-57</a>	620	681	31
<a href="#">Intel Core2 Duo T7100 @ 1.80GHz</a>	620	698	35
<a href="#">Intel Pentium T3200 @ 2.00GHz</a>	620	719	35
<a href="#">Qualcomm MSM8974</a>	618	389	NA
<a href="#">Intel Core2 Duo L9300 @ 1.60GHz</a>	615	636	17
<a href="#">Intel Atom Z3740D @ 1.33GHz</a>	614	459	4.4
<a href="#">Intel Pentium 967 @ 1.30GHz</a>	614	616	17
<a href="#">Intel Pentium E2160 @ 1.80GHz</a>	613	670	65
<a href="#">AMD Athlon II Dual-Core M300</a>	610	732	35
<a href="#">AMD Athlon 64 X2 QL-65</a>	609	653	35
<a href="#">AMD Turion 64 X2 Mobile TL-60</a>	607	692	31
<a href="#">Intel Core2 Duo L7700 @ 1.80GHz</a>	607	748	17
<a href="#">Intel Pentium T3400 @ 2.16GHz</a>	607	704	35
<a href="#">Qualcomm MSM8974PRO-AC</a>	606	370	NA
<a href="#">Qualcomm MSM8917</a>	605	379	NA
<a href="#">AMD Athlon II X2 250u</a>	604	632	25
<a href="#">AMD Turion X2 Dual Core L510</a>	603	593	20
<a href="#">Celeron Dual-Core T3000 @ 1.80GHz</a>	603	746	35
<a href="#">AMD Turion X2 Dual-Core Mobile RM-74</a>	602	714	35
<a href="#">AMD E1 Micro-6200T APU</a>	600	498	3.95

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD E1-2500 APU</a>	596	459	15
<a href="#">Intel Atom S1260 @ 2.00GHz</a>	596	224	8.5
<a href="#">Intel Celeron J1750 @ 2.41GHz</a>	595	659	10
<a href="#">MediaTek MT6761V/WBB</a>	595	401	NA
<a href="#">AMD Athlon 64 X2 Dual Core BE-2300</a>	594	624	45
<a href="#">AMD Opteron 1212</a>	593	729	103
<a href="#">AMD Athlon X2 Dual Core BE-2350</a>	591	705	45
<a href="#">AMD Turion Dual-Core RM-74</a>	588	595	35
<a href="#">AMD Turion II Neo N40L Dual-Core</a>	588	614	15
<a href="#">Intel Pentium U5600 @ 1.33GHz</a>	587	592	18
<a href="#">Intel Atom Z3745D @ 1.33GHz</a>	585	437	4.4
<a href="#">Intel Atom C2338 @ 1.74GHz</a>	584	233	7
<a href="#">Intel Celeron 847E @ 1.10GHz</a>	584	520	17
<a href="#">AMD Athlon 64 X2 QL-67</a>	582	515	35
<a href="#">Intel Celeron N2840 @ 2.16GHz</a>	582	670	7
<a href="#">Intel Xeon MV 3.20GHz</a>	582	378	90
<a href="#">Intel Celeron N3050 @ 1.60GHz</a>	581	561	6
<a href="#">AMD Athlon 64 X2 Dual-Core TK-42</a>	577	537	20
<a href="#">AMD Turion 64 X2 Mobile TL-58</a>	577	668	31
<a href="#">Intel Celeron 1019Y @ 1.00GHz</a>	576	521	10
<a href="#">Intel Core2 Duo L7500 @ 1.60GHz</a>	575	600	17
<a href="#">AMD Athlon 64 X2 Dual Core BE-2350</a>	573	674	45
<a href="#">Intel Celeron J1800 @ 2.41GHz</a>	573	657	10
<a href="#">Intel Core2 Duo U9600 @ 1.60GHz</a>	572	655	10
<a href="#">AMD Athlon X2 Dual Core BE-2300</a>	570	644	45
<a href="#">AMD GX-212JC SOC</a>	570	436	6
<a href="#">Intel Celeron 857 @ 1.20GHz</a>	569	476	17
<a href="#">Intel Pentium T2410 @ 2.00GHz</a>	569	787	NA
<a href="#">AMD Athlon 64 X2 3800+</a>	566	745	89
<a href="#">Qualcomm MSM 8974 HAMMERHEAD (Flattened Device Tree)</a>	566	219	NA
<a href="#">AMD E1-7010 APU</a>	565	489	10
<a href="#">AMD Turion II Neo K625 Dual-Core</a>	565	596	15
<a href="#">AMD Athlon X2 Dual Core 6850e</a>	564	623	22
<a href="#">AMD Sempron Dual Core 2200</a>	563	649	65
<a href="#">Intel Celeron 867 @ 1.30GHz</a>	562	584	17
<a href="#">Intel Celeron N2830 @ 2.16GHz</a>	562	645	7.5
<a href="#">AMD Turion Dual-Core RM-70</a>	561	548	31
<a href="#">Intel Celeron U3600 @ 1.20GHz</a>	560	520	18
<a href="#">AMD Athlon Dual Core 4050e</a>	559	715	45
<a href="#">Qualcomm Technologies, Inc QM215</a>	558	347	NA
<a href="#">Intel Atom Z3735E @ 1.33GHz</a>	557	478	4.4
<a href="#">AMD Sempron Dual Core 2300</a>	555	697	65
<a href="#">Intel Core2 Duo L7300 @ 1.40GHz</a>	550	635	17

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD E1-6015 APU</a>	547	452	NA
<a href="#">Intel Core2 Duo E6300 @ 1.86GHz</a>	546	675	65
<a href="#">ARM Cortex-A53 4 Core 1800 MHz</a>	545	242	NA
<a href="#">Intel Pentium T2390 @ 1.86GHz</a>	544	645	35
<a href="#">AMD E1-6010 APU</a>	543	428	10
<a href="#">Intel Atom Z3735D @ 1.33GHz</a>	540	465	4.4
<a href="#">Intel Core2 Duo T5550 @ 1.83GHz</a>	540	626	35
<a href="#">Intel Core2 Duo T5670 @ 1.80GHz</a>	539	664	35
<a href="#">Intel Core2 Duo E4300 @ 1.80GHz</a>	537	658	65
<a href="#">AMD TurionX2 Dual Core Mobile RM-70</a>	536	674	31
<a href="#">Intel Core2 Duo SU9400 @ 1.40GHz</a>	535	597	10
<a href="#">Intel Core2 Duo T5450 @ 1.66GHz</a>	535	569	35
<a href="#">Intel Atom Z3735G @ 1.33GHz</a>	534	424	4.4
<a href="#">AMD Sempron Dual Core 2100</a>	533	596	65
<a href="#">AMD Athlon 64 X2 Dual Core 3400+</a>	531	505	89
<a href="#">AMD Opteron 165</a>	531	638	110
<a href="#">AMD Sempron 2650 APU</a>	531	457	25
<a href="#">Celeron Dual-Core T3100 @ 1.90GHz</a>	531	585	35
<a href="#">AMD Turion X2 Ultra Dual-Core Mobile ZM-80</a>	530	684	32
<a href="#">AMD Athlon II Neo K345 Dual-Core</a>	527	552	12
<a href="#">AMD Sempron 130</a>	526	1,066	45
<a href="#">Intel Atom Z3735F @ 1.33GHz</a>	526	392	4.4
<a href="#">AMD Athlon 64 X2 Dual-Core TK-55</a>	525	613	35
<a href="#">Intel Core2 Duo E6320 @ 1.86GHz</a>	524	599	65
<a href="#">AMD Athlon 64 X2 QL-62</a>	522	665	35
<a href="#">Intel Celeron T1600 @ 1.66GHz</a>	520	627	35
<a href="#">AMD Athlon 64 FX-57</a>	517	552	104
<a href="#">Intel Core2 Duo L7400 @ 1.50GHz</a>	516	555	17
<a href="#">Intel T2050 @ 2.00GHz</a>	516	611	31
<a href="#">Amlogic</a>	515	359	NA
<a href="#">Intel Atom E3827 @ 1.74GHz</a>	515	479	8
<a href="#">Intel Core2 Duo T5500 @ 1.66GHz</a>	512	590	34
<a href="#">Intel Atom Z3736F @ 1.33GHz</a>	511	433	4.4
<a href="#">MediaTek MT6737T</a>	511	348	NA
<a href="#">Intel Celeron N2808 @ 1.58GHz</a>	509	582	4.5
<a href="#">Intel Core2 Duo U7300 @ 1.30GHz</a>	509	540	10
<a href="#">Intel Pentium E2140 @ 1.60GHz</a>	508	594	65
<a href="#">Rockchip RK3288 (Flattened Device Tree)</a>	508	403	NA
<a href="#">Intel Pentium D 830 @ 3.00GHz</a>	507	552	95
<a href="#">Intel Celeron N3010 @ 1.04GHz</a>	505	573	4
<a href="#">MediaTek MT8168A</a>	504	367	NA
<a href="#">AMD Athlon 64 X2 Dual-Core TK-53</a>	502	593	31
<a href="#">AMD Sempron 150</a>	498	1,079	45



CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Turion X2 Dual Core Mobile RM-70</a>	497	504	31
<a href="#">Intel Core2 Duo T5270 @ 1.40GHz</a>	496	586	35
<a href="#">Intel Pentium SU4100 @ 1.30GHz</a>	494	543	10
<a href="#">Intel Celeron E1200 @ 1.60GHz</a>	492	628	65
<a href="#">AMD E2-2000 APU</a>	488	550	18
<a href="#">Intel Atom Z3770D @ 1.49GHz</a>	488	361	4.4
<a href="#">Intel Pentium T2330 @ 1.60GHz</a>	488	557	35
<a href="#">AMD Athlon Neo X2 Dual Core L335</a>	487	547	18
<a href="#">Intel Celeron N2806 @ 1.60GHz</a>	486	538	4.5
<a href="#">Intel Core2 Duo U9300 @ 1.20GHz</a>	485	542	10
<a href="#">Qualcomm Technologies, Inc MSM8917</a>	485	303	NA
<a href="#">AMD Athlon 64 3100+</a>	484	600	89
<a href="#">Intel Celeron G460 @ 1.80GHz</a>	483	704	35
<a href="#">Intel Core2 Duo T5250 @ 1.50GHz</a>	483	542	35
<a href="#">Intel Atom D2700 @ 2.13GHz</a>	481	385	10
<a href="#">AMD Sempron 145</a>	480	978	45
<a href="#">Intel Celeron G465 @ 1.90GHz</a>	480	739	35
<a href="#">Intel Xeon 3.20GHz</a>	478	696	103
<a href="#">Intel Celeron N2815 @ 1.86GHz</a>	477	558	7.5
<a href="#">AMD Athlon Neo X2 Dual Core L325</a>	476	527	18
<a href="#">Intel Core2 Duo L7100 @ 1.20GHz</a>	476	492	NA
<a href="#">Intel T1400 @ 1.73GHz</a>	475	671	NA
<a href="#">MediaTek MT6735</a>	475	285	NA
<a href="#">AMD E1-2200 APU</a>	474	368	9
<a href="#">AMD Sempron 140</a>	473	1,043	45
<a href="#">Intel Celeron U3400 @ 1.07GHz</a>	473	441	18
<a href="#">Intel Pentium D 915 @ 2.80GHz</a>	472	567	95
<a href="#">AMD TurionX2 Dual Core Mobile RM-72</a>	471	392	35
<a href="#">Intel Pentium Extreme Edition 955 @ 3.46GHz</a>	469	515	130
<a href="#">AMD Athlon 64 FX-59</a>	465	575	NA
<a href="#">AMD Athlon 64 X2 QL-60</a>	465	557	35
<a href="#">AMD E-350D APU</a>	465	519	18
<a href="#">Intel Celeron N2810 @ 2.00GHz</a>	465	545	7.5
<a href="#">Qualcomm APQ8084</a>	465	312	NA
<a href="#">AMD Athlon 64 X2 Dual Core TK-53</a>	463	542	31
<a href="#">AMD Athlon 64 X2 Dual Core TK-55</a>	463	624	31
<a href="#">Intel Celeron 847 @ 1.10GHz</a>	460	481	17
<a href="#">AMD E2-1800 APU</a>	459	544	18
<a href="#">Intel Core2 Duo T5470 @ 1.60GHz</a>	459	576	35
<a href="#">MediaTek MT8163</a>	459	293	NA
<a href="#">AMD Opteron 154</a>	457	534	104
<a href="#">QCT APQ8064 FLO</a>	457	277	NA
<a href="#">Intel Pentium T2370 @ 1.73GHz</a>	455	521	35

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Opteron 254</a>	451	578	68
<a href="#">Intel Core Duo T2600 @ 2.16GHz</a>	449	676	31
<a href="#">AMD Turion 64 X2 Mobile TL-50</a>	448	535	31
<a href="#">SAMSUNG JF</a>	448	322	NA
<a href="#">Intel Celeron N2807 @ 1.58GHz</a>	447	547	4.3
<a href="#">QCT APQ8064 DEB</a>	447	277	NA
<a href="#">Sony Mobile fusion3</a>	446	245	NA
<a href="#">AMD A4-1200 APU</a>	445	327	3.9
<a href="#">ARM Cortex-A53 4 Core 1400 MHz</a>	444	305	NA
<a href="#">Intel Celeron 925 @ 2.30GHz</a>	444	846	35
<a href="#">AMD G-T56E</a>	442	522	18
<a href="#">AMD A4-1250 APU</a>	440	332	8
<a href="#">Intel Celeron N2820 @ 2.13GHz</a>	440	560	7.5
<a href="#">Intel Pentium U5400 @ 1.20GHz</a>	439	470	18
<a href="#">Intel Atom D2701 @ 2.13GHz</a>	438	371	10
<a href="#">MediaTek MT6762V/CN</a>	437	347	NA
<a href="#">AMD Athlon II Neo N36L Dual-Core</a>	436	491	12
<a href="#">Intel Atom D2560 @ 2.00GHz</a>	433	353	10
<a href="#">Intel Celeron 450 @ 2.20GHz</a>	433	532	35
<a href="#">AMD Turion Neo X2 Dual Core L625</a>	431	530	18
<a href="#">AMD Athlon LE-1640</a>	430	489	45
<a href="#">Generic DT based system</a>	430	396	NA
<a href="#">Intel Pentium T2310 @ 1.46GHz</a>	430	531	35
<a href="#">AMD Athlon Neo X2 Dual Core 6850e</a>	428	524	22
<a href="#">AMD Opteron 152</a>	428	487	104
<a href="#">Intel Celeron G440 @ 1.60GHz</a>	426	739	35
<a href="#">Intel Xeon 3.00GHz</a>	425	607	103
<a href="#">Intel Atom D525 @ 1.80GHz</a>	423	315	13
<a href="#">MediaTek MT6737</a>	423	265	NA
<a href="#">Intel Celeron SU2300 @ 1.20GHz</a>	422	493	10
<a href="#">AMD Athlon LE-1620</a>	421	475	45
<a href="#">AMD E-450 APU</a>	421	500	18
<a href="#">MediaTek MT8167B</a>	418	305	NA
<a href="#">AMD Athlon LE-1660</a>	416	428	45
<a href="#">AMD G-T48E</a>	416	454	18
<a href="#">MediaTek MT6739WW</a>	415	274	NA
<a href="#">AMD E-350</a>	413	493	18
<a href="#">AMD Athlon 1640B</a>	412	462	45
<a href="#">AMD Athlon LE-1600</a>	412	430	45
<a href="#">Intel Core Duo T2500 @ 2.00GHz</a>	412	613	31
<a href="#">AMD E1-2100 APU</a>	409	328	9
<a href="#">Intel Core2 Duo T5200 @ 1.60GHz</a>	409	559	34
<a href="#">ARM Cortex-A53 4 Core 1296 MHz</a>	408	176	NA

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Atom D2550 @ 1.86GHz</a>	405	306	10
<a href="#">AMD Athlon 64 FX-55</a>	404	505	104
<a href="#">Intel Core Duo L2500 @ 1.83GHz</a>	404	578	15
<a href="#">Intel Xeon 3.60GHz</a>	403	643	110
<a href="#">AMD E-350 APU</a>	401	482	18
<a href="#">MT6735P</a>	401	262	NA
<a href="#">Qualcomm Technologies, Inc MSM8916</a>	401	253	NA
<a href="#">AMD Geode NX 2400+</a>	400	634	NA
<a href="#">AMD Sempron LE-1300</a>	400	389	45
<a href="#">AMD Turion 64 Mobile ML-42</a>	400	455	35
<a href="#">Intel Core i7-2630UM @ 1.60GHz</a>	400	221	NA
<a href="#">QCT APQ8064 MAKO</a>	399	254	NA
<a href="#">Intel Core Duo T2450 @ 2.00GHz</a>	395	592	31
<a href="#">AMD Athlon 64 3700+</a>	394	435	89
<a href="#">AMD E1-1500 APU</a>	394	455	18
<a href="#">AMD Opteron 150</a>	393	471	85.3
<a href="#">Intel Xeon 3.80GHz</a>	393	594	110
<a href="#">VIA Nano X2 U4025 @ 1.2 GHz</a>	393	213	NA
<a href="#">AMD Opteron 148</a>	392	443	85.3
<a href="#">Intel Celeron 807 @ 1.50GHz</a>	392	608	17
<a href="#">Unisoc SC9832e</a>	391	246	NA
<a href="#">Intel Core Duo L2300 @ 1.50GHz</a>	387	442	15
<a href="#">Qualcomm Technologies, Inc MSM8920</a>	387	260	NA
<a href="#">AMD Athlon X2 Dual Core L310</a>	385	434	13
<a href="#">Intel Atom D510 @ 1.66GHz</a>	385	286	13
<a href="#">Intel Atom E3825 @ 1.33GHz</a>	385	370	6
<a href="#">Intel Pentium 4 3.73GHz</a>	385	572	115
<a href="#">MediaTek MT6737M</a>	385	200	NA
<a href="#">AMD Turion 64 Mobile ML-44</a>	384	469	35
<a href="#">AMD Turion 64 X2 Mobile TL-52</a>	384	497	31
<a href="#">Intel Celeron 900 @ 2.20GHz</a>	384	839	34.8
<a href="#">AMD E1-1200 APU</a>	383	433	18
<a href="#">Intel Pentium T2130 @ 1.86GHz</a>	382	583	31
<a href="#">AMD Athlon 64 3300+</a>	375	477	NA
<a href="#">AMD Athlon 64 3400+</a>	375	429	89
<a href="#">Intel Atom Z2760 @ 1.80GHz</a>	375	196	NA
<a href="#">Intel Xeon 3.40GHz</a>	375	519	103
<a href="#">MT8735</a>	375	227	NA
<a href="#">Intel Pentium D 805 @ 2.66GHz</a>	374	497	95
<a href="#">AMD V140</a>	372	805	25
<a href="#">Intel Celeron D 360 @ 3.46GHz</a>	372	712	65
<a href="#">Intel Atom 330 @ 1.60GHz</a>	371	168	8
<a href="#">Intel Celeron 827E @ 1.40GHz</a>	371	674	17

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Core2 Duo U7500 @ 1.06GHz</a>	366	427	10
<a href="#">Intel Celeron 550 @ 2.00GHz</a>	365	585	31
<a href="#">Intel Celeron 560 @ 2.13GHz</a>	365	498	31
<a href="#">AMD Sempron 3600+</a>	364	377	62
<a href="#">Intel Core Duo T2350 @ 1.86GHz</a>	364	560	31
<a href="#">MT8765WB</a>	363	235	NA
<a href="#">AMD Turion 64 Mobile MK-38</a>	362	801	31
<a href="#">AMD V120</a>	362	810	25
<a href="#">ARM ARMv7 rev 4 (v7l) 4 Core 1200 MHz</a>	362	274	NA
<a href="#">Manta</a>	362	430	NA
<a href="#">AMD Sempron 3800+</a>	360	422	62
<a href="#">AMD Athlon II 160u</a>	358	717	20
<a href="#">AMD E-300 APU</a>	358	410	18
<a href="#">AMD Sempron LE-1200</a>	358	412	45
<a href="#">AMD Athlon II 170u</a>	357	728	20
<a href="#">AMD Athlon X2 Dual Core 3250e</a>	357	458	22
<a href="#">Mobile AMD Athlon 64 3700+</a>	356	485	81.5
<a href="#">Qualcomm Technologies, Inc QCM2150</a>	356	244	NA
<a href="#">AMD Sempron LE-1250</a>	354	371	45
<a href="#">Intel Core Duo T2400 @ 1.83GHz</a>	349	511	31
<a href="#">ARM Cortex-A53 4 Core 1152 MHz</a>	348	162	NA
<a href="#">Intel Core Duo L2400 @ 1.66GHz</a>	348	501	15
<a href="#">Intel Core Duo T2300 @ 1.66GHz</a>	348	518	31
<a href="#">Intel Pentium T2080 @ 1.73GHz</a>	348	530	31
<a href="#">AMD Opteron 146</a>	346	400	67
<a href="#">Intel Core2 Duo U7700 @ 1.33GHz</a>	345	345	10
<a href="#">Intel Celeron 570 @ 2.26GHz</a>	344	431	31
<a href="#">Mobile Intel Pentium 4 3.33GHz</a>	344	552	NA
<a href="#">Qualcomm MSM8928</a>	344	211	NA
<a href="#">AMD Athlon II Neo K325 Dual-Core</a>	343	438	12
<a href="#">Intel Core Duo T2250 @ 1.73GHz</a>	343	526	31
<a href="#">Intel 2.80GHz</a>	341	456	NA
<a href="#">AMD Athlon TF-36</a>	338	349	25
<a href="#">AMD Sempron M100</a>	338	690	NA
<a href="#">MediaTek MT6739WA</a>	338	227	NA
<a href="#">AMD V160</a>	337	838	25
<a href="#">Samsung Exynos 7570</a>	337	235	NA
<a href="#">AMD Turion 64 Mobile ML-40</a>	336	662	35
<a href="#">Intel Atom N570 @ 1.66GHz</a>	335	282	8.5
<a href="#">Intel Celeron N2805 @ 1.46GHz</a>	335	394	4.3
<a href="#">Mobile AMD Sempron 3800+</a>	335	735	NA
<a href="#">AMD Turion 64 Mobile MK-36</a>	334	735	31
<a href="#">AMD Athlon 2850e</a>	333	337	22

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">ARM Cortex-A53 4 Core 1200 MHz</a>	331	237	NA
<a href="#">Qualcomm Technologies, Inc APQ8016</a>	329	208	NA
<a href="#">Intel Pentium T2060 @ 1.60GHz</a>	328	486	31
<a href="#">Mobile AMD Athlon 64 3200+</a>	326	400	81.5
<a href="#">Intel Atom N2600 @ 1.60GHz</a>	323	292	3.5
<a href="#">AMD Athlon 64 4000+</a>	321	348	62
<a href="#">Mobile AMD Sempron 3400+</a>	321	455	25
<a href="#">Intel Pentium 4 3.60GHz</a>	320	605	115
<a href="#">AMD Turion 64 Mobile ML-37</a>	318	405	35
<a href="#">AMD Opteron 144</a>	316	376	67
<a href="#">Intel Atom N550 @ 1.50GHz</a>	316	257	8.5
<a href="#">Intel Core2 Duo U7600 @ 1.20GHz</a>	316	427	10
<a href="#">AMD Sempron 3300+</a>	315	394	62
<a href="#">AMD Sempron LE-1100</a>	315	509	45
<a href="#">AMD Turion 64 Mobile MT-37</a>	315	379	25
<a href="#">VIA Eden X2 U4200 @ 1.0+ GHz</a>	315	281	NA
<a href="#">Intel Celeron D 420 @ 1.60GHz</a>	313	388	35
<a href="#">Intel Core Duo T2050 @ 1.60GHz</a>	313	494	31
<a href="#">Intel Pentium 4 3.80GHz</a>	313	596	65
<a href="#">Mobile AMD Athlon 64 4000+</a>	313	338	62
<a href="#">Samsung GrandPrimePlus LTE CIS rev04 board based o</a>	312	213	NA
<a href="#">Intel Pentium 4 3.00GHz</a>	310	561	81.9
<a href="#">Qualcomm Technologies, Inc APQ8017</a>	309	255	NA
<a href="#">AMD Z-01</a>	308	290	NA
<a href="#">AMD C-60 APU</a>	307	356	9
<a href="#">Intel Celeron M 530 @ 1.73GHz</a>	307	553	30
<a href="#">AMD Athlon 64 3000+</a>	303	506	89
<a href="#">AMD Athlon II Neo K125</a>	302	613	12
<a href="#">Intel Pentium 4 3.40GHz</a>	302	670	89
<a href="#">Mobile AMD Sempron 3600+</a>	302	724	25
<a href="#">UNIVERSAL3475</a>	301	193	NA
<a href="#">AMD C-70 APU</a>	300	354	9
<a href="#">AMD Athlon II Neo K145</a>	298	592	12
<a href="#">AMD Sempron 3100+</a>	298	383	62
<a href="#">AMD Sempron M120</a>	298	685	25
<a href="#">Intel Celeron 540 @ 1.86GHz</a>	296	519	30
<a href="#">AMD Athlon 64 2800+</a>	295	375	89
<a href="#">Intel Pentium 4 3.46GHz</a>	295	512	110.7
<a href="#">Mobile AMD Sempron 3300+</a>	294	391	NA
<a href="#">Qualcomm MSM8626</a>	294	185	NA
<a href="#">Qualcomm MSM8926</a>	294	177	NA
<a href="#">AMD C-60</a>	293	383	9
<a href="#">AMD Athlon 64 3800+</a>	292	461	45

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Qualcomm Technologies, Inc MSM8216</a>	292	155	NA
<a href="#">AMD Athlon 2800+</a>	291	439	89
<a href="#">Mobile AMD Sempron 3500+</a>	290	654	NA
<a href="#">Qualcomm Technologies, Inc APQ8009</a>	289	184	NA
<a href="#">AMD Sempron 3200+</a>	288	356	62
<a href="#">Spreadtrum SC7731e</a>	288	185	NA
<a href="#">Intel Celeron 530 @ 1.73GHz</a>	287	342	27
<a href="#">Intel Pentium 4 3.20GHz</a>	287	532	82
<a href="#">AMD Athlon Neo MV-40</a>	286	279	15
<a href="#">AMD Turion 64 Mobile MT-32</a>	286	367	24
<a href="#">AMD Turion 64 Mobile ML-32</a>	285	321	35
<a href="#">Intel Celeron D 352 @ 3.20GHz</a>	283	674	86
<a href="#">AMD Athlon XP 3100+</a>	282	431	NA
<a href="#">MediaTek MT8735B</a>	282	180	NA
<a href="#">AMD Athlon XP 3200+</a>	281	430	62
<a href="#">Intel Pentium M 1.80GHz</a>	280	389	21
<a href="#">AMD Turion 64 Mobile MT-34</a>	279	328	24
<a href="#">VIA Nano L2100@1800MHz</a>	279	182	25
<a href="#">Intel Celeron 420 @ 1.60GHz</a>	278	451	35
<a href="#">AMD Turion 64 Mobile ML-30</a>	277	314	35
<a href="#">AMD Turion 64 Mobile ML-34</a>	277	329	35
<a href="#">Mobile AMD Sempron 3100+</a>	277	359	NA
<a href="#">AMD Athlon XP 2900+</a>	276	410	NA
<a href="#">Intel Atom D2500 @ 1.86GHz</a>	275	346	10
<a href="#">AMD Athlon 2650e</a>	274	304	NA
<a href="#">Intel Pentium M 2.13GHz</a>	271	354	27
<a href="#">ARM Cortex-A7 4 Core 1200 MHz</a>	270	208	NA
<a href="#">Intel Pentium M 2.00GHz</a>	270	363	21
<a href="#">VIA Nano U2250 (1.6GHz Capable)</a>	270	259	8
<a href="#">Intel Celeron 430 @ 1.80GHz</a>	269	578	35
<a href="#">Mobile AMD Sempron 3000+</a>	269	350	NA
<a href="#">AMD Athlon TF-20</a>	268	269	15
<a href="#">AMD Sempron 3000+</a>	268	333	62
<a href="#">AMD Sempron 210U</a>	267	299	15
<a href="#">Intel Celeron 3.20GHz</a>	267	599	NA
<a href="#">Intel Celeron M 723 @ 1.20GHz</a>	267	507	10
<a href="#">AMD C-50</a>	266	319	9
<a href="#">Qualcomm MSM8226</a>	265	176	NA
<a href="#">AMD G-T40E</a>	263	300	6.4
<a href="#">Intel Celeron 3.33GHz</a>	263	528	NA
<a href="#">Intel Celeron 743 @ 1.30GHz</a>	263	528	10
<a href="#">VIA Eden C1050@1.06GHz</a>	263	283	NA
<a href="#">AMD Athlon XP 3000+</a>	262	396	62

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">AMD Athlon XP 2800+</a>	260	408	89
<a href="#">Intel Xeon 2.80GHz</a>	260	384	103
<a href="#">AMD Sempron SI-40</a>	257	537	25
<a href="#">AMD Athlon XP 2700+</a>	256	398	NA
<a href="#">Intel Atom E3826 @ 1.46GHz</a>	256	404	7
<a href="#">Mobile AMD Sempron 2600+</a>	256	316	NA
<a href="#">QCT APQ8064 AWIFI</a>	256	278	NA
<a href="#">Intel Core Duo U2400 @ 1.06GHz</a>	255	342	9
<a href="#">AMD Turion 64 Mobile ML-28</a>	254	314	25
<a href="#">VIA Nano L2007@1600MHz</a>	254	242	25
<a href="#">AMD Sempron 2600+</a>	253	325	NA
<a href="#">Intel Core Solo T1400 @ 1.83GHz</a>	253	525	27
<a href="#">Intel Celeron M 1.70GHz</a>	252	370	NA
<a href="#">Intel Core2 Solo U3500 @ 1.40GHz</a>	252	546	5.5
<a href="#">Qualcomm Technologies, Inc MSM8909</a>	252	161	NA
<a href="#">AMD Sempron LE-1150</a>	251	477	45
<a href="#">Intel Celeron D 356 @ 3.33GHz</a>	251	619	86
<a href="#">Intel Pentium 4 3.06GHz</a>	249	551	81.8
<a href="#">AMD GX-210JA SOC</a>	248	231	6
<a href="#">AMD Turion 64 Mobile MT-30</a>	246	294	25
<a href="#">Mobile AMD Sempron 3200+</a>	245	525	NA
<a href="#">AMD Athlon 64 2600+</a>	243	292	15
<a href="#">AMD Athlon XP2400+</a>	243	390	NA
<a href="#">AMD Athlon XP 2600+</a>	242	380	NA
<a href="#">Mobile AMD Athlon 2500+</a>	241	365	NA
<a href="#">Mobile AMD Athlon XP-M 2600+</a>	241	375	NA
<a href="#">Intel Pentium M 1.50GHz</a>	240	323	24.5
<a href="#">Intel Pentium M 1.70GHz</a>	239	318	24.5
<a href="#">Intel Pentium SU2700 @ 1.30GHz</a>	239	432	10
<a href="#">Intel Pentium M 1.86GHz</a>	238	460	27
<a href="#">Mobile AMD Athlon XP-M 2800+</a>	238	385	NA
<a href="#">Mobile AMD Athlon XP-M 3000+</a>	238	365	NA
<a href="#">Intel Pentium M 1700MHz</a>	237	361	24.5
<a href="#">Mobile AMD Athlon XP-M 2200+</a>	237	363	NA
<a href="#">Mobile AMD Sempron 2800+</a>	237	299	NA
<a href="#">AMD Athlon XP 2400+</a>	234	375	NA
<a href="#">Intel Celeron 3.06GHz</a>	234	514	NA
<a href="#">AMD Sempron 2800+</a>	233	306	62
<a href="#">ARM Cortex-A7 4 Core 900 MHz</a>	233	166	NA
<a href="#">Intel Core2 Solo U2100 @ 1.06GHz</a>	233	258	5.5
<a href="#">Mobile AMD Athlon 4 2400+</a>	233	358	NA
<a href="#">AMD Sempron 3500+</a>	232	264	62
<a href="#">Intel Celeron D 347 @ 3.06GHz</a>	232	565	86

CPU Name	CPU Mark	Thread Mark	TDP (W)
<input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>	<input type="text"/> - <input type="text"/>



## CPU Benchmarks



<a href="#">Intel Celeron 2.93GHz</a>	230	396	NA
<a href="#">Intel Celeron M 450 @ 2.00GHz</a>	230	598	27
<a href="#">Intel Pentium 4 2.80GHz</a>	230	491	69.7
<a href="#">Intel Pentium M 1.60GHz</a>	229	307	24.5
<a href="#">Rockchip RK3326</a>	228	195	NA
<a href="#">Intel Celeron M 520 @ 1.60GHz</a>	227	553	30
<a href="#">Intel Pentium M 2.26GHz</a>	227	508	27
<a href="#">Mobile AMD Athlon XP-M 2500+</a>	226	355	NA
<a href="#">MT6735M</a>	226	131	NA
<a href="#">Intel Pentium M 1.40GHz</a>	225	264	22
<a href="#">Mobile AMD Athlon XP-M 2400+</a>	225	355	NA
<a href="#">Intel Atom N470 @ 1.83GHz</a>	224	308	6.5
<a href="#">Intel Celeron M 1.60GHz</a>	224	318	NA
<a href="#">Intel Atom D425 @ 1.80GHz</a>	222	320	10
<a href="#">Intel Celeron M 550 @ 1.40GHz</a>	221	305	21
<a href="#">Intel Core i3-3110</a>	220	362	9
<a href="#">Mobile Intel Pentium 4 Processor</a>	220	423	81.8
<a href="#">Intel Celeron M 1500MHz</a>	217	297	NA
<a href="#">Intel Celeron M 1.50GHz</a>	216	280	21
<a href="#">Intel Pentium 4 2.60GHz</a>	215	494	69

Showing 1 to 3,342 of 3,342 entries

[Previous](#) **1** [Next](#)
**Notes:**

1 Price is obtained from our affiliates. \*\* after the price denotes the last seen price for products that are no longer available.

2 CPU Value is calculated by taking CPU Mark / Price.

3 Single Thread Value is calculated by taking Single Thread CPU Mark / Price.

4 Power Performance is calculated by taking CPU Mark / TDP.

5 Test Date is the date of our first benchmark submission.

[AMD Athlon XP 2200+](#)[Intel Pentium M 1.73GHz](#)SoftwareHardwareBenchmarksAbout UsServicesInternational[Intel Celeron 723 @ 1.2GHz](#)[AMD Athlon XP 2100+](#)[BurnInTest](#)[PerformanceTest](#)[OSForensics](#)[MemTest86](#)[WirelessMon](#)[Zoom Search](#)[Engine](#)[Free Software](#)[Mobile Intel Pentium 4](#)[AMD Athlon XP 1900+](#)[Intel Pentium M 1.20GHz](#)[VIA Nano U2500@1200MHz](#)[AMD Athlon L110](#)[Copyright © 2021 PassMark Software](#)[Intel Pentium M 1300MHz](#)[Intel Pentium M 1.30GHz](#)[Mobile AMD Athlon XP-M 2000+](#)[AMD Athlon XP 1800+](#)[AMD Athlon XP 2000+](#)[USB3.0 Loopback](#)[Plugs](#)[USB2.0 Loopback](#)[Plugs](#)[PCIe Test Cards](#)[USB Power](#)[Delivery Tester](#)[Serial and Parallel](#)[Loopback Plugs](#)[USB Short Circuit](#)[Testers](#)[CPU Benchmarks](#)[Video Card](#)[Benchmarks](#)[Hard Drive](#)[Benchmarks](#)[RAM Benchmarks](#)[PC Systems](#)[Benchmarks](#)[Android](#)[Benchmarks](#)[iOS / iPhone](#)[Benchmarks](#)[Company](#)[Contact Us](#)[The Press Room](#)[Store](#)[Support](#)[Forums](#)[Disclaimer](#)[Refunds](#)[Privacy](#)[Social](#)

<a href="#">Intel Celeron M 330MHz</a>	197	274	NA
<a href="#">Intel Pentium M 1300MHz</a>	197	271	22
<a href="#">Intel Pentium M 1.30GHz</a>	196	250	22
<a href="#">Mobile AMD Athlon XP-M 2000+</a>	196	301	NA
<a href="#">AMD Athlon XP 1800+</a>	195	301	66
<a href="#">AMD Athlon XP 2000+</a>	195	311	70





 CPU Benchmarks ▼

 CPU Benchmarks ▼

 CPU Benchmarks ▼